



Industrial Signalling

Audible and Visual Signals



Unique product design

Proven quality

Latest technology

Fast and reliable delivery



Notification devices for fire, safety and industrial applications

R. STAHL is one of the world's leading suppliers of signalling devices, with a long history in the design and development of electrical products providing life safety, asset security and environmental protection.

With a broad range of products consisting of audible, visual and combination units, we are able to address a wide variety of applications throughout an extensive list of industry sectors. These include Automation, Industrial and Process Control through to Security and Fire Safety, all of which demand the highest level of quality and reliability. This is achieved through the stringent quality assurance systems, embedded throughout R. STAHL's global manufacturing facilities.

Signalling devices are used to alert, warn or draw attention to an event or potential danger in a variety of applications which include:

- Fire suppression systems
- Cranes, loading arms and overhead machinery
- Conveying and handling equipment
- Fire alarm systems
- Mass notification
- Security systems
- Mining and processing of aggregates
- Machine builders
- General alarms
- Status indication
- Production processing plants
- Equipment malfunction or breakdown

Yodalarm



YA30
Industrial Audible Signal
100 dB (A)



YA40
Industrial Audible Signal
106 dB (A)



YA50
Industrial Audible Signal
110 dB (A)



100 dB

106 dB

110 dB

Yodalight

FL40
Visual Flashing Signal
5 Joule



YL40
Industrial Combination Signal
106 dB (A) / 5 Joule



YL50
Industrial Combination Signal
110 dB (A) / 5 Joule





YA80
Industrial Audible Signal
116 dB (A)



YA80 Super
Industrial Audible Signal
120 dB (A)



116 dB

120 dB

YL80
Industrial Combination Signal
116 dB (A) / 5 Joule



YL80 Super
Industrial Combination Signal
120 dB (A) / 5 Joule









Main Features and Benefits:

- Complete audible and visual signalling range
- Sound output range 100 dB - 120 dB
- 32 user selectable sound tones
- Independently selectable 2 stage alarm
- Synchronised alarm tones
- Volume control
- 5 Joule Xenon beacons
- Voltage range 24, 48 V DC and 115, 230 V AC
- LED status indicators
- Six lens colour options
- Stainless steel fixings

Certification:

- CPR - EN54 part 3 certified
- Marine equipment directive (MED)
- UL listed for general and visual signal
- IEC 60529 IP65 / Nema 4X as standard

Over 150 product lines in stock.
For further information contact your local sales office.

	Article no.	Product
 100 dB	204276	YA30/D/RF/WR Sounder
	211126	YA30/D/RF/WR/VDS Sounder
	204289	YA30/L/RF/WR Sounder
	204296	YA30/N/RF/WR Sounder
 106 dB	204330	YA40/D/RN/WR Sounder
	211985	YA40/D/RN/WR/VDS Sounder
	204354	YA40/L/RN/WR Sounder
	204364	YA40/N/RN/WR Sounder
 110 dB	204881	YA50/D/RF/WR Sounder
	212037	YA50/D/RF/WR/VDS Sounder
	204374	YA50/L/RF/WR Sounder
	204382	YA50/N/RF/WR Sounder
 116 dB / 120 dB	204407	YA80/D/RF/WR Sounder
	204422	YA80/L/RF/WR Sounder
	204436	YA80/N/RF/WR Sounder
	204404	YA80/D/RF/SU/WR Sounder
	204420	YA80/L/RF/SU/WR Sounder
	204434	YA80/N/RF/SU/WR Sounder
 5 J	204955	FL40/D50/A/RN Flashing Beacon
	204994	FL40/D50/R/RN Flashing Beacon
	205012	FL40/L50/A/RN Flashing Beacon
	205019	FL40/L50/R/RN Flashing Beacon
	205026	FL40/N50/A/RN Flashing Beacon
	205047	FL40/N50/R/RN Flashing Beacon
 100 dB / 3 J	204445	YL20/D10/A/RN Sounder/Strobe
	204453	YL20/D10/R/RN Sounder/Strobe

Voltage options: D = 24 V DC; L = 115 V AC; N = 230 V AC
Lens colour options: R = Red; A = Amber

	Article no.	Product	
 106 dB / 5 J	204507	YL40/D50/A/RN/WR Sounder/Strobe	
	204540	YL40/D50/R/RN/WR Sounder/Strobe	
	212015	YL40/D50/R/RN/WR/VDS Sounder/Strobe	
	204552	YL40/L50/A/RN/WR Sounder/Strobe	
	204562	YL40/L50/R/RN/WR Sounder/Strobe	
	204570	YL40/N50/A/RN/WR Sounder/Strobe	
	204588	YL40/N50/R/RN/WR Sounder/Strobe	
	 110 dB / 5 J	204815	YL50/D50/A/RF/WR Sounder/Strobe
204835		YL50/D50/R/RF/WR Sounder/Strobe	
212049		YL50/D50/R/RF/WR/VDS Sounder/Strobe	
204609		YL50/L50/A/RF/WR Sounder/Strobe	
204619		YL50/L50/R/RF/WR Sounder/Strobe	
204627		YL50/N50/A/RF/WR Sounder/Strobe	
204646		YL50/N50/R/RF/WR Sounder/Strobe	
 116 dB / 5 J		204678	YL80/D50/A/RF/WR Sounder/Strobe
	204697	YL80/D50/R/RF/WR Sounder/Strobe	
	204703	YL80/L50/A/RF/WR Sounder/Strobe	
	204711	YL80/L50/R/RF/WR Sounder/Strobe	
	204720	YL80/N50/A/RF/WR Sounder/Strobe	
	204738	YL80/N50/R/RF/WR Sounder/Strobe	
	 120 dB / 5 J	204675	YL80/D50/A/RF/SU/WR Sounder/Strobe
		204695	YL80/D50/R/RF/SU/WR Sounder/Strobe
212086		YL80/L50/A/RF/SU/WR Sounder/Strobe	
211033		YL80/L50/R/RF/SU/WR Sounder/Strobe	
204717		YL80/N50/A/RF/SU/WR Sounder/Strobe	
204735		YL80/N50/R/RF/SU/WR Sounder/Strobe	
 104 dB	205101	CN41 / D / RN	



For more information about our product range go to www.cliffordandsnell.com

R. STAHL

Am Bahnhof 30,
74638 Waldenburg, Germany
T +49 7942 943-0
F +49 7942 943-4333



www.stahl.de
www.cliffordandsnell.com

