

ACCESSORIES SECTION

DEWALT ACCESSORIES

You've bought the best tool, now buy the best accessory for the job.

As the brand renowned for the toughness and quality of its professional power tools, DEWALT also offers a wide range of accessories. Using professional quality accessories will improve the performance of your power tool.



The Tradesman choice for high performance accessories



Developed for professionals on the jobsite for demanding applications



Innovative solutions for the specialist users demanding optimum performance



ICON REFERENCE

Aluminium	Filler	Primer	Ceramics	Chipboard	Concrete	Fibre Cement Board	Wall Tile	Floor Tile	Terracotta	Tile
Block	Granite	Graphite	Natural Wood	Hardboard	Hardwood	Iron	Laminates	Marble	Stone	Wood
Brass	Masonry	MDF	Metal Tube	Nickel	Painted Wood	Plastic	Plywood	Porcelain	Veneers	White Veneer
Brick	Light Masonry Block	Reclaimed Wood	Rust	Slate	Softwood	Steel	Stainless Steel	Thin Steel	Filler	Fibreglass

CONCRETE DRILLING AND CHISELLING

DEMAND DEWALT® DRILL BITS AND CHISELS

DEWALT DRILLING SOLUTIONS

DEWALT is a market-leading manufacturer of high performance power tools and accessories that provide a fully integrated drilling system for masonry, metal and wood. The dedicated accessories factory in Germany was established in 1959 and now employs over 200 people, producing more than 40 million drill bits every year.




MANUFACTURING

To ensure maximum performance and customer satisfaction, DEWALT drill bits undergo the most rigorous manufacturing and testing procedures (including computer controlled milling) and the most advanced production and quality management processes. DEWALT not only produces its own bits, it even designs the machines that make them.



Made in Germany





PRODUCT DEVELOPMENT

Through extensive field research, DeWALT has gained a comprehensive knowledge of user needs and applications. Its world-class development facility utilises the latest Catia CAD system and automated test equipment to develop and test all drill bits prior to and during manufacture

QUALITY CONTROL

DeWALT is a long-standing member of PRUF GEMEINSCHAFT MAUERBOHRER (PGM), an internationally recognised organisation that verifies the suitability of drill bits for use in anchor fixing. To test drill bit life and durability 1 million holes are drilled into 350 tons of concrete each year, this will ensure that if there is any variability in quality it is detected before the products are delivered to the end user. All drill bits are certified to the latest ISO 9001:2000 quality standards as well as being tested using highly scientific machines to ensure their excellent quality



XLR™

FOR SUPERIOR PERFORMANCE IN MASONRY AND CONCRETE APPLICATIONS.

XTRA LIFE & RELIABILITY



MASONRY DRILLING

DeWALT professional accessories offer masonry drill bits for any task level. Whether it's light duty, occasional use to heavy duty, continuous use in the toughest concrete, DeWALT offers the right accessory for the job. You've bought the best masonry drill, now buy the best masonry drill bit.



EXTREME DeWALT® MASONRY DRILL BITS



APPLICATIONS

- Typically used for drilling anchor, plastic plug, fixing or pipework clearance holes.
- Suitable for masonry, brick, stone, tiles and light concrete.

FEATURES

- Lasts up to 2x longer and delivers up to 50% more holes per charge than a standard masonry bit.
- Unique Carbide Grade - optimum grade maximises durability.


SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT6695-QZ	3	110	70	1	1	5035048061879
DT6671-QZ	4	75	50	1	1	5035048060568
DT6672-QZ	5	85	50	1	1	5035048060575
DT6673-QZ	5	150	100	1	1	5035048060582
DT6674-QZ	5.5	85	50	1	1	5035048060599
DT6675-QZ	6	100	60	1	1	5035048060605
DT6676-QZ	6	150	100	1	1	5035048060612
DT6677-QZ	6	200	150	1	1	5035048060629
DT6678-QZ	6.5	100	60	1	1	5035048060636
DT6679-QZ	6.5	150	100	1	1	5035048060643
DT6680-QZ	7	100	60	1	1	5035048060650
DT6681-QZ	7	150	100	1	1	5035048060667
DT6682-QZ	8	120	80	1	1	5035048060674
DT6683-QZ	8	200	150	1	1	5035048060681
DT6684-QZ	9	120	80	1	1	5035048060698
DT6685-QZ	10	120	80	1	1	5035048060704
DT6686-QZ	10	200	150	1	1	5035048060711
DT6687-QZ	12	150	100	1	1	5035048060728
DT6688-QZ	12	200	150	1	1	5035048060735
DT6689-QZ	13	150	100	1	1	5035048060742
DT6690-QZ	14	150	100	1	1	5035048060759
DT6691-QZ	14	200	150	1	1	5035048060766
DT6692-QZ	16	150	100	1	1	5035048060773
DT6693-QZ	16	200	150	1	1	5035048060780

EXTREME DeWALT® MASONRY DRILL BIT SETS

Cat. No.	Description	Diameter mm	Pack Qty.	M.O.Q.	Barcode
-QZ	5 piece set in plastic cassette.	4,5,6,8,10	5	1	5035048060797
DT79288-QZ	Small tough case in blister with EXTREME DeWALT® Masonry drill bits. Ph2x4, Pz2x4, Ph2x50mm, Pz2x50mm, Slotted 5.5x50mm, Magnetic holder, Magnetic drive guide.	4, 5, 5.5, 6, 7, 8	19	1	5035048072219

MASONRY DRILL BITS



APPLICATIONS

- Typically used for drilling anchor, plastic plug, fixing or pipework clearance holes.
- Suitable for masonry, brick/blockwork, stone.

FEATURES

- Rotary/percussion masonry drill bit 130° Douglas form carbide tip.
- Shank diameter of drill bits 10-13 mm is reduced to 9.5 mm.
- Shank diameter of drill bits larger than 13 mm is reduced to 12.7 mm.



SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT6500-QZ	3	60	28	1	1	5011402382309
DT6504-QZ	4	75	38	1	1	5011402372379
DT6505-QZ	5	85	44	1	1	5011402372416
DT6502-QZ	5.5	85	44	1	1	5011402372454
DT6552-QZ	5.5	150	82	1	1	5011402372478
DT6506-QZ	6	100	54	1	1	5011402372492
DT6556-QZ	6	150	82	1	1	5011402372515
DT6606-QZ	6	200	135	1	1	5011402372539
DT6503-QZ	6.5	100	54	1	1	5011402372553
DT6507-QZ	7	100	54	1	1	5011402372614
DT6557-QZ	7	150	82	1	1	5011402372638
DT6508-QZ	8	120	67	1	1	5011402372676
DT6558-QZ	8	150	82	1	1	5011402372690
DT6608-QZ	8	200	135	1	1	5011402372713
DT6708-QZ	8	400	230	1	1	5011402372737
DT6509-QZ	9	120	67	1	1	5011402372751
DT6510-QZ	10	120	67	1	1	5011402372836
DT6560-QZ	10	150	82	1	1	5011402372850
DT6610-QZ	10	200	135	1	1	5011402372874
DT6710-QZ	10	400	230	1	1	5011402372898
DT6732-QZ	10	600	400	1	1	5011402382361
DT6562-QZ	12	150	82	1	1	5011402372935
DT6612-QZ	12	200	135	1	1	5011402372959
DT6712-QZ	12	400	230	1	1	5011402372973
DT6733-QZ	12	600	400	1	1	5011402382378
DT6563-QZ	13	150	82	1	1	5011402372997
DT6564-QZ	14	150	82	1	1	5011402373055
DT6714-QZ	14	400	230	1	1	5011402373093
DT6566-QZ	16	150	82	1	1	5011402373130
DT6716-QZ	16	400	230	1	1	5011402373154
DT6718-QZ	18	400	230	1	1	5011402373192
DT6720-QZ	20	400	230	1	1	5011402373239

MASONRY DRILL BIT SETS

Cat. No.	Description	Diameter mm	Pack Qty.	M.O.Q.	Barcode
DT6952-QZ	5 piece set in plastic cassette	4, 5, 6, 8, 10	5	1	5011402373413

MULTI MATERIAL DRILL BITS



APPLICATIONS

- Suitable for wood, plastics, mild steel and non ferrous metals and masonry.
- For use in rotary or percussive drilling modes.

FEATURES

- Unique 120° tip grind for maximum sharpness.
- Fully supported carbide head gives faster drilling and extended life.
- Non slip shank ensures better retention in chuck.

MULTI MATERIAL DRILL BITS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT6515-QZ	3	113	83	1	1	5035048066010
DT6516-QZ	3.5	113	83	1	1	5035048066027
DT6517-QZ	4	103	73	1	1	5035048066034
DT6518-QZ	5	113	83	1	1	5035048066041
DT6527-QZ	5.5	113	83	1	1	5035048077504
DT6528-QZ	5.5	200	170	1	1	5035048077511
DT6519-QZ	6	123	93	1	1	5035048066058
DT6529-QZ	6	200	170	1	1	5035048077528
DT6520-QZ	6.5	123	93	1	1	5035048066065
DT6530-QZ	6.5	200	170	1	1	5035048077535
DT6521-QZ	7	123	93	1	1	5035048066072
DT6522-QZ	8	134	104	1	1	5035048066089
DT6531-QZ	8	200	170	1	1	5035048077542
DT6523-QZ	9	134	104	1	1	5035048066096
DT6524-QZ	10	134	104	1	1	5035048066102
DT6533-QZ	10	200	170	1	1	5035048077559
DT6525-QZ	12	153	123	1	1	5035048066119
DT6526-QZ	13	160	130	1	1	5035048066126

SDS-PLUS EXTREME DeWALT® 2 DRILL BITS



APPLICATIONS

- Suitable for fast drilling of plug, anchor or clearance holes in masonry, stone, concrete and brick/block work.

FEATURES

- The innovative EXTREME DeWALT® 2 SDS+ drill bit is amongst the very best in terms of its durability, drilling life and speed.
- The Superior carbide grade ensures a tip with outstanding durability which gives consistent drilling life.
- The NEW 4 FLUTE SPIRAL incorporates a maximized central core for increased durability and energy transmission.
- The 140° tip design ensures better bit penetration and longer life.
- Hardened Steel body for extra strength and reduced breakage.



SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT19625-QZ	3	135	75	1	1	5035048014011
DT19500-QZ	3.5	110	50	1	1	5035048054758
DT19502-QZ	4	110	50	1	1	5035048054772
DT19503-QZ	4	160	100	1	1	5035048054789
DT19504-QZ	5	110	50	1	1	5035048054796
DT19505-QZ	5	160	100	1	1	5035048054802
DT19506-QZ	5	210	150	1	1	5035048054819
DT19507-QZ	5	310	250	1	1	5035048054826
DT19620-QZ	5	460	400	1	1	5035048061855
DT19508-QZ	5.5	110	50	1	1	5035048054833
DT19509-QZ	5.5	160	100	1	1	5035048054840
DT19510-QZ	5.5	210	150	1	1	5035048054857
DT19511-QZ	5.5	260	200	1	1	5035048054864
DT19512-QZ	5.5	310	250	1	1	5035048054871
DT19513-QZ	5.5	460	400	1	1	5035048054888
DT19514-QZ	6	110	50	1	1	5035048054895
DT19515-QZ	6	160	100	1	1	5035048054901
DT19516-QZ	6	210	150	1	1	5035048054918
DT19517-QZ	6	260	200	1	1	5035048054925
DT19621-QZ	6	310	250	1	1	5035048061862
DT19518-QZ	6	460	400	1	1	5035048054932
DT19519-QZ	6.5	110	50	1	1	5035048054949
DT19520-QZ	6.5	160	100	1	1	5035048054956
DT19521-QZ	6.5	210	150	1	1	5035048054963
DT19522-QZ	6.5	260	200	1	1	5035048054970
DT19523-QZ	6.5	310	250	1	1	5035048054987
DT19524-QZ	7	110	50	1	1	5035048054994
DT19525-QZ	7	160	100	1	1	5035048055007
DT19526-QZ	7	210	150	1	1	5035048055014
DT19527-QZ	7	260	200	1	1	5035048055021
DT19528-QZ	8	110	50	1	1	5035048055038
DT19529-QZ	8	160	100	1	1	5035048055045
DT19530-QZ	8	210	150	1	1	5035048055052
DT19531-QZ	8	260	200	1	1	5035048055069
DT19532-QZ	8	310	250	1	1	5035048055076
DT19533-QZ	8	410	350	1	1	5035048055083
DT19534-QZ	8	460	400	1	1	5035048055090
DT19536-QZ	9	160	100	1	1	5035048055113
DT19537-QZ	9	210	150	1	1	5035048055120
DT19539-QZ	10	110	50	1	1	5035048055144
DT19540-QZ	10	160	100	1	1	5035048055151
DT19541-QZ	10	210	150	1	1	5035048055168
DT19542-QZ	10	260	200	1	1	5035048055175
DT19543-QZ	10	310	250	1	1	5035048055182
DT19544-QZ	10	350	300	1	1	5035048055199
DT19545-QZ	10	460	400	1	1	5035048055205
DT19546-QZ	10	600	550	1	1	5035048055212
DT19547-QZ	10	1000	950	1	1	5035048055229
DT19548-QZ	11	160	100	1	1	5035048055236
DT19549-QZ	11	210	150	1	1	5035048055243
DT19552-QZ	12	160	100	1	1	5035048055274
DT19553-QZ	12	200	150	1	1	5035048055281
DT19554-QZ	12	260	200	1	1	5035048055298
DT19555-QZ	12	300	250	1	1	5035048055304
DT19556-QZ	12	350	300	1	1	5035048055311
DT19557-QZ	12	450	400	1	1	5035048055328
DT19558-QZ	12	600	550	1	1	5035048055335
DT19559-QZ	12	1000	950	1	1	5035048055342
DT19560-QZ	13	160	100	1	1	5035048055359
DT19561-QZ	13	200	150	1	1	5035048055366
DT19562-QZ	13	260	200	1	1	5035048055373
DT19566-QZ	14	160	100	1	1	5035048055410
DT19567-QZ	14	200	150	1	1	5035048055427
DT19568-QZ	14	260	200	1	1	5035048055434
DT19569-QZ	14	300	250	1	1	5035048055441
DT19570-QZ	14	450	400	1	1	5035048055458
DT19571-QZ	14	600	550	1	1	5035048055465
DT19572-QZ	14	1000	950	1	1	5035048055472
DT19573-QZ	15	160	100	1	1	5035048055489
DT19574-QZ	15	200	150	1	1	5035048055496
DT19575-QZ	15	260	200	1	1	5035048055502
DT19576-QZ	15	300	250	1	1	5035048055519
DT19578-QZ	16	160	100	1	1	5035048055533
DT19579-QZ	16	200	150	1	1	5035048055540
DT19580-QZ	16	260	200	1	1	5035048055557
DT19581-QZ	16	300	250	1	1	5035048055564
DT19582-QZ	16	450	400	1	1	5035048055571
DT19583-QZ	16	600	550	1	1	5035048055588
DT19584-QZ	16	800	750	1	1	5035048055595
DT19585-QZ	16	1000	950	1	1	5035048055601
DT19587-QZ	18	200	150	1	1	5035048055625
DT19588-QZ	18	250	200	1	1	5035048055632
DT19589-QZ	18	300	250	1	1	5035048055649
DT19590-QZ	18	450	400	1	1	5035048055656
DT19591-QZ	18	600	550	1	1	5035048055663
DT19592-QZ	18	800	750	1	1	5035048055670

SDS-PLUS EXTREME DeWALT® 2 DRILL BITS



APPLICATIONS

- Suitable for fast drilling of plug, anchor or clearance holes in masonry, stone, concrete and brick/block work.

FEATURES

- The innovative EXTREME DeWALT® 2 SDS+ drill bit is amongst the very best in terms of its durability drilling life and speed.
- The Superior carbide grade ensures a tip with outstanding durability which gives consistent drilling life.
- The NEW 4 FLUTE SPIRAL incorporates a maximized central core for increased durability and energy transmission.
- The 140° tip design ensures better bit penetration and longer life.
- Hardened Steel body for extra strength and reduced breakage.

SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT9593-QZ	18	1000	950	1	1	5035048055687
DT9597-QZ	20	200	150	1	1	5035048055724
DT9598-QZ	20	300	250	1	1	5035048055731
DT9599-QZ	20	450	400	1	1	5035048055748
DT9600-QZ	20	600	550	1	1	5035048055755
DT9601-QZ	20	1000	950	1	1	5035048055762
DT9602-QZ	22	250	200	1	1	5035048055779
DT9603-QZ	22	300	250	1	1	5035048055786
DT9604-QZ	22	450	400	1	1	5035048055793
DT9605-QZ	22	600	550	1	1	5035048055809
DT9606-QZ	22	800	750	1	1	5035048055816
DT9607-QZ	22	1000	950	1	1	5035048055823
DT9609-QZ	24	250	200	1	1	5035048055847
DT9610-QZ	24	450	400	1	1	5035048055854
DT9611-QZ	25	250	200	1	1	5035048055861
DT9612-QZ	25	300	250	1	1	5035048055878
DT9613-QZ	25	450	400	1	1	5035048055885
DT9614-QZ	25	1000	950	1	1	5035048055892
DT9615-QZ	26	250	200	1	1	5035048055908
DT9616-QZ	26	450	400	1	1	5035048055915
DT9617-QZ	26	800	750	1	1	5035048055922
DT9618-QZ	30	250	200	1	1	5035048055939
DT9619-QZ	30	450	400	1	1	5035048055946



BULK PACKS


Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT9800-QZ	5	110	50	10	1	5035048055953
DT9803-QZ	5	160	100	10	1	5035048055984
DT9806-QZ	5.5	110	50	10	1	5035048056011
DT9812-QZ	6	110	50	10	1	5035048056073
DT9814-QZ	6	110	50	100	1	5035048056097
DT9815-QZ	6	160	100	10	1	5035048056103
DT9816-QZ	6	160	100	50	1	5035048056110
DT9818-QZ	6	210	150	10	1	5035048056134
DT9846-QZ	6.5	210	150	10	1	5035048013953
DT9827-QZ	8	160	100	10	1	5035048056226
DT9830-QZ	8	210	150	10	1	5035048056257
DT9831-QZ	8	260	200	10	1	5035048056264
DT9833-QZ	10	110	50	10	1	5035048056288
DT9834-QZ	10	160	100	10	1	5035048056295
DT9835-QZ	10	160	100	50	1	5035048056301
DT9837-QZ	10	210	150	10	1	5035048056325
DT9838-QZ	10	260	200	10	1	5035048056332
DT9839-QZ	12	160	100	10	1	5035048056349
DT9841-QZ	12	200	150	10	1	5035048056363
DT9842-QZ	12	260	200	10	1	5035048056370
DT9844-QZ	14	200	150	10	1	5035048056394



SDS-PLUS EXTREME DeWALT® 2 DRILL BIT SETS

Cat. No.	Description	Diameter mm	Pack Qty.	M.O.Q.	Barcode
DT9700-QZ	4 piece set in plastic cassette.	5,6,8,10	4	1	5035048056400
DT9701-QZ	7 piece set in metal cassette.	5,6x2,8x2,10,12	7	1	5035048056417
DT9702-QZ	4 piece set in plastic cassette.	5.5,7,8,10	4	1	5035048056424

XLR® SDS PLUS® FULL HEAD CARBIDE DRILL BITS



APPLICATIONS

- Suitable for drilling plug & anchor holes in masonry, all types of stone and concrete.

FEATURES

- New solid carbide drill tip with optimised 4 cutter geometry offers the highest levels of drill bit life and durability from DEWALT® to date.
- 4 cutter geometry drills a more concentric hole to offer the best fixing retention.
- 4 flute spiral aids consistent drilling speed and efficient debris removal.
- Unique bonding system joins the solid carbide head to the 4 flute spiral as one to ensure the highest standards available in DeWALT® SDS Plus drilling to date.



SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT8908-QZ	5	160	100	1	1	5035048077696
DT8909-QZ	5	210	150	1	1	5035048077702
DT8910-QZ	5.5	110	50	1	1	5035048077719
DT8911-QZ	5.5	160	100	1	1	5035048077726
DT8912-QZ	6	110	50	1	1	5035048077733
DT8913-QZ	6	160	100	1	1	5035048077740
DT8914-QZ	6	210	150	1	1	5035048077757
DT8915-QZ	6	260	200	1	1	5035048077764
DT8916-QZ	6.5	160	100	1	1	5035048077771
DT8917-QZ	6.5	210	150	1	1	5035048077788
DT8918-QZ	6.5	260	200	1	1	5035048077795
DT8919-QZ	6.5	310	250	1	1	5035048077801
DT8920-QZ	7	160	100	1	1	5035048077818
DT8921-QZ	7	210	150	1	1	5035048077825
DT8922-QZ	8	110	50	1	1	5035048077832
DT8923-QZ	8	160	100	1	1	5035048077849
DT8924-QZ	8	210	150	1	1	5035048077856
DT8925-QZ	8	260	200	1	1	5035048077863
DT8926-QZ	8	310	250	1	1	5035048077870
DT8927-QZ	8	460	400	1	1	5035048077887
DT8928-QZ	10	160	100	1	1	5035048077894
DT8929-QZ	10	210	150	1	1	5035048077900
DT8930-QZ	10	260	200	1	1	5035048077917
DT8931-QZ	10	310	250	1	1	5035048077924
DT8932-QZ	10	460	400	1	1	5035048077931
DT8933-QZ	12	160	100	1	1	5035048077948
DT8934-QZ	12	200	150	1	1	5035048077955
DT8935-QZ	12	260	200	1	1	5035048077962
DT8936-QZ	12	310	260	1	1	5035048077979
DT8937-QZ	12	460	410	1	1	5035048077986

XLR® SDS PLUS® FULL HEAD CARBIDE DRILL BITS

NEW



Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT8938-QZ	14	160	100	1	1	5035048077993
DT8939-QZ	14	200	150	1	1	5035048078006
DT8940-QZ	14	260	200	1	1	5035048078013
DT8941-QZ	14	310	250	1	1	5035048078020
DT8942-QZ	14	460	400	1	1	5035048078037

SDS-PLUS 2-CUTTER DRILL BITS

NEW




Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT60200-XJ	16mm x 340mm x 200mm SDS max 2 CUTTER	1	1	5035048050712
DT60201-XJ	16mm x 540mm x 400mm SDS max 2 CUTTER	1	1	5035048050729
DT60202-XJ	18mm x 340mm x 200mm SDS max 2 CUTTER	1	1	5035048050736
DT60203-XJ	18mm x 540mm x 400mm SDS max 2 CUTTER	1	1	5035048050743
DT60204-XJ	20mm x 340mm x 200mm SDS max 2 CUTTER	1	1	5035048050750
DT60205-XJ	20mm x 540mm x 400mm SDS max 2 CUTTER	1	1	5035048050767
DT60206-XJ	22mm x 340mm x 200mm SDS max 2 CUTTER	1	1	5035048050774
DT60207-XJ	22mm x 540mm x 400mm SDS max 2 CUTTER	1	1	5035048050781
DT60208-XJ	24mm x 340mm x 200mm SDS max 2 CUTTER	1	1	5035048050798
DT60209-XJ	24mm x 540mm x 400mm SDS max 2 CUTTER	1	1	5035048050804
DT60210-XJ	25mm x 340mm x 200mm SDS max 2 CUTTER	1	1	5035048050811
DT60211-XJ	25mm x 540mm x 400mm SDS max 2 CUTTER	1	1	5035048050828
DT60212-XJ	26mm x 340mm x 200mm SDS max 2 CUTTER	1	1	5035048050835
DT60213-XJ	26mm x 540mm x 400mm SDS max 2 CUTTER	1	1	5035048050842
DT60214-XJ	28mm x 380mm x 250mm SDS max 2 CUTTER	1	1	5035048050859
DT60215-XJ	28mm x 570mm x 450mm SDS max 2 CUTTER	1	1	5035048050866
DT60216-XJ	28mm x 670mm x 550mm SDS max 2 CUTTER	1	1	5035048050873
DT60217-XJ	30mm x 380mm x 250mm SDS max 2 CUTTER	1	1	5035048050880
DT60218-XJ	30mm x 570mm x 450mm SDS max 2 CUTTER	1	1	5035048050897
DT60219-XJ	32mm x 380mm x 250mm SDS max 2 CUTTER	1	1	5035048099964
DT60220-XJ	32mm x 570mm x 450mm SDS max 2 CUTTER	1	1	5035048099971

XLR® SDS PLUS® FULL HEAD CARBIDE DRILL BITS

BULK PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT8950-QZ	5	110	50	10	1	5035048078105
DT8951-QZ	5	160	100	10	1	5035048078112
DT8955-QZ	6	110	50	10	1	5035048078150
DT8956-QZ	6	160	100	10	1	5035048078167
DT8957-QZ	6	210	150	10	1	5035048078174
DT8961-QZ	6.5	260	200	10	1	5035048078211
DT8965-QZ	8	160	100	10	1	5035048078259
DT8966-QZ	8	210	150	10	1	5035048078266
DT8967-QZ	10	160	100	10	1	5035048078273
DT8968-QZ	10	210	150	10	1	5035048078280
DT8969-QZ	10	260	200	10	1	5035048078297
DT8971-QZ	12	160	100	10	1	5035048078310
DT8972-QZ	12	200	150	10	1	5035048078327

PIN ANCHOR INSTALLATION KITS



APPLICATIONS

- Fast and Accurate. The first accessory of its kind to take the strain out of setting pin anchors into concrete and masonry.

FEATURES

- Fix pin anchors fast - only one tool needed
- No manual hammer required - reduces the chance of damage to surrounding material.
- Ideal for overhead applications - reduces user fatigue.

PIN ANCHOR DRIVE SYSTEM


Cat. No.	Description	Packaged with	Diameter mm	Pack Qty.	M.O.Q.	Barcode
DT89PAD-QZ	Pin Anchor Installation Kit	Pin drive and 6mm bit	6	1	1	5035048083833



PIN ANCHOR BITS

Cat. No.	Description	Packaged with	Diameter mm	Pack Qty.	M.O.Q.	Barcode
DT9515R-QZ	6mm - 2 cutter	160	100	1	1	5035048085448
DT8913R-QZ	6mm - XLR®	160	100	1	1	5035048085455

ADJUSTABLE DEPTH SETTER



APPLICATIONS

- Fast and Accurate. Perfect for reliably drilling holes to install drop in anchors in concrete and masonry.

FEATURES

- Proprietary System ONLY from DeWALT®
- Precise depth setting - ensures drop in anchors are set consistently
- Single handed depth setting makes changing between different drilling depths quick and easy

PIN ANCHOR BIT SETS

Cat. No.	Description	Packaged with	Diameter mm	Pack Qty.	M.O.Q.	Barcode
DT89ADS-QZ	Drop in anchor kit	Depth setter and 12mm bit	8, 10, 12	1	1	5035048083840




DEPTH SETTER BITS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT8928G-QZ	10mm - XLR®	160	100	1	1	5035048085387
DT8933G-QZ	12mm - XLR®	160	100	1	1	5035048085400
DT9573G-QZ	15mm - 2 cutter	160	100	1	1	5035048085424



DUST COLLECTION SYSTEM




FEATURES


- Minimises dust during overhead drilling
- Flexible material - ensures maximum visibility for accurate drilling
- Works in conjunction with the Adjustable Depth Setter

DUST COLLECTION SYSTEM

Cat. No.	Description	Packaged with	Pack Qty.	M.O.Q.	Barcode
DT89SCS-QZ	Drop in Anchor Dust Collector	dust collector	1	1	5035048083857




XLR® SDS PLUS FULL HEAD CARBIDE DRILL BIT SETS



EXTREME DEWALT® FULL HEAD CARBIDE DRILL BIT SETS

Cat. No.	Description	Diameter mm	Pack Qty.	M.O.Q.	Barcode
DT8976-QZ	7 piece set in metal cassette	5, 6x2, 8x2, 10, 12	7	1	5035048078341
DT8977B-QZ	Medium Tough Case with SDS-Plus XLR® Full Head Carbide drill bits	5, 6x2, 8x2, 10, 12	10	1	5035048078358

SDS-PLUS 4-CUTTER DRILL BITS



SINGLE PACKS

APPLICATIONS


- For fixing holes and through holes 16mm - 30mm.

FEATURES

- 4 flute spiral with maximum flute entry enables faster debris removal.
- Maximised central core enables more efficient energy transmission to the drill bit head.
- Fully supported carbide head gives longer life and cleaner, more concentric holes for better fixing retention.
- Open head design ensures faster drilling.

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT9680-QZ	16	250	200	1	1	5035048066133
DT9681-QZ	16	450	400	1	1	5035048066140
DT9682-QZ	18	250	200	1	1	5035048066157
DT9683-QZ	18	450	400	1	1	5035048066164
DT9684-QZ	20	250	200	1	1	5035048066171
DT9685-QZ	20	450	400	1	1	5035048066188
DT9686-QZ	22	250	200	1	1	5035048066195
DT9687-QZ	22	450	400	1	1	5035048066201
DT9688-QZ	24	250	200	1	1	5035048066218
DT9689-QZ	24	450	400	1	1	5035048066225
DT9690-QZ	25	250	200	1	1	5035048066232
DT9691-QZ	25	450	400	1	1	5035048066249
DT9692-QZ	26	450	400	1	1	5035048066256
DT9693-QZ	28	250	200	1	1	5035048066263
DT9694-QZ	28	450	400	1	1	5035048066270
DT9695-QZ	30	250	200	1	1	5035048066287
DT9696-QZ	30	450	400	1	1	5035048066294

SDS-MAX EXTREME HAMMER DRILL BITS



APPLICATIONS

- For use with SDS-Max drive hammer drills (Hilti type F, G or Y) for anchor, fixing or clearance holes in masonry concrete, brick or block work.

FEATURES


- 4 flute spiral with maximum flute entry enables faster debris removal.
- Maximised central core enables more efficient energy transmission to the drill bit head.
- Fully supported carbide head gives longer life and cleaner, more concentric holes for better fixing retention.
- Open head design ensures faster drilling.



SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Cutters	Pack Qty.	M.O.Q.	Barcode
DT9400-QZ	12	340	200	2	1	1	5035048059678
DT9401-QZ	12	540	400	2	1	1	5035048059685
DT9402-QZ	12	670	550	2	1	1	5035048059692
DT9403-QZ	13	340	200	2	1	1	5035048059708
DT9405-QZ	14	340	200	2	1	1	5035048059722
DT9406-QZ	14	540	400	2	1	1	5035048059739
DT9407-QZ	15	340	200	2	1	1	5035048059746
DT9408-QZ	15	540	400	2	1	1	5035048059753
DT9409-QZ	16	340	200	4	1	1	5035048059760
DT9410-QZ	16	540	400	4	1	1	5035048059777
DT9411-QZ	18	340	200	4	1	1	5035048059784
DT9412-QZ	18	540	400	4	1	1	5035048059791
DT9413-QZ	19	340	200	4	1	1	5035048059807
DT9414-QZ	19	540	400	4	1	1	5035048059814
DT9415-QZ	19	670	550	4	1	1	5035048059821
DT9416-QZ	20	340	200	4	1	1	5035048059838
DT9417-QZ	20	540	400	4	1	1	5035048059845
DT9418-QZ	20	920	800	4	1	1	5035048059852
DT9419-QZ	22	340	200	4	1	1	5035048059869
DT9420-QZ	22	540	400	4	1	1	5035048059876
DT9421-QZ	22	920	800	4	1	1	5035048059883
DT9422-QZ	24	340	200	4	1	1	5035048059890
DT9423-QZ	24	540	400	4	1	1	5035048059906
DT9424-QZ	25	340	200	4	1	1	5035048059913
DT9425-QZ	25	540	400	4	1	1	5035048059920
DT9426-QZ	25	920	800	4	1	1	5035048059937
DT9427-QZ	26	340	200	4	1	1	5035048059944
DT9428-QZ	26	540	400	4	1	1	5035048059951
DT9429-QZ	28	380	250	4	1	1	5035048059968
DT9430-QZ	28	570	450	4	1	1	5035048059975
DT9431-QZ	28	670	550	4	1	1	5035048059982
DT9432-QZ	30	380	250	4	1	1	5035048059999
DT9433-QZ	30	570	450	4	1	1	5035048060001
DT9434-QZ	32	380	250	4	1	1	5035048060018
DT9435-QZ	32	570	450	4	1	1	5035048060025
DT9436-QZ	32	920	800	4	1	1	5035048060032
DT9437-QZ	35	380	250	4	1	1	5035048060049
DT9438-QZ	35	570	450	4	1	1	5035048060056
DT9439-QZ	35	670	550	4	1	1	5035048060063
DT9440-QZ	36	570	450	4	1	1	5035048060070
DT9441-QZ	38	380	250	4	1	1	5035048060087
DT9442-QZ	38	570	450	4	1	1	5035048060094
DT9443-QZ	38	670	550	4	1	1	5035048060100
DT9444-QZ	40	380	250	4	1	1	5035048060117
DT9445-QZ	40	570	450	4	1	1	5035048060124
DT9446-QZ	40	920	800	4	1	1	5035048060131
DT9447-QZ	42	570	450	4	1	1	5035048060148
DT9448-QZ	45	570	450	4	1	1	5035048060155
DT9449-QZ	50	570	450	4	1	1	5035048060162
DT9450-QZ	52	570	450	4	1	1	5035048060179

SDS MAX® XLR® HAMMER DRILL BITS



SPEED
4 Flute Helix maximises mill removal for fast drilling & clear holes. Long Helix length with optimised free space for faster debris removal


DURABILITY
Optimised Heat treatment for max strength

SOLID
Single piece carbide

REDUCED VIBRATION
Impact force spread over four cutting heads.



XLR® SDS MAX® FULL HEAD CARBIDE DRILL BITS



APPLICATIONS

- DeWALT® raises the bar still further with a superior range of SDS MAX drill bits. Constructed with a single piece carbide head, with four main cutting faces. For use with SDS MAX drive hammer drills (Hilti type F, G, or Y) for anchor, fixing or clearance holes in masonry, concrete, brick or block work.

FEATURES


- Maximum durability in hard concrete.
- Increase carbide size & optimized tip design. Increase Durability while maintaining speed.
- Increase surface area on carbide tip. Spreads the impact energy across multiple touch points to reduce vibration.
- Maintain long helix and flute design. Allows for fast material removal when drilling.



SINGLE PACKS


Cat. No.	Diameter mm	Length mm	Working Length mm	Cutters	Pack Qty.	M.O.Q.	Barcode	Availability
DT60800-QZ	12	340	200	2	1	1	5035048096642	04/2013
DT60801-QZ	12	540	400	2	1	1	5035048096659	04/2013
DT60802-QZ	12	670	550	2	1	1	5035048096666	04/2013
DT60803-QZ	13	340	200	2	1	1	5035048096673	04/2013
DT60804-QZ	13	540	400	2	1	1	5035048096680	04/2013
DT60805-QZ	14	340	200	2	1	1	5035048096697	04/2013
DT60806-QZ	14	540	400	2	1	1	5035048096703	04/2013
DT60807-QZ	15	340	200	2	1	1	5035048096710	04/2013
DT60808-QZ	15	540	400	4	1	1	5035048096727	04/2013
DT60809-QZ	16	340	200	4	1	1	5035048096734	09/2012
DT60810-QZ	16	540	400	4	1	1	5035048096741	09/2012
DT60811-QZ	18	340	200	4	1	1	5035048096758	09/2012
DT60812-QZ	18	540	400	4	1	1	5035048096765	09/2012
DT60813-QZ	19	340	200	4	1	1	5035048096772	04/2013
DT60814-QZ	19	540	400	4	1	1	5035048096789	04/2013
DT60815-QZ	19	670	550	4	1	1	5035048096796	04/2013
DT60816-QZ	20	340	200	4	1	1	5035048096802	09/2012
DT60817-QZ	20	540	400	4	1	1	5035048096819	09/2012
DT60818-QZ	20	920	800	4	1	1	5035048096826	09/2012
DT60819-QZ	22	340	200	4	1	1	5035048096833	09/2012
DT60820-QZ	22	540	400	4	1	1	5035048096840	09/2012
DT60821-QZ	22	920	800	4	1	1	5035048096857	09/2012
DT60822-QZ	24	340	200	4	1	1	5035048096864	09/2012
DT60823-QZ	24	540	400	4	1	1	5035048096871	09/2012
DT60824-QZ	25	340	200	4	1	1	5035048096888	09/2012
DT60825-QZ	25	540	400	4	1	1	5035048096895	09/2012
DT60826-QZ	25	920	800	4	1	1	5035048096901	09/2012
DT60827-QZ	26	340	200	4	1	1	5035048096918	09/2012
DT60828-QZ	26	340	400	4	1	1	5035048096925	09/2012
DT60829-QZ	28	380	250	4	1	1	5035048096932	09/2012
DT60830-QZ	28	570	450	4	1	1	5035048096949	09/2012
DT60831-QZ	28	670	550	4	1	1	5035048096956	09/2012
DT60832-QZ	30	380	250	4	1	1	5035048096963	09/2012
DT60833-QZ	30	570	450	4	1	1	5035048096970	09/2012
DT60834-QZ	32	380	250	4	1	1	5035048096987	09/2012
DT60835-QZ	32	570	450	4	1	1	5035048096994	09/2012
DT60836-QZ	32	920	800	4	1	1	5035048097001	09/2012
DT60837-QZ	35	380	250	4	1	1	5035048097014	09/2012
DT60838-QZ	35	570	450	4	1	1	5035048097021	09/2012
DT60839-QZ	35	670	550	4	1	1	5035048097038	09/2012
DT60840-QZ	36	570	450	4	1	1	5035048097045	04/2013
DT60841-QZ	38	380	250	4	1	1	5035048097052	04/2013
DT60842-QZ	38	570	450	4	1	1	5035048097069	04/2013
DT60843-QZ	38	670	550	4	1	1	5035048097076	04/2013
DT60844-QZ	40	380	250	4	1	1	5035048097083	09/2012
DT60845-QZ	40	570	450	4	1	1	5035048097090	09/2012
DT60846-QZ	40	920	800	4	1	1	5035048097106	09/2012
DT60847-QZ	42	570	450	4	1	1	5035048197113	04/2013
DT60848-QZ	45	570	450	4	1	1	5035048097120	04/2013
DT60849-QZ	50	570	450	4	1	1	5035048097137	04/2013
DT60850-QZ	52	570	450	4	1	1	5035048097144	04/2013

XLR® POINTS AND CHISELS



XLR® POINTS AND CHISELS

NEW



APPLICATIONS

- For heavy duty chiselling, channelling and demolition tasks in concrete/rebar and hard stone.
- The new XLR® chisels combined with DeWALT® demolition hammers are ideal for even the toughest requirement.

FEATURES

- High grade toughened steel shank designed for optimum durability in heavy duty tasks.
- Fully hardened steel point/chisel face for high wear resistance and increased productivity.
- Innovative cutting geometry and aggressive angles for improved material removal over complete life of chisel.

DeWALT SDS-MAX® CHISELS

Cat. No.	Description	Width mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6888-QZ	300mm pointed chisel SDS Max		300	1	1	5035048082393
DT6889-QZ	400mm pointed chisel SDS Max		400	1	1	5035048082409
DT6811-QZ	300mm x 25mm flat chisel SDS Max	25	300	1	1	5035048082423
DT6812-QZ	400mm x 25mm flat chisel SDS Max	25	400	1	1	5035048082430
DT6818-QZ	400mm x 50mm flat chisel SDS Max	50	400	1	1	5035048082447


DeWALT 19MM CHISELS

Cat. No.	Description	Width mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6953-QZ	400mm pointed chisel 19mm hex		400	1	1	5035048082461
DT6958-QZ	400mm x 25mm flat chisel 19mm hex	25	400	1	1	5035048082485

DeWALT SDS PLUS® CHISELS

Cat. No.	Description	Width mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6978-QZ	300mm pointed chisel SDS Plus		300mm	1	1	5035048083581
DT6979-QZ	300mm x 25mm flat chisel SDS Plus	25mm	300mm	1	1	5035048083598
DT6984-QZ	300mm x 40mm flat chisel SDS Plus	40mm	300mm	1	1	5035048083604

SDS-PLUS® CHISELS




APPLICATIONS

- For light chipping and chiselling of tile, mortar, glazing compounds and other masonry products with hammers with a rotation stop feature.

Cat. No.	Description	Width mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6801-QZ	Pointed	-	250	1	1	5011402371426
DT6802-QZ	Flat	20	250	1	1	5011402371433
DT6803-QZ	Flat	40	200	1	1	5011402371440
DT6804-QZ	Sliding Chasing	22	250	1	1	5011402371457
DT6805-QZ	Hollow/Gouge	22	240	1	1	5011402371464
DT6806-QZ	Tile Chisel	40	200	1	1	5011402371471
DT6807-QZ	TCT Comb	32	130	1	1	5011402371488
DT6810-QZ	TCT Comb	32	200	1	1	5035048014301

SDS-MAX® CHISELS



APPLICATIONS

- For heavy duty chiselling, channelling, and demolition tasks in concrete, stone (medium hardness), floor and wall tiles, general masonry and mortar.

FEATURES

- DeWALT has a wide range of chisels covering most common applications. Specially toughened steel and micro-processor controlled heat treatment ensures consistent tough bits with long life.

Cat. No.	Description	Width mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6820-QZ	Pointed	-	300	1	1	5011402378067
DT6821-QZ	Pointed	-	400	1	1	5011402378104
DT8087-QZ	Pointed	-	600	1	1	5035048061411
DT6822-QZ	Flat	25	300	1	1	5011402378074
DT6823-QZ	Flat	25	400	1	1	5011402378111
DT6824-QZ	Flat	50	360	1	1	5011402378128
DT6825-QZ	Flat	80	300	1	1	5011402378081
DT8088-QZ	Flat	25	600	1	1	5035048061428
DT6826-QZ	Hollow/Gouge	26	300	1	1	5011402378098
DT6832-QZ	Sliding Chasing	32	300	1	1	5035048034217
DT6833-QZ	Sliding Chasing	35	380	1	1	5035048034224
DT6834-QZ	Tile Chisel	80	300	1	1	5035048034231
DT6837-QZ	TCT Comb Chisel	38	280	1	1	5035048034248
DT8090-QZ	Clay Spade	110	400	1	1	5035048034514
DT8091-QZ	Asphalt Cutter	90	400	1	1	5035048034521
DT8093-QZ	Earth Rod Driver	16.5	260	1	1	5035048034545

19mm HEX CHISELS



APPLICATIONS

- For heavy duty chiselling, channelling, and demolition tasks in concrete, stone (medium hardness), floor and wall tiles, general masonry and mortar.

Cat. No.	Description	Width mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6940-QZ	Pointed	-	400	1	1	5035048025031
DT6941-QZ	Pointed	-	600	1	1	5035048025048
DT6942-QZ	Flat	25	400	1	1	5035048025055
DT6943-QZ	Flat	25	600	1	1	5035048025062
DT6944-QZ	Flat	60	300	1	1	5035048025079
DT6945-QZ	Flat	60	450	1	1	5035048025086
DT6946-QZ	Flat wide	140	350	1	1	5035048025093
DT6947-QZ	Clay Spade	115	400	1	1	5035048058893
DT6948-QZ	Asphalt Cutter	90	400	1	1	5035048058909

28mm HEX CHISELS



PAVEMENT BREAKER CHISELS

Cat. No.	Description	Width mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6927-QZ	Bull point	-	500	1	1	5035048070505
DT6928-QZ	Clay Spade	140	540	1	1	5035048070512
DT6929-QZ	Cold Chisel	32	500	1	1	5035048070529
DT6932-QZ	Scaling Tool	75	500	1	1	5035048070536
DT6933-QZ	Ground Rod Driver	400	400	1	1	5035048070543
DT6934-QZ	Asphalt Cutter	115	430	1	1	5035048070550
DT6935-QZ	Tamper Shank	400	400	1	1	5035048070567
DT6936-QZ	Tamping Plate	150	150	1	1	5035048070574


30mm HEX CHISELS



30MM PAVEMENT BREAKER CHISELS

Cat. No.	Description	Width mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6827-QZ	Scaling Tool	75	500	1	1	5035048083260
DT6828-QZ	Clay Spade	140	540	1	1	5035048083277
DT6839-QZ	Asphalt Cutter	115	430	1	1	5035048083284

LIGHT DUTY SDS-PLUS CORE DRILLS



APPLICATIONS

- For fitting drainage and water pipes, heating pipes, switches, junction & distribution boxes.
- To be used with light duty SDS+ core drills - must be used with a pilot bit.

LIGHT DUTY SDS-PLUS CORE DRILLS

Cat. No.	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6740-QZ	30	72	1	1	5035048013595
DT6741-QZ	35	72	1	1	5035048013601
DT6742-QZ	40	72	1	1	5035048013618
DT6743-QZ	45	72	1	1	5035048013625
DT6744-QZ	50	72	1	1	5035048013632
DT6745-QZ	68	72	1	1	5035048013649
DT6746-QZ	72	72	1	1	5035048013656
DT6747-QZ	80	72	1	1	5035048013663
DT6748-QZ	90	72	1	1	5035048013670

LIGHT DUTY CORE ADAPTERS

Cat. No.	Description	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6750-QZ	SDS-Plus adapter	110	1	1	5035048013687
DT6751-QZ	SDS-Plus adapter	300	1	1	5035048013694
DT6752-QZ	Hex adapter	110	1	1	5035048013700
DT6753-QZ	Pilot drill	120	1	1	5035048013717



APPLICATIONS


- For clean round holes in blocks, bricks and light concrete.
- To be used with Heavy duty SDS Max Core drills in conjunction with a pilot bit.

HEAVY DUTY SDS-MAX CORE DRILLS

Cat. No.	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6760-QZ	40	107	1	1	5035048013724
DT6761-QZ	50	107	1	1	5035048013731
DT6762-QZ	68	107	1	1	5035048013748
DT6763-QZ	80	107	1	1	5035048013755
DT6765-QZ	100	107	1	1	5035048013779

HEAVY DUTY CORE ADAPTERS

Cat. No.	Description	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6770-QZ	SDS-Max Adapter	180	1	1	5035048013793
DT6771-QZ	SDS-Max Adapter	400	1	1	5035048013809
DT6772-QZ	Pilot bit	155	1	1	5035048013816
DT6773-QZ	Extension Piece	280	1	1	5035048013823



- For SDS Max hammer drills - for drilling holes in concrete or masonry from 50 to 80mm diameter.

SINGLE PIECE CORES

Cat. No.	Description	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6780-QZ	SDS-Max core	50	300	1	1	5035048013830
DT6783-QZ	SDS-Max core	68	300	1	1	5035048013847
DT6784-QZ	SDS-Max core	80	300	1	1	5035048013854
DT6785-QZ	Pilot bit	-	185	1	1	5035048013908

THROUGH DRILLING BITS



- For drilling through holes (55 to 80mm diameter) up to 550mm depth in concrete and masonry.

THROUGH DRILLING BITS

Cat. No.	Description	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT6790-QZ	SDS-Max through drilling bit	55	550	1	1	5035048013861
DT6791-QZ	SDS-Max through drilling bit	65	550	1	1	5035048013878
DT6792-QZ	SDS-Max through drilling bit	80	550	1	1	5035048013885

ADAPTER – SDS-PLUS®



ADAPTER – SDS-PLUS

- Allows use of round shank drill bits in SDS+ fitment hammers. USE IN ROTARY MODE ONLY.

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT7030-QZ	SDS-Plus - 1/2" x 20 UNF (Chuck adapter)	1	1	5011402371419
DT6829-QZ	SDS-Plus - 1/2" x 20 UNF chuck adapter / screwdriver bit holder	1	1	5035048034170



DRIVE ADAPTERS

- Allows interchangeability between tool & hammer bit fitments.

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT6830-QZ	SDS-Max to SDS-Plus	1	1	5011402378135

CHUCKS AND KEYS

KEYLESS CHUCKS 10MM/13MM



Cat. No.	Chuck Capacity mm	Fitment	Sleeves	Metal/ Plastic	Pack Qty.	M.O.Q.	Barcode
DT7001-QZ	10	1/2" x 20 UNF	2	Plastic	1	1	5011402371358
DT7040-QZ	10	3/8" x 24 UNF	2	Plastic	1	1	5035048060209
DT7041-QZ	10	1/2" x 20 UNF	2	Metal	1	1	5035048060216
DT7042-QZ	10	1/2" x 20 UNF	1	Metal	1	1	5035048060223
DT7002-QZ	13	1/2" x 20 UNF	2	Plastic	1	1	5011402371365
DT7043-QZ	13	1/2" x 20 UNF	2	Metal	1	1	5035048060230
DT7044-QZ	13	1/2" x 20 UNF	2	Metal/carbide	1	1	5035048060247
DT7045-QZ	13	1/2" x 20 UNF	1	Metal	1	1	5035048060254
DT7046-QZ	13	1/2" x 20 UNF	1	Metal/carbide	1	1	5035048060261
DT7025-QZ	13	1/2" x 20 UNF	2	Plastic/Metal	1	5	5035048061718

KEYED CHUCKS 10MM/13MM



Cat. No.	Chuck Capacity mm	Fitment	Pack Qty.	M.O.Q.	Barcode
DT7013-QZ	10	3/8" x 24 UNF	1	1	5035048060186
DT7011-QZ	10	1/2" x 20 UNF	1	1	5011402371372
DT7012-QZ	13	1/2" x 20 UNF	1	1	5011402371389
DT7014-QZ	13	5/8" x 16 UNF	1	1	5035048060193

CHUCK KEYS



Cat. No.	Chuck Capacity mm	Pack Qty.	M.O.Q.	Barcode
DT7021-QZ	Fits 10 mm and 13 mm chucks (S2).	1	1	5011402371396
DT7022-QZ	Fits 5/8" x 16 UNF keyed chucks (S9).	1	1	5035048060506

SPECIAL CHUCKS/ADAPTERS



Cat. No.	Chuck Capacity mm	Fitment	Pack Qty.	M.O.Q.	Barcode
DT7005-QZ	13	1/2" x 20 UNF keyed chuck with SDS adapter.	1	1	5035048060278
DT7030-QZ	-	SDS-Plus - 1/2" x 20 UNF (Chuck adapter).	1	1	5011402371419
DT6829-QZ	-	SDS-Plus - 1/2" x 20 UNF Chuck adapter / screwdriver bit holder.	1	1	5035048034170
DT7017-QZ	13	2 Sleeve plastic chuck for 28.4kg quick change hammers (eg. D25104K)	1	1	5035048061695
DT7018-QZ	13	2 Sleeve metal chuck for 28.4kg quick change hammers (eg. D25104K)	1	1	5035048061701

MIXER TOOLS



MIXER TOOLS

FEATURES


- Universal stirring/mixing tool for hand-held drills with a 13mm chuck. Mixing effect from bottom to top.
- Suitable for DW130.
- M14 version also available.

Cat. No.	Diameter mm	Length mm	Pack Qty.	Shank	M.O.Q.	Barcode
DT4950-QZ	100	600	1	Hex	1	5035048027202
DT4951-QZ	120	600	1	Hex	1	5035048027219
DT4952-QZ	120	600	1	M14	1	5035048011300

HSS-CO EXTREME DeWALT® COBALT DRILL BITS



EXTREME



APPLICATIONS

- Suitable for portable or stationary drilling of high alloy content steels and metals with a tensile strength up to 1100N/mm² e.g. heat and acid proof steel, cast iron, bronze, welded seams, stainless and chrome nickel steels.

FEATURES

- Faster drilling - up to 4x faster than standard HSS-R drill bits.
- Increased durability - up to 50% stronger than standard HSS-R drill bits.
- Cleaner, more accurate, burr-free holes due to recessed cutting wings.
- Innovative tapered web greatly reduces breakage.
- No-Slip shank with 3 flats eliminates slipping in the chuck (diameters 5.0mm and above only).
- Gold Ferrous Oxide coating prevents overheating for longer bit life.
- 5% cobalt alloyed High Speed Steel for stability at high temperatures when drilling tough materials.

SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DTS403-QZ	2	49	24	2	1	5011402375912
DTS630-QZ	1.0	34	12	2	1	5035048076958
DTS631-QZ	1.5	40	18	2	1	5035048076965
DTS403-QZ	2	49	24	2	1	5011402375912
DTS404-QZ	2.5	57	30	2	1	5011402375936
DTS405-QZ	3	61	33	2	1	5011402375950
DTS634-QZ	3.3	65	36	2	1	5035048076996
DTS408-QZ	3.5	70	39	2	1	5011402375974
DTS409-QZ	4	75	43	2	1	5011402375998
DTS636-QZ	4.2	75	43	1	1	5035048077016
DTS412-QZ	4.5	80	47	1	1	5011402376018
DTS414-QZ	5	86	52	1	1	5011402376032
DTS415-QZ	5.5	93	57	1	1	5011402376056
DTS416-QZ	6	93	57	1	1	5011402376070
DTS417-QZ	6.5	101	63	1	1	5011402376094
DTS640-QZ	6.8	109	66	1	1.8	5035048077054
DTS418-QZ	7	109	69	1	1	5011402376117
DTS641-QZ	7.5	109	66	1	1.5	5035048077061
DTS419-QZ	8	117	75	1	1	5011402376131
DTS644-QZ	8.5	117	72	1	1	5035048077092
DTS421-QZ	9	125	81	1	1	5011402376155
DTS645-QZ	9.5	125	78	1	1	5035048077108
DTS422-QZ	10	133	87	1	1	5011402376179
DTS647-QZ	10.5	133	84	1	1	5035048077122
DTS424-QZ	11	142	94	1	1	5011402376193
DTS648-QZ	11.5	142	91	1	1	5035048077139
DTS426-QZ	12	151	101	1	1	5011402376216
DTS650-QZ	12.5	151	98	1	1	5035048077153
DTS427-QZ	13	151	101	1	1	5011402376230

BULK PACKS


Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DTS442-QZ	2	49	24	10	1	5011402384518
DTS443-QZ	2.5	57	30	10	1	5011402384525
DTS444-QZ	3	61	33	10	1	5011402384532
DTS446-QZ	3.2	65	36	10	1	5011402384549
DTS447-QZ	3.3	65	36	10	1	5011402386208
DTS448-QZ	3.5	70	39	10	1	5011402384563
DTS449-QZ	4	75	43	10	1	5011402384570
DTS450-QZ	4.1	75	43	10	1	5011402384587
DTS451-QZ	4.2	75	43	10	1	5011402384594
DTS452-QZ	4.5	80	47	10	1	5011402384600
DTS453-QZ	4.8	86	52	10	1	5011402384617
DTS454-QZ	5	86	52	10	1	5011402384624
DTS455-QZ	5.1	86	52	10	1	5011402384631
DTS456-QZ	5.2	86	52	10	1	5011402384648
DTS457-QZ	5.5	93	57	10	1	5011402384655
DTS458-QZ	6	93	57	10	1	5011402384662
DTS459-QZ	6.5	101	63	10	1	5011402384679
DTS460-QZ	6.8	109	69	10	1	5011402384686
DTS461-QZ	7	109	69	10	1	5011402384693
DTS462-QZ	7.5	109	69	10	1	5011402384709
DTS463-QZ	8	117	75	10	1	5011402384716
DTS464-QZ	8.5	117	75	10	1	5011402384723
DTS465-QZ	9	125	81	10	1	5011402384730
DTS466-QZ	9.5	125	81	10	1	5011402384747
DTS467-QZ	10	133	87	10	1	5011402384754
DTS468-QZ	10.2	133	87	10	1	5011402384761
DTS667-QZ	10.5	133	84	5	1	5035048077238
DTS469-QZ	11	142	94	5	1	5011402384778
DTS668-QZ	11.5	142	91	5	1	5035048077245
DTS470-QZ	12	151	101	5	1	5011402384785
DTS670-QZ	12.5	151	98	5	1	5035048077269
DTS471-QZ	13	151	101	5	1	5011402384792



HSS-CO EXTREME DeWALT® COBALT DRILL BIT SETS

Cat. No.	Description	Diameter mm	Pack Qty.	M.O.Q.	Barcode
DTS940-QZ	6 piece set in plastic cassette	2, 3, 4, 5, 6, 8	6	1	5011402376254
DTS928-QZ	29 piece Cobalt set in plastic case	1,1.5, 2, 2.5, 3, 3.2, 3.3, 3.5,4, 4.2, 4.5, 4.8, 5, 5.5, 6,6.5, 7,7.5, 8, 8.5, 9, 9.5, 10,10.5, 11, 11.5, 12, 12.5, 13 mm.	29	1	5035048077412

EXTREME DeWALT® 2 METAL DRILL BITS



SINGLE PACKS

APPLICATIONS

- Suitable for portable drilling of steel, alloyed and non-alloyed up to 900 N/mm².
- For drilling sheet or thin materials (suitable for use in wood and plastics).

FEATURES

- Faster drilling - up to 4x faster than standard HSS-R drill bits.
- Increased durability - up to 50% stronger than standard HSS-R drill bits.
- Cleaner, more accurate, burr-free holes due to recessed cutting wings.
- Innovative tapered web greatly reduces breakage.
- No-Slip shank with 3 flats eliminates slipping in the chuck (diameters 5.0mm and above only).
- Gold Ferrous Oxide coating prevents overheating for longer bit life.

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT5034-QZ	1	34	12	2	1	5035048034767
DT5035-QZ	1.5	40	18	2	1	5035048034774
DT5036-QZ	2	49	24	2	1	5035048034781
DT5037-QZ	2.5	57	30	2	1	5035048034798
DT5038-QZ	3	61	33	2	1	5035048034804
DT5039-QZ	3.2	65	36	2	1	5035048034811
DT5040-QZ	3.3	65	36	2	1	5035048034828
DT5041-QZ	3.5	70	39	2	1	5035048034835
DT5042-QZ	4	75	43	2	1	5035048034842
DT5063-QZ	4.1	75	43	1	1	5035048052648
DT5043-QZ	4.2	75	43	1	1	5035048034859
DT5044-QZ	4.5	80	46	1	1	5035048034866
DT5045-QZ	4.8	86	46	1	1	5035048034873
DT5046-QZ	5	86	46	1	1	5035048034880
DT5064-QZ	5.1	86	46	1	1	5035048052655
DT5065-QZ	5.2	86	46	1	1	5035048052662
DT5066-QZ	5.4	93	52	1	1	5035048052679
DT5047-QZ	5.5	93	57	1	1	5035048034897
DT5048-QZ	6	93	57	1	1	5035048034903
DT5049-QZ	6.5	101	58	1	1	5035048034910
DT5067-QZ	6.8	109	66	1	1	5035048052686
DT5050-QZ	7	109	66	1	1	5035048034927
DT5051-QZ	7.5	109	66	1	1	5035048034934
DT5052-QZ	8	117	72	1	1	5035048034941
DT5053-QZ	8.5	117	72	1	1	5035048034958
DT5054-QZ	9	125	78	1	1	5035048034965
DT5055-QZ	9.5	125	78	1	1	5035048034972
DT5056-QZ	10	133	84	1	1	5035048034989
DT5057-QZ	10.5	133	84	1	1	5035048034996
DT5058-QZ	11	142	91	1	1	5035048052006
DT5059-QZ	11.5	142	91	1	1	5035048052013
DT5060-QZ	12	151	98	1	1	5035048052020
DT5061-QZ	12.5	151	98	1	1	5035048052037
DT5062-QZ	13	151	98	1	1	5035048052044

BULK PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT5535-QZ	1	34	12	10	1	5035048052051
DT5536-QZ	1.5	40	18	10	1	5035048052068
DT5537-QZ	2	49	24	10	1	5035048052075
DT5538-QZ	2.5	57	30	10	1	5035048052082
DT5539-QZ	3	61	33	10	1	5035048052099
DT5541-QZ	3.3	65	36	10	1	5035048052112
DT5542-QZ	3.5	70	39	10	1	5035048052129
DT5543-QZ	4	75	43	10	1	5035048052136
DT5544-QZ	4.2	75	43	10	1	5035048052143
DT5545-QZ	4.5	80	46	10	1	5035048052150
DT5546-QZ	4.8	86	46	10	1	5035048052167
DT5547-QZ	5	86	46	10	1	5035048052174
DT5567-QZ	5.1	86	46	10	1	5035048052716
DT5568-QZ	5.2	86	46	10	1	5035048052723
DT5548-QZ	5.5	93	57	10	1	5035048052181
DT5549-QZ	6	93	57	10	1	5035048052198
DT5550-QZ	6.5	101	58	10	1	5035048052204
DT5551-QZ	7	109	66	10	1	5035048052211
DT5552-QZ	7.5	109	66	10	1	5035048052228
DT5553-QZ	8	117	72	10	1	5035048052235
DT5554-QZ	8.5	117	72	10	1	5035048052242
DT5555-QZ	9	125	78	10	1	5035048052259
DT5556-QZ	9.5	125	78	10	1	5035048052266
DT5557-QZ	10	133	84	10	1	5035048052273
DT5558-QZ	10.5	133	84	10	1	5035048052280
DT5559-QZ	11	142	91	10	1	5035048052297
DT5560-QZ	11.5	142	91	10	1	5035048052303
DT5561-QZ	12	151	98	10	1	5035048052310
DT5562-QZ	12.5	151	98	10	1	5035048052327
DT5563-QZ	13	151	98	10	1	5035048052334

DRILLING ACCESSORY SETS - METAL




EXTREME DeWALT® 2 METAL DRILL BIT SETS

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
D17920B-QZ	Small tough case in blister with EXTREME DeWALT® 2 Metal drill bits 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7.	13	1	5035048072189
D17921B-QZ	Small tough case in blister with extreme DeWALT® 2 metal drill bits 2,3,4,5,6,8, pz2 25mm acr torsion, ph2 25mm acr torsion, compact mag drive, magnetic bit tip holder, pz2 50mm torsion, ph2 50mm torsion, slot 5.5 Mm torsion.	19	1	5035048072196
D17926-XJ	Large tough case with EXTREME DeWALT® 2 Metal drill bits 1,1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm.	29	1	5035048052341



HSS-G DIN 338 JOBBER METAL DRILL BITS



APPLICATIONS

- Suitable for portable or stationary drilling in steel cast steel, alloyed and non-alloyed material, grey cast-iron, spherical-graphite cast iron, sintered iron, nickel, brass, etc up to 900N/mm2.

FEATURES

- Precision ground twist drill bit for rapid drilling, long life and excellent concentricity.
- Ground from solid stock right hand cutting, type N flute, precision ground at 118° point angle.
- Diameter tolerance to h8.
- Drills above 13mm (1/2") have a shank reduced to 12.7mm.



SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
D1S201-QZ	1	34	12	2	1	5011402373437
D1S202-QZ	1.5	40	18	2	1	5011402373451
D1S203-QZ	2	49	24	2	1	5011402373475
D1S204-QZ	2.5	57	30	2	1	5011402373499
D1S205-QZ	3	61	33	2	1	5011402373512
D1S206-QZ	3.2	65	36	2	1	5011402373536
D1S208-QZ	3.5	70	39	2	1	5011402373574
D1S209-QZ	4	75	43	2	1	5011402373598
D1S211-QZ	4.2	75	43	1	1	5011402373635
D1S212-QZ	4.5	80	47	1	1	5011402373659
D1S213-QZ	4.8	86	52	1	1	5011402373673
D1S214-QZ	5	86	52	1	1	5011402373697
D1S215-QZ	5.5	93	57	1	1	5011402373710
D1S216-QZ	6	101	63	1	1	5011402373734
D1S217-QZ	6.5	101	63	1	1	5011402373758
D1S218-QZ	7	109	69	1	1	5011402373772
D1S219-QZ	8	117	75	1	1	5011402373796
D1S220-QZ	8.5	117	75	1	1	5011402373819
D1S221-QZ	9	125	81	1	1	5011402373833
D1S222-QZ	10	133	87	1	1	5011402373857
D1S224-QZ	11	142	94	1	1	5011402373895
D1S226-QZ	12	151	101	1	1	5011402373932
D1S227-QZ	13	151	101	1	1	5011402373956
D1S228-QZ	14	160	108	1	1	5011402373970
D1S229-QZ	15	169	114	1	1	5011402373994
D1S230-QZ	16	178	120	1	1	5011402374014

BULK PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
D1S301-QZ	1	34	12	10	1	5011402383504
D1S311-QZ	2	49	24	10	1	5011402383603
D1S321-QZ	3	61	33	10	1	5011402383702
D1S332-QZ	4	75	43	10	1	5011402383818
D1S342-QZ	5	86	52	10	1	5011402383917
D1S352-QZ	6	93	57	10	1	5011402384013
D1S362-QZ	7	109	69	10	1	5011402384112
D1S372-QZ	8	117	75	10	1	5011402384211
D1S382-QZ	9	125	81	10	1	5011402384310
D1S392-QZ	10	133	87	10	1	5011402384419
D1S393-QZ	10.5	133	87	5	1	5011402384426
D1S394-QZ	11	142	94	5	1	5011402384433
D1S395-QZ	11.5	142	94	5	1	5011402384440
D1S396-QZ	12	151	101	5	1	5011402384457
D1S398-QZ	13	151	101	5	1	5011402384471

HSS-R DIN 338 JOBBER METAL DRILL BIT SETS

Cat. No.	Description	Diameter mm	Pack Qty.	M.O.Q.	Barcode
D1S911-QZ	10 piece set in plastic cassette.	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	10	1	5011402383191
D1S912-QZ	13 piece set in plastic cassette.	1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5(x2), 5.5, 6, 6.5	13	1	5011402383207
D1S913-QZ	19 piece set in metal cassette.	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10	19	1	5011402383214
D1S930-QZ	29 piece set in metal case.	1, 1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13	29	1	5035048077436

HSS-G DIN 338 JOBBER METAL DRILL BIT SETS

Cat. No.	Description	Diameter mm	Pack Qty.	M.O.Q.	Barcode
D1S921-QZ	10 piece set in plastic cassette.	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	10	1	5011402374137
D1S922-QZ	13 piece set in plastic cassette.	1.5, 2, 2.5, 3.2, 3, 3.5, 4, 4.5, 5 (x2), 5.5, 6, 6.5	13	1	5011402374151
D1S923-QZ	19 piece set in metal cassette.	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10	19	1	5011402374175
D1S929-QZ	29 piece set in metal case	1, 1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13	29	1	5035048077429




EXTREME IMPACT READY STEP BITS

NEW



EXTREME



FEATURES

- For drilling and enlarging holes from 4mm to 34mm
- Impact ready from 4mm-25mm
- Quick change shank design for rapid change of application

SINGLE PACKS

Cat. No.	Description	Shank design	Pack Qty.	M.O.Q.	Barcode
DT5026-QZ	4-12mm Step Drill	Impact ready	1	1	5035048077276
DT5027-QZ	6-18mm Step Drill	Impact ready	1	1	5035048077283
DT5030-QZ	14-25mm Step Drill	Impact ready	1	1	5035048077290
DT5031-QZ	20-34mm Step Drill	12mm Hex	1	1	5035048077306

TCT HINGE BORING BITS



APPLICATIONS

- Typically used to fit cantilever hinges.


FEATURES

- Tungsten carbide tipped wood boring tool for clean accurate flat bottom recess holes.
- Hexagonal shank facilitates a firm chuck grip.

SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT4541-QZ	26	65	1	1	5011402386161
DT4542-QZ	30	65	1	1	5011402386178
DT4543-QZ	35	65	1	1	5011402386185

BRAD POINT WOOD DRILL BITS



APPLICATIONS

- Suitable for drilling hardboard, plywood, chipboard and all natural hard and softwood.
- Typically used for doweling applications or wood screw clearance holes.

FEATURES

- Manufactured from chrome vanadium alloyed steel.
- Centre location point and outer cutting spurs for clean accurate holes.

SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT4503-QZ	3	70	46	1	1	5011402385553
DT4504-QZ	4	80	52	1	1	5011402385560
DT4505-QZ	5	90	60	1	1	5011402385577
DT4506-QZ	6	100	66	1	1	5011402385584
DT4507-QZ	7	110	72	1	1	5011402385591
DT4508-QZ	8	120	80	1	1	5011402385607
DT4509-QZ	9	130	84	1	1	5011402385614
DT4510-QZ	10	133	90	1	1	5011402385621
DT4511-QZ	11	150	100	1	1	5011402385638
DT4512-QZ	12	155	102	1	1	5011402385645
DT4513-QZ	13	155	102	1	1	5011402385652
DT4514-QZ	14	160	107	1	1	5011402385669
DT4516-QZ	16	165	112	1	1	5011402385683
DT4518-QZ	18	200	130	1	1	5011402385690
DT4520-QZ	20	200	130	1	1	5011402385706

SETS

Cat. No.	Description	Diameter mm	Pack Qty.	M.O.Q.	Barcode
DT4535-QZ	5 piece set in plastic cassette	4, 5, 6, 8, 10	5	1	5011402385713



FRAME DRILL BITS



APPLICATIONS

- For very rapid and accurate drilling of clean holes in hard/softwoods and laminates.

SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT4870-QZ	7	600	1	1	5035048014035
DT4871-QZ	8	600	1	1	5035048014042
DT4872-QZ	10	600	1	1	5035048014059
DT4873-QZ	12	600	1	1	5035048014066
DT4874-QZ	16	600	1	1	5035048014073
DT4875-QZ	18	600	1	1	5035048014080
DT4876-QZ	20	600	1	1	5035048014097
DT4877-QZ	22	600	1	1	5035048014103

SELF FEED DRILL BITS



APPLICATIONS

- For rapid drilling of clean large diameter holes in wood.


FEATURES

- 2 x sharp cutting edges for extremely fast drilling in woods with reduced risk of binding.
- Aggressive 'Self feed' spur for rapid penetration into material.
- Non slip shank gives better bit retention in chuck.

SINGLE PACKS

Cat. No.	Diameter mm	Pack Qty.	M.O.Q.	Barcode
DT4575-QZ	25	1	1	5035048072004
DT4576-QZ	28	1	1	5035048072011
DT4577-QZ	32	1	1	5035048072028
DT4578-QZ	35	1	1	5035048072035
DT4579-QZ	38	1	1	5035048072042
DT4580-QZ	41	1	1	5035048072059
DT4581-QZ	45	1	1	5035048072066
DT4582-QZ	51	1	1	5035048072073
DT4583-QZ	54	1	1	5035048072080
DT4584-QZ	57	1	1	5035048072097
DT4585-QZ	65	1	1	5035048072103
DT4586-QZ	68	1	1	5035048072110
DT4587-QZ	74	1	1	5035048072127
DT4588-QZ	76	1	1	5035048072134
DT4589-QZ	92	1	1	5035048072141
DT4590-QZ	117	1	1	5035048072158
DT4591-QZ	Self Feed Set - 5 pce (35mm, 38mm, 54mm, 65mm plus extension bar 140mm)	1	1	5035048072165
DT4592-QZ	Self Feed Extension piece 140mm	1	1	5035048072172

WOOD AUGER DRILL BITS



SINGLE PACKS

APPLICATIONS

- Typically used for boring clean precise holes through beams, joists, doors etc.

FEATURES

- Threaded centre point to aid accurate drilling.
- Outer cutting spur provides clean holes with less splintering.
- Special 'Lewis' spiral flute allows for fast removal of debris and rapid drilling.


Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT4600-QZ	6	200	100	1	1	5011402385720
DT4602-QZ	8	200	100	1	1	5011402385737
DT4604-QZ	10	200	100	1	1	5011402385744
DT4606-QZ	12	200	100	1	1	5011402385751
DT4608-QZ	14	200	100	1	1	5011402385768
DT4610-QZ	16	200	100	1	1	5011402385775
DT4612-QZ	18	200	100	1	1	5011402385782
DT4614-QZ	20	200	100	1	1	5011402385799
DT4615-QZ	22	200	100	1	1	5011402385805
DT4616-QZ	24	200	100	1	1	5011402385812
DT4618-QZ	26	200	100	1	1	5011402385829
DT4619-QZ	28	200	100	1	1	5011402385836
DT4620-QZ	30	200	100	1	1	5011402385843
DT4621-QZ	32	200	100	1	1	5011402385850
DT4632-QZ	8	380	280	1	1	5011402385867
DT4634-QZ	10	380	280	1	1	5011402385874
DT4636-QZ	12	380	280	1	1	5011402385881
DT4638-QZ	14	380	280	1	1	5011402385898
DT4640-QZ	16	380	280	1	1	5011402385904
DT4642-QZ	18	380	280	1	1	5011402385911
DT4644-QZ	20	380	280	1	1	5011402385928
DT4645-QZ	22	380	280	1	1	5011402385935
DT4646-QZ	24	380	280	1	1	5011402385942
DT4648-QZ	26	380	280	1	1	5011402385959
DT4649-QZ	28	380	280	1	1	5011402385966
DT4650-QZ	30	380	280	1	1	5011402385973
DT4651-QZ	32	380	280	1	1	5011402385980

WOOD AUGER DRILL BITS

NEW

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DT4660-QZ	6	400	300	1	1	5035048085905
DT4667-QZ	6	200	100	1	1	5035048098165
DT4668-QZ	8	200	100	1	1	5035048098172
DT4661-QZ	8	400	300	1	1	5035048085912
DT4669-QZ	10	200	100	1	1	5035048098189
DT4662-QZ	13	200	100	1	1	5035048085929
DT4663-QZ	13	400	300	1	1	5035048085936
DT4664-QZ	15	200	100	1	1	5035048085943
DT4665-QZ	17	200	100	1	1	5035048085950
DT4666-QZ	25	200	100	1	1	5035048085967

FLATWOOD DRILL BITS



SINGLE PACKS

APPLICATIONS

- For the rapid drilling of holes in wood.
- Suitable for natural hard and soft wood, chipboard and other man made materials.
- Ideal for door locks, mortising, electrical and plumbing work.

FEATURES

- High quality chrome vanadium flat drill bit.
- Ground central point and cutting edges for accurate location and clean cutting.
- Ground chip breaker to reduce splintering providing relatively clean holes and improved drilling efficiency.

Cat. No.	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT4810-QZ	10	150	1	1	5011402385997
DT4812-QZ	12	150	1	1	5011402386000
DT4813-QZ	13	150	1	1	5011402386017
DT4814-QZ	14	150	1	1	5011402386024
DT4816-QZ	16	150	1	1	5011402386031
DT4818-QZ	18	150	1	1	5011402386048
DT4820-QZ	20	150	1	1	5011402386055
DT4822-QZ	22	150	1	1	5011402386062
DT4824-QZ	24	150	1	1	5011402386079
DT4825-QZ	25	150	1	1	5011402386086
DT4826-QZ	26	150	1	1	5011402386093
DT4828-QZ	28	150	1	1	5011402386109
DT4830-QZ	30	150	1	1	5011402386116
DT4832-QZ	32	150	1	1	5011402386123
DT4835-QZ	35	150	1	1	5011402386130
DT4838-QZ	38	150	1	1	5011402386147

FLATWOOD DRILL BIT EXTENSION

Cat. No.	Length mm	Pack Qty.	M.O.Q.	Barcode
DT4849-QZ	300 x 1/4"	1	1	5035048058923

BI-METAL DEEP CUT HOESAWS



APPLICATIONS

- Ideal for cutting holes in steel, stainless steel, brass, copper, aluminium, wood, plastic and other composites.

FEATURES

- Industrial, rugged hole saws designed for heavy duty cutting in standard or deep cut applications.
- Extra hard variable pitch high speed steel teeth.
- M3 Steel cutting edge providing extended hole saw life.
- 12.5 mm deeper cut than standard bi-metal hole saw.
- Increased depth of cutting edge providing extended hole saw cutting life.


SINGLE PACKS

Cat. No.	Diameter mm	Depth of Cut mm	Pack Qty.	M.O.Q.	Barcode
DT8116-QZ	16	38	1	1	5011402370290
DT8119-QZ	19	38	1	1	5011402370306
DT8120-QZ	20	38	1	1	5011402370313
DT8121-QZ	21	38	1	1	5035048061145
DT8122-QZ	22	38	1	1	5011402370320
DT8124-QZ	24	38	1	1	5035048061152
DT8125-QZ	25	38	1	1	5011402370337
DT8127-QZ	27	38	1	1	5035048061169
DT8129-QZ	29	38	1	1	5011402370344
DT8130-QZ	30	38	1	1	5035048061176
DT8132-QZ	32	38	1	1	5011402370351
DT8133-QZ	33	38	1	1	5035048061183
DT8135-QZ	35	38	1	1	5011402370368
DT8138-QZ	38	40	1	1	5011402370375
DT8141-QZ	40	40	1	1	5035048061206
DT8140-QZ	41	40	1	1	5011402370382
DT8143-QZ	43	40	1	1	5035048061213
DT8145-QZ	44	40	1	1	5011402370399
DT8146-QZ	46	40	1	1	5035048061220
DT8148-QZ	48	40	1	1	5035048053683
DT8151-QZ	51	40	1	1	5011402370405
DT8152-QZ	52	40	1	1	5035048061237
DT8154-QZ	54	40	1	1	5035048053690
DT8157-QZ	57	40	1	1	5011402370412
DT8160-QZ	60	40	1	1	5035048053706
DT8164-QZ	64	40	1	1	5011402370429
DT8165-QZ	65	40	1	1	5035048061244
DT8167-QZ	67	40	1	1	5011402370436
DT8168-QZ	68	40	1	1	5035048061251
DT8170-QZ	70	40	1	1	5035048053713
DT8173-QZ	73	40	1	1	5011402370443
DT8176-QZ	76	40	1	1	5035048053720
DT8179-QZ	79	40	1	1	5035048053737
DT8183-QZ	83	40	1	1	5011402370450
DT8186-QZ	86	40	1	1	5035048053744
DT8189-QZ	89	40	1	1	5035048061268
DT8192-QZ	92	40	1	1	5035048053751
DT8195-QZ	95	40	1	1	5011402370467
DT8202-QZ	102	40	1	1	5035048053799
DT8205-QZ	105	40	1	1	5035048053805
DT8208-QZ	108	40	1	1	5035048053812
DT8265-QZ	111	40	1	1	5035048014271
DT8214-QZ	114	40	1	1	5035048053829
DT8221-QZ	121	40	1	1	5035048053836
DT8227-QZ	127	40	1	1	5035048053843
DT8240-QZ	140	40	1	1	5035048053850
DT8252-QZ	152	40	1	1	5035048053867
DT8260-QZ	160	40	1	1	5035048061282
DT8266-QZ	177	40	1	1	5035048014288
DT8267-QZ	210	40	1	1	5035048014295

BI-METAL HOESAW SETS

Cat. No.	Description	Pack Qty.	Barcode
DT8104-XJ	General purpose set in plastic kitbox, 2x hex shank mandrels, 2x pilot drill bits, 9 hole saws ø 16, 19, 25, 32, 38, 44, 48, 51, 64mm.	13 pieces	5035048053768
DT8105-XJ	Electrician's set in plastic kitbox, 2x hex shank mandrels, 2x pilot drill bits, 7 hole saws ø 22, 29, 35, 38, 44, 51, 64mm.	11 pieces	5035048053775
DT8106-XJ	Plumber's set in plastic kitbox, 2x hex shank mandrels, 2x pilot drill bits, 9 hole saws ø 19, 22, 29, 35, 38, 44, 57, 64, 76mm.	13 pieces	5035048053782
DT8110-XJ	Electrician's set in plastic kitbox, 2x hex shank mandrels, 2x pilot drill bits, 7 hole saws ø 16, 20, 25, 32, 40, 51, 64mm.	11 pieces	5035048061336
DT8111-XJ	Electrician's set in plastic kitbox, 2x hex shank mandrels, 2x pilot drill bits, 7 hole saws ø 20, 25, 35, 32, 40, 51, 64mm.	11 pieces	5035048061343

HOESAW MANDRELS AND ACCESSORIES



FEATURES

- Quick release mandrel prevents lock up of the hole saw on the mandrel enabling easy removal.

FOR USE WITH BI-METAL HOESAWS

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT8101-QZ	Mandrel for 14 - 29 mm diameter hole saws. For 10 mm capacity chuck or larger.	1	1	5011402370474
DT8102-QZ	Quick release mandrel for 32 - 210mm diameter hole saws. For 13 mm capacity chuck or larger.	1	1	5011402370481
DT8103-QZ	Replacement pilot drill bit (6.3 mm diameter).	1	1	5011402370498
DT8290-QZ	Extension Rod 300mm. For use with hole saw mandrel DT8102	1	1	5035048061299
DT8295-QZ	Plug Ejection Spring	1	1	5035048061312
DT8107-QZ	Quick release mandrel - SDS+ fitment - for 14-30mm diameter hole saws	1	1	5035048053935
DT8108-QZ	Quick release mandrel - SDS+ fitment - for 32-210mm diameter hole saws	1	1	5035048061329

CARBIDE GRIT HOLESAWS



APPLICATIONS

- Ideal for cutting holes in masonry, light concrete, fibre glass and other abrasive composites.

FEATURES

- Nickel alloy brazed carbide grit edge (Hrcr 85) ensures long life, 'go anywhere' performance.
- Dual directional cut ensures smooth cutting action with no 'kickback'.
- Wear resistant grit ensures longer life when working with abrasive materials such as masonry/concrete.

CARBIDE GRIT HOLESAWS

Cat. No.	Diameter mm	Depth of Cut mm	Pack Qty.	M.O.Q.	Barcode
DT8118-QZ	16	40	1	1	5035048012345
DT8123-QZ	19	40	1	1	5035048012116
DT8126-QZ	20	40	1	1	5035048012123
DT8128-QZ	22	40	1	1	5035048012130
DT8131-QZ	25	40	1	1	5035048012147
DT8134-QZ	29	40	1	1	5035048012154
DT8136-QZ	32	40	1	1	5035048012161
DT8139-QZ	35	40	1	1	5035048012178
DT8142-QZ	38	40	1	1	5035048012185
DT8144-QZ	40	40	1	1	5035048012192
DT8147-QZ	44	40	1	1	5035048012208
DT8149-QZ	48	40	1	1	5035048012215
DT8150-QZ	51	40	1	1	5035048012352
DT8155-QZ	54	40	1	1	5035048012369
DT8156-QZ	57	40	1	1	5035048012222
DT8163-QZ	64	40	1	1	5035048012239
DT8172-QZ	76	40	1	1	5035048012246
DT8174-QZ	68	40	1	1	5035048072875
DT8175-QZ	83	40	1	1	5035048072882
DT8177-QZ	102	40	1	1	5035048072899



CARBIDE GRIT HOLESAW SETS

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT8275-QZ	Electrician's set in plastic kitbox, 2 x hex shank mandrels, 2 x pilot drill bits, 7 holesaws ø 16, 20, 25, 32, 40, 51, 64	11	1	5035048012307
DT8276-QZ	Electrician's set in plastic kitbox, 2 x hex shank mandrels, 2 x pilot drill bits, 7 holesaws ø 20, 25, 32, 38, 44, 51, 64	11	1	5035048012314
DT8277-QZ	General purpose set in plastic kitbox, 2 x hex shank mandrels, 2 x pilot drill bits, 9 holesaws ø 16, 19, 25, 32, 38, 44, 48, 51, 64	13	1	5035048012321
DT8278-QZ	Plumber's set in plastic kitbox, 2 x hex shank mandrels, 2 x pilot drill bits, 9 holesaws ø 19, 22, 29, 35, 38, 44, 57, 64, 76	13	1	5035048012338

HOLESAW MANDRELS AND ACCESSORIES



FOR USE WITH CARBIDE GRIT HOLESAWS

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT8280-QZ	Pilot bit masonry - long	1	1	5035048012253
DT8285-QZ	Pilot bit masonry - small	1	1	5035048013939
DT8281-QZ	Small mandrel & masonry bit	1	1	5035048012260
DT8282-QZ	Large mandrel & masonry bit	1	1	5035048012277
DT8283-QZ	SDS & small mandrel & pilot bit	1	1	5035048012284
DT8284-QZ	SDS & large mandrel & pilot bit	1	1	5035048012291

EXTREME DeWALT QUICK CHANGE MANDRELS



FEATURES

- Fast, tool free changeovers.
- Quick release collar to prevent hole saw lock up
- Available as single units and in sets

FOR USE WITH BI-METAL HOLESAWS

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT8286-QZ	EXTREME Small Quick Change Mandrel (No drive pins) ø 14mm - 30mm	1	1	5035048073377
DT8288-QZ	EXTREME DeWALT® Large Quick Change Mandrel (Drive pins) ø 32mm - 210mm	1	1	5035048073391
DT8289-QZ	EXTREME DeWALT® EXTREME Replacement pilot drill (6.3mm diameter)	1	1	5035048073407



EXTREME IMPACT

The DeWALT EXTREME Impact range allows the user to perform more applications using the same tool.

DeWALT supplies Impact Rated:

- Screw-driving bits
- Drill bits
- Flat-wood Bits
- Hole-saws

All these fastening and drilling bits have been designed to withstand the high torque generated by DeWALT Impact drivers.

DeWALT EXTREME IMPACT HOLESAWS

APPLICATIONS

- Ideal for cutting holes in thin metals, plastics and fibreglass board
- For use with all Impact drivers and wrenches

FEATURES

- Optimised tooth design for faster drilling and more holes per charge
- Thin walled design for optimum efficiency in cutting thin materials
- Durable hex shank designed to fit all impact drivers
- Ejection spring for easy plug removal
- Single piece design to avoid lock up on mandrel




SINGLE PACKS

Cat. No.	Diameter mm	Depth of Cut mm	Pack Qty.	M.O.Q.	Barcode
DT8253-QZ	19	5	1	1	5035048079959
DT8254-QZ	22	5	1	1	5035048079966
DT8255-QZ	25	5	1	1	5035048079973
DT8256-QZ	29	5	1	1	5035048079980
DT8257-QZ	32	5	1	1	5035048079997
DT8258-QZ	35	5	1	1	5035048080009
DT8259-QZ	38	5	1	1	5035048080016

EXTREME DeWALT HOLESAW SETS

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT8270-QZ	EXTREME DeWALT® EXTREME 11 piece set in plastic kit box - 1x small quick change mandrel, 1x large quick change mandrel, 2x EXTREME pilot drill bits, 7 hole saws ø 22, 29, 35, 44, 51, 64, 68 mm	11	1	5035048073414
DT8269-QZ	EXTREME DeWALT® 11 piece Plumbers Kit - 1x small quick change mandrel, 1x large quick change mandrel, 2x EXTREME pilot drill bits, 7 hole saws ø 19, 22, 29, 38, 44, 51, 57mm	11	1	5035048073995
DT8273-QZ	EXTREME DeWALT® 11 piece Electricians Kit - 1x small quick change mandrel, 1x large quick change mandrel, 2x EXTREME pilot drill bits, 7 hole saws ø 16, 20, 25, 32, 35, 51, 64mm	11	1	5035048074008

DeWALT EXTREME IMPACT DRILL BITS



SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	Barcode
DTS0600-QZ	3	64	26	1	1	5035048081723
DTS0601-QZ	3.2	67	29	1	1	5035048081730
DTS0602-QZ	3.5	70	29	1	1	5035048081747
DTS0603-QZ	4	71	30	1	1	5035048081754
DTS0604-QZ	4.2	71	31	1	1	5035048081761
DTS0605-QZ	4.5	75	31	1	1	5035048081778
DTS0606-QZ	4.8	76	32	1	1	5035048081785
DTS0607-QZ	5	78	33	1	1	5035048081792
DTS0608-QZ	5.5	78	35	1	1	5035048081808
DTS0609-QZ	6	80	37	1	1	5035048081815
DTS0610-QZ	6.5	81	38	1	1	5035048081822
DTS0611-QZ	7	89	45	1	1	5035048081839
DTS0612-QZ	7.5	95	50	1	1	5035048081846
DTS0613-QZ	8	102	50	1	1	5035048081853
DTS0614-QZ	8.5	102	50	1	1	5035048081860
DTS0615-QZ	9	102	50	1	1	5035048081877
DTS0616-QZ	10	102	50	1	1	5035048081884
DTS0617-QZ	11	102	50	1	1	5035048081891
DTS0618-QZ	12	102	50	1	1	5035048081907
DTS0619-QZ	13	102	50	1	1	5035048081914

FEATURES

- Full range of metal drill bits designed and optimised for use in an impact driver.
- Unique tip design eliminates walking and increases drilling speed.
- Single piece design, optimised flute angle and hardening process deliver extreme life in impact driver applications.

SETS

Cat. No.	Description	Diameter mm	Pack Qty.	M.O.Q.	Barcode
DT705008-QZ	10 piece set	3, 3.2, 3.5, 4, 4.5, 5, 6, 8, 10, 12	10	1	5035048081921

EXTREME DeWALT IMPACT SETS



APPLICATIONS

- For all heavy duty screwdriving applications

FEATURES


- Durable hex shank designed to fit all impact drivers
- Full hex body design for increased strength and life
- Optimised tip design for reduced cam out
- Heat treated body for increased durability



EXTREME DeWALT IMPACT SETS

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT705018-QZ	29pc Impact Screwdriving set	29	1	5035048082591
DT705028-QZ	26pc Impact Drill Drive set - PH/PZ	29	1	5035048082607
DT705038-QZ	26pc Impact Drill Drive set - TX	29	1	5035048082614

EXTREME DeWALT® FLATWOOD DRILL BITS



APPLICATIONS

- For the rapid drilling of holes in wood.
- Suitable for natural hard and soft wood, chipboard and other man made materials.
- Ideal for door locks, mortising, electrical and plumbing work.

FEATURES


- Extra thick robust steel shank for outstanding durability and bit life.
- Chamfered outer cutting spurs for clean, very fast drilling and extended drilling life.
- Precision ground central point with optimised design for faster material penetration and increased drilling speed.

SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT4762-QZ	10	152	1	1	5035048072950
DT4763-QZ	12	152	1	1	5035048072967
DT4764-QZ	13	152	1	1	5035048072974
DT4765-QZ	14	152	1	1	5035048072981
DT4766-QZ	16	152	1	1	5035048072998
DT4767-QZ	18	152	1	1	5035048073001
DT4768-QZ	20	152	1	1	5035048073018
DT4769-QZ	22	152	1	1	5035048073025
DT4770-QZ	24	152	1	1	5035048073032
DT4771-QZ	25	152	1	1	5035048073049
DT4772-QZ	26	152	1	1	5035048073056
DT4773-QZ	28	152	1	1	5035048073063
DT4774-QZ	30	152	1	1	5035048073070
DT4775-QZ	32	152	1	1	5035048073087
DT4776-QZ	35	152	1	1	5035048073094
DT4777-QZ	38	152	1	1	5035048073100
DT4778-QZ	40	152	1	1	5035048073117
DT79438-QZ	8 piece set (12, 16, 18, 20, 22, 25, 28, 32)	152	1	1	5035048073292



EXTREME DeWALT® LONG FLATWOOD DRILL BITS



APPLICATIONS

- For the rapid drilling of holes in wood.
- Suitable for natural hard and soft wood, chipboard and other man made materials.
- Ideal for door locks, mortising, electrical and plumbing work.

FEATURES

- Extra thick robust steel shank for outstanding durability and bit life.
- Chamfered outer cutting spurs for clean, very fast drilling and extended drilling life.
- Precision ground central point with optimised design for faster material penetration and increased drilling speed.

SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT4780-QZ	10	406	1	1	5035048073124
DT4781-QZ	12	406	1	1	5035048073131
DT4783-QZ	14	406	1	1	5035048073155
DT4784-QZ	16	406	1	1	5035048073162
DT4785-QZ	20	406	1	1	5035048073179
DT4786-QZ	22	406	1	1	5035048073186
DT4787-QZ	24	406	1	1	5035048073193
DT4788-QZ	25	406	1	1	5035048073209
DT4789-QZ	26	406	1	1	5035048073216
DT4791-QZ	30	406	1	1	5035048073230
DT4792-QZ	32	406	1	1	5035048073247
DT4793-QZ	35	406	1	1	5035048073254

SCREWDRIVING ACCESSORIES

EXTREME IMPACT



APPLICATIONS

- For all heavy duty screwdriving applications

FEATURES

- Durable hex shank designed to fit all impact drivers
- Full hex body design for increased strength and life
- Optimised tip design for reduced cam out
- Heat treated body for increased durability

EXTREME D-WALT IMPACT BITS FOR POZIDRIV SCREWS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
D17386-QZ	Pz1	25mm Impact bit	5	1	5035048082201
D17387-QZ	Pz2	25mm Impact bit	5	1	5035048082218
D17388-QZ	Pz3	25mm Impact bit	5	1	5035048082225
D17390-QZ	Pz1	50mm Impact bit	5	1	5035048082249
D17391-QZ	Pz2	50mm Impact bit	5	1	5035048082256
D17392-QZ	Pz3	50mm Impact bit	5	1	5035048082263

EXTREME D-WALT IMPACT BITS FOR PHILLIPS SCREWS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
D17993-QZ	Ph1	25mm Impact bit	5	1	5035048082270
D17994-QZ	Ph2	25mm Impact bit	5	1	5035048082287
D17995-QZ	Ph3	25mm Impact bit	5	1	5035048082294
D17997-QZ	Ph1	50mm Impact bit	5	1	5035048082317
D17998-QZ	Ph2	50mm Impact bit	5	1	5035048082324
D17999-QZ	Ph3	50mm Impact bit	5	1	5035048082331

EXTREME IMPACT BITS FOR TORX SCREWS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
D17379-QZ	T10	25mm Impact bit	5	1	5035048082133
D17380-QZ	T15	25mm Impact bit	5	1	5035048082140
D17381-QZ	T20	25mm Impact bit	5	1	5035048082157
D17382-QZ	T25	25mm Impact bit	5	1	5035048082164
D17383-QZ	T27	25mm Impact bit	5	1	5035048082171
D17384-QZ	T30	25mm Impact bit	5	1	5035048082188
D17385-QZ	T40	25mm Impact bit	5	1	5035048082195
D17393-QZ	T10	50mm Impact bit	5	1	5035048082843
D17394-QZ	T15	50mm Impact bit	5	1	5035048082850
D17395-QZ	T20	50mm Impact bit	5	1	5035048082867
D17396-QZ	T25	50mm Impact bit	5	1	5035048082874
D17397-QZ	T27	50mm Impact bit	5	1	5035048082881
D17398-QZ	T30	50mm Impact bit	5	1	5035048082898
D17399-QZ	T40	50mm Impact bit	5	1	5035048082904

EXTREME IMPACT CLUTCH

EXTREME IMPACT NEW



TORQUE CONTROL

- Versatility to engage or disengage clutch

LONGER LIFE

- Turn clutch ON to control the torque and minimise bit stripping, bit breakage and screw stripping, particularly in metal to metal fastening applications

FULL TORQUE

- Turn clutch OFF to fully utilise the torque of your impact driver/ screwgun

IMPACT CLUTCH

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
D17513-QZ	Impact Clutch	1	1	5035048083765

DEWALT IMPACT RATED SOCKET SETS

EXTREME IMPACT



DEWALT IMPACT RATED SOCKET SETS

Cat. No.	Description	M.O.Q.	Barcode
DT7506-QZ	17 Pcs Impact Socket Set (6, 8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 24, 27mm & 1/4" to 1/2" Adapter)	1	5035048078624
DT7507-QZ	9 Pcs Impact Socket Set (10, 13, 15, 17, 19, 22, 24, 27mm 1/4" to 1/2" Adapter)	1	5035048078631
DT7512-QZ	1/4" to 1/2" Impact Driver Adaptor	1	5035048083055

MAG BOX MAGNETIC SETS



APPLICATIONS

- Flexible storage solution fits most common accessories

FEATURES

- Compact design for easy storage and portability
- High impact materials for optimum durability
- High strength magnets and built in hooks for increased functionality

MAG BOX MAGNETIC SETS

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT7918-QZ	Magnetic Set - Ph1, Ph2, Ph3, PZ1, PZ2 x 2, PZ3, T20, T25, 50mm Ph2, 50mm Ph3, Magnetic holder, 7mm, 8mm, 10mm socket drivers	15	1	5035048082553
DT7919-QZ	Magnetic Impact Set - Ph1, Ph2, Ph3, PZ1, PZ2 x 2, PZ3, T20, T25, 50mm Ph2, 50mm Ph3, Magnetic holder, 7mm, 8mm, 10mm socket drivers	15	1	5035048082560
DT7965-QZ	Magnetic Impact Set - 3mm, 4mm Impact drills, Ph1, Ph2, Ph3, PZ1, PZ2 x 2, PZ3, T20, T25, 50mm Ph2, 50mm Ph3, Magnetic holder, 7mm, 8mm, 10mm socket drivers	20	1	5035048083208
DT7966-QZ	Magnetic Set - T10, T15, T20 x 3, T25 x 3, T30, 50mm Ph2 x 2, Lockable holder, 7mm, 8mm, 10mm socket drivers	15	1	5035048083215
DT7967-QZ	Magnetic Impact Set - T10, T15, T20 x 3, T25 x 3, T30, 50mm T25, Lockable holder, 7mm, 8mm, 10mm socket drivers	15	1	5035048083222

CLEANABLE NUT SETTERS

DEWALT delivers even more innovative solutions to the accessories category with the cleanable nut setter range:

- Quickly and easily clean the nut setter of built up metal filings by exposing the magnetic drive plate in one simple, easy movement. Broken screws can be removed in the same way
- Unique hexagon design allows for screws to be driven on the flat sides of the hexagonal screw head rather than the corners giving improved life of the nut setter
- Designed to be used with impact drivers and screwdrivers



CLEANABLE HEX DRIVE MAGNETIC SOCKET

NEW



IMPACT READY CLEANABLE HEXAGONAL SOCKET DRIVERS



cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
DT7430-QZ	8	8Mm Ir Cleanable Nut Driver	1	5	5035048085714
DT7440-QZ	10	10Mm Ir Cleanable Nut Driver	1	5	5035048085721
DT7450-QZ	13	13Mm Ir Cleanable Nut Driver	1	5	5035048085738
DT7433-QZ	8	8Mm Ir Cleanable Nut Driver (3Pk)	3	5	5035048085745
DT7443-QZ	10	10Mm Ir Cleanable Nut Driver (3Pk)	3	5	5035048085752
DT7453-QZ	13	13Mm Ir Cleanable Nut Driver (3Pk)	3	5	5035048085769
DT7460-QZ	8,10,13	8,10,13Mm Ir Cleanable Nut Driver (3Pk)	3	5	5035048085776
DT7430B-QZ	8	8Mm Ir Cleanable Nut Driver (Blk10pk)	10	1	5035048085783
DT7440B-QZ	10	10Mm Ir Cleanable Nut Driver (Blk10pk)	10	1	5035048085790
DT7450B-QZ	13	13Mm Ir Cleanable Nut Driver (Blk10pk)	10	1	5035048085806
DT74700M-QZ	Counter display 8, 10, 13	8,10,13Mm Cns Counter Display (25Pcs)	25	1	5035048085813

HIGH PERFORMANCE SCREWDRIVING SETS

NEW

Cat. No.	Description		Size	Barcode
DT70510-QZ	23 piece IR screwdriving & 14pc drilling - double pack	STC	HSS-G drill bits: 3 x 2, 3.5, 4, 4.5, 5 x 2, 5.5, 6, 6.5, 7, 8, 9, 10.5mm. Screwdriving bits 25mm: Ph2, Pz2 x 4, T15, T25, T30. 50mm: Ph2 x 2, Ph3, T20, T25, Pz2 x 3, Pz3 x 2. 85mm: Ph1, Ph2. Mag bit tip holder. Cleanable nut setter: 8, 10mm	5035048098653
DT70511-QZ	35 piece IR drill drive set with cleanable nut setters	STC	Drill bits: 5mm, 6mm, 8mm. Screwdriving bits 25mm: Ph1, Ph2 x 2, Ph3, Sl6, Pz1 x 2, Pz2 x 8, Pz3 x 3, T15 x 2, T20 x 2, T25 x 2, T30. 50mm: Ph1, Pz2. 85mm: Ph2. Cleanable nut setter: 8mm, 10mm, 13mm. Mag bit holder	5035048098660
DT70512-QZ	14 piece IR screwdriving set with 2 mag drive guides	Pocket	Screwdriver bits 25mm: Ph1, Ph2, Ph3, Pz1, Pz2 x 3, Pz3, Sl6, T20, T25, T30. Compact mag drive guide. Long mag drive guide	5035048098677
DT70514-QZ	26 piece IR screwdriving set with cleanable nut setters	STC	Screwdriver bits 25mm: Pz2 x 7, Pz3, Sl8, Sl10, T20 x 2, T25 x 2, T30 x 2. 50mm: Ph2 x 2, Pz3. 85mm: Ph1, Ph2. Cleanable nut setter: 8mm, 10mm. Mag bit tip holder.	5035048098684
DT70515-QZ	34 piece IR screwdriving set with compact rapid load & cleanable nut setters	STC	Screwdriver bits 25mm: Pz1 x 3, Pz2 x 8, Pz3 x 2, Ph2, Sl6, T15 x 2, T20 x 2, T25 x 3, T30 x 2. 50mm: Ph3, T20, T30, Sl8. 85mm: Ph1, Ph2, Sl8. Compact rapid load. Cleanable nut setter: 8mm, 10mm	5035048098691
DT71517-QZ	Right angle attachment with 9 IR screwdriving bits	N/A	Right angle attachment. Screwdriver bits 25mm: Pz2 x 3, Ph2 x 2, T10, T15, T20, T25	5035048098912
DT70518-QZ	10 piece IR screwdriving set with pivoting bit tip holder	N/A	Pivoting bit tip holder. Screwdriver bits 25mm: Ph2 x 2, Pz2 x 2, Pz3 x 2, T15, T30, Sl6	5035048098721
DT70520-QZ	26 piece IR drill drive set	STC	IR drill bits: 3, 3.2, 3.5, 4, 5, 5.5, 6, 7, 8, 10. Screwdriving bits 25mm: Ph1, Ph2 x 2, Ph3, T20 x 2, T25 x 2, T30, Pz1, Pz2 x 4, Pz3 x 2	5035048098745
DT70522-QZ	16 piece IR screwdriving set - tic tac with mag drive guide	Tic Tac	Screwdriver bits 25mm: Pz2 x 6, T15 x 3, T20 x 3, T25 x 3. Compact mag drive guide	5035048098769
DT70523-QZ	32 piece IR screwdriving set with bit tip holder	XSTC	Screwdriver bits 25mm: Pz1 x 2, Pz2 x 5, Pz3 x 3, Ph1, Ph2 x 3, Ph3, Pz2 x 2, Sl6, Sl8, Sl10, T10 x 2, T15 x 2, T20 x 2, T25 x 2, T27, T30, T40. Mag bit tip holder	5035048098776
DT70526-QZ	Tic tac screwdriving 25 x IR Ph2	Tic Tac	Screwdriver bits 25mm: Ph2 x 25	5035048098950
DT70526M-QZ	Ph2 tic tac merchandiser x 20	Tic Tac	Screwdriver bits 25mm: 20 x Ph2 tic tacs	5035048099018
DT70527-QZ	Tic tac screwdriving 25 x IR Pz2	Tic Tac	Screwdriver bits 25mm: Pz2 x 25	5035048098967
DT70527M-QZ	Pz2 tic tac merchandiser x 20	Tic Tac	Screwdriver bits 25mm: 20 x Pz2 tic tacs	5035048099032
DT70528-QZ	Tic tac screwdriving 25 x IR T20	Tic Tac	Screwdriver bits 25mm: T20 x 25	5035048098974
DT70528M-QZ	T20 tic tac merchandiser x 20	Tic Tac	Screwdriver bits 25mm: 20 x T20 tic tacs	5035048099629
DT70529-QZ	Tic tac 25 x IR T25 screwdriving	Tic Tac	Screwdriver bits 25mm: T25 x 25	5035048098981
DT70529M-QZ	T25 tic tac merchandiser x 20	Tic Tac	Screwdriver bits 25mm: 20 x T25 tic tacs	5035048099636
DT70574-QZ	14 piece IR screwdriving set with 2 mag drive guides - TX	Pocket	Screwdriver bits 25mm: Ph1, Ph2 x 2, T10, T15, T20 x 2, T25 x 2, T30, Pz1, Pz2. 125mm mag drive guide. 85mm compact mag drive guide	5035048099582
DT70575-QZ	26 piece IR screwdriving set with Cleanable nut setters - TX	STC	Screwdriver bits 25mm: Ph2 x 2, Pz2 x 2, Pz3, T10 x 2, T20 x 5, T25 x 2, T30 x 2. 50mm: Ph2, Pz2, Pz3, T10, T20 x 2, T25. Mag bit tip holder. Cleanable nut setter: 8, 10mm.	5035048099599
DT70576-QZ	34 piece IR screwdriving set with compact rapid load & cleanable nut setters - TX	STC	Screwdriver bits 25mm: Ph2 x 2, T15 x 2, T20 x 8, T25 x 5, T30 x 2, Pz1, Pz2 x 2, Pz3 x 2. 50mm: Ph2, T10, T20 x 2, T25, Pz2. 85mm: Ph2. Compact rapid load. Cleanable nut setter: 8, 10mm	5035048099605
DT70577-QZ	16 piece IR screwdriving set - tic tac with mag drive guide - TX	Tic Tac	Screwdriver bits 25mm: Ph2 x 3, Pz2 x 3, T10 x 2, T15, T20 x 3, T25 x 3. Compact mag drive guide	5035048099650
DT70578-QZ	10 piece IR screwdriving set with pivoting bit tip holder - TX	N/A	Screwdriver bits 25mm: Ph2 x 2, Pz2, T10, T15, T20 x 2, T25, T30. Pivoting bit tip holder	5035048099667
DT71581-QZ	56 pc Drill Drive Mixed Set (with tic tac 25 x Ph2)	Tic Tac		5035048099858

Key: STC = Small tough case
MTC = Medium tough case
TT = Tic Tac
XSTS = Extra small tough case

IMPACT SCREWDRIVING SETS

NEW

Cat. No.	Description		Size	Barcode
DT71501-QZ	56 piece drill drive set with tic tacs	MTC	HSS-G drill bits: 3, 4, 5, 6, 8, 10, 12mm. Adapter 1/4 to 1/4 square, 1/4 to 3/8 square. Flat wood: 14, 20mm. Screwdriving bits 25mm: Ph1 x 2, Ph2 x 2, Sl6, Sl8, Pz2 x 25, Pz3 x 2, T10 x 3, T20 x 3, T25 x 2, T30 x 2. Nut setter: 8, 10mm	5035048098493
DT71502-QZ	14 piece screwdriving set with 2 mag drive guides	Pocket	Screwdriver bits 25mm: Ph1, Ph2, Ph3, Pz2 x 3, Pz3, Sl6, T15, T20, T25, T30. Compact mag drive guide. Long mag drive guide.	5035048098509
DT71506-QZ	30 piece screwdriving set with 6-in-1 Screwdriver	STC	Screwdriver bits 25mm: Ph1 x 2, Ph2 x 2, Ph3, Sl8, Pz2 x 7, Pz3 x 3, T10 x 2, T15 x 2, T25 x 2, T30 x 2. 50mm: Pz2, Ph2. Screwdriver 6-in-1. Mag bit tip holder. Nut setter 8mm, 10mm	5035048098544
DT71507-QZ	27 piece compact rapid load drill drive set	STC	HSS-G drill bits: 4.5, 5.5, 6, 7. Screwdriving bits 25mm: Ph2 x 2, Sl6, Pz2 x 5, Pz3 x 2, T10, T15, T20, T25 x 2, T30. 50mm: Ph2, Pz1, Pz3, T25. Rapid load. Nut setter 10mm. Compact mag drive guide	5035048098554
DT71511-QZ	16 piece screwdriving set - tic tac with mag drive guide	Tic Tac	Screwdriver bits 25mm: Ph2 x 2, Pz2 x 6, Pz3 x 3, T20 x 2, T25 x 2. Compact mag drive guide	5035048098592
DT71514-QZ	6 piece compact rapid load set	N/A	Compact rapid load. Screwdriver bits 25mm: Pz2, Pz3, T25. 50mm: Pz2, T20	5035048098622
DT71515-QZ	67 piece drill drive set - double pack	STC & Pocket	Drill bits HSS-G: 4.5mm, 5mm, 5.5mm, 6mm, 6.5mm, 7mm. Screwdriving bits 25mm: Pz2 x 18, Pz3 x 13, Ph1, Ph3, Pz2, T10 x 3, T15 x 4, T20 x 4, T25 x 4, T30 x 4, Sl6, Sl8, Sl10. 50mm: Pz2 x 2, Ph2, T20. Mag drive guide	5035048098639
DT71518-QZ	45 piece screwdriving set	STC	Screwdriver bits 25mm: Ph1 x 2, Ph2 x 2, Ph3 x 2, Sl6, Sl8, Pz2 x 6, Pz3 x 5, T10 x 2, T15 x 2, T25 x 2, T30 x 2. 50mm: Ph1, Ph2 x 2, Pz1, Pz2 x 3, T15, T20, T25 x 2, T30 x 2. 85mm: Ph2 x 2. Nut setter: 8mm, 10mm. Mag drive guide.	5035048098936
DT71570-QZ	14 piece screwdriving set with 2 mag drive guides - TX	Pocket	Screwdriver bits 25mm: Ph1, Ph2 x 2, Pz2, T10, T15 x 2, T20 x 2, T25 x 2, T30. 125mm mag drive guide. 85mm compact mag drive guide.	5035048099568
DT71572-QZ	45 piece screwdriving set - TX	STC	Screwdriver bits 25mm: Ph1 x 2, Ph2 x 2, Ph3 x 2, Sl6, Pz2 x 2, Pz3 x 2, T10 x 3, T15 x 3, T20 x 4, T25 x 3, T30 x 3. 50mm: Ph1, Ph2 x 2, Pz1, Pz2 x 2, T10, T15, T20 x 3, T25 x 2, T30 x 2. Nut setter: 8, 10mm. Compact mag drive guide.	5035048099612
DT71573-QZ	16 piece screwdriving set - tic tac with mag drive guide - TX	Tic Tac	Screwdriver bits 25mm: Ph2 x 2, Pz2 x 2, Pz3, T20 x 6, T25 x 4. Compact mag drive guide	5035048099643
DT70586-QZ	Tic Tac 25 x IR Ph2 in blister	Tic Tac		5035048099865

Key: STC = Small tough case
MTC = Medium tough case
TT = Tic Tac
XSTS = Extra small tough case

SCREWDRIVING ACCESSORIES

APPLICATIONS

- For all screwdriving applications.

FEATURES

- High quality professional screwdriver bits.
- Flexible Torsion Zone absorbs torque peaks and reduces breakage.
- All bits are provided in sturdy plastic re-useable storage containers.

SLOTTED BITS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
DT7105-QZ	4.5mm	25mm Torsion bit Slotted	5	1	5035048012437
DT7106-QZ	5.5mm	25mm Torsion bit Slotted	5	1	5035048012444
DT7116-QZ	5.5mm	25mm Torsion bit Slotted	20	1	5035048012475
DT7107-QZ	6.5mm	25mm Torsion bit Slotted	5	1	5035048012451
DT7117-QZ	6.5mm	25mm Torsion bit Slotted	20	1	5035048012482

TORSION BITS FOR POZIDRIV SCREWS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
DT7210-QZ	Pz0	25mm Torsion bit	5	1	5035048012499
DT7211-QZ	Pz1	25mm Torsion bit	5	1	5035048012505
DT7217-QZ	Pz1	25mm Torsion bit	20	1	5035048012512
DT7212-QZ	Pz2	25mm Torsion bit	5	1	5035048012529
DT7218-QZ	Pz2	25mm Torsion bit	20	1	5035048012536
DT7213-QZ	Pz3	25mm Torsion bit	5	1	5035048012543
DT7219-QZ	Pz3	25mm Torsion bit	20	1	5035048012550
DT7214-QZ	Pz4	32mm Torsion bit	5	1	5035048012567
DT7225-QZ	Pz1	50mm bit with "extra grip" ribs	5	1	5035048013083
DT7226-QZ	Pz2	50mm bit with "extra grip" ribs	5	1	5035048013090
DT7227-QZ	Pz3	50mm bit with "extra grip" ribs	5	1	5035048013106

TORSION BITS FOR PHILLIPS SCREWS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
DT7230-QZ	Ph0	25mm Torsion bit	5	1	5035048012574
DT7231-QZ	Ph1	25mm Torsion bit	5	1	5035048012581
DT7237-QZ	Ph1	25mm Torsion bit	20	1	5035048012598
DT7232-QZ	Ph2	25mm Torsion bit	5	1	5035048012604
DT7238-QZ	Ph2	25mm Torsion bit	20	1	5035048012611
DT7233-QZ	Ph3	25mm Torsion bit	5	1	5035048012628
DT7234-QZ	Ph4	32mm Torsion bit	5	1	5035048012642
DT7235-QZ	Ph2	25mm Reduced tip	5	1	5035048066430
DT7236-QZ	Ph2	25mm Reduced tip	20	1	5035048066423
DT7245-QZ	Ph1	50mm bit with "extra grip" ribs	5	1	5035048013113
DT7246-QZ	Ph2	50mm bit with "extra grip" ribs	5	1	5035048013120
DT7247-QZ	Ph3	50mm bit with "extra grip" ribs	5	1	5035048013137

HEX BITS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
DT7165-QZ	4	25mm Hex bit	5	1	5035048012659
DT7166-QZ	5	25mm Hex bit	5	1	5035048012666
DT7167-QZ	6	25mm Hex bit	5	1	5035048012673
DT7168-QZ	8	25mm Hex bit	5	1	5035048012680

SQUARE BITS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
DT7170-QZ	1	25mm Square bit	5	1	5035048013564
DT7171-QZ	2	25mm Square bit	5	1	5035048013571
DT7172-QZ	3	25mm Square bit	5	1	5035048013588

SCREWDRIVING ACCESSORIES

APPLICATIONS

- For all screwdriving applications.

FEATURES

- High quality professional screwdriver bits.
- Flexible Torsion Zone absorbs torque peaks and reduces breakage.
- All bits are provided in sturdy plastic re-useable storage containers.

SCREWDRIVER BITS FOR TORX® SCREWS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
D17251-QZ	T8	25mm bit for Torx	5	1	5035048012703
D17252-QZ	T9	25mm bit for Torx	5	1	5035048012710
D17253-QZ	T10	25mm bit for Torx	5	1	5035048012727
D17254-QZ	T15	25mm bit for Torx	5	1	5035048012734
D17265-QZ	T15	25mm bit for Torx	20	1	5035048012741
D17255-QZ	T20	25mm bit for Torx	5	1	5035048012758
D17266-QZ	T20	25mm bit for Torx	20	1	5035048012765
D17270-QZ	T20	25mm bit for Torx	50	1	5035048012772
D17256-QZ	T25	25mm bit for Torx	5	1	5035048012789
D17267-QZ	T25	25mm bit for Torx	20	1	5035048012796
D17271-QZ	T25	25mm bit for Torx	50	1	5035048012802
D17257-QZ	T27	25mm bit for Torx	5	1	5035048012819
D17258-QZ	T30	25mm bit for Torx	5	1	5035048012826
D17268-QZ	T30	25mm bit for Torx	20	1	5035048012833
D17272-QZ	T30	25mm bit for Torx	50	1	5035048012840
D17259-QZ	T40	25mm bit for Torx	5	1	5035048012857
D17290-QZ	T10	70mm bit for Torx	5	1	5035048013182
D17291-QZ	T15	70mm bit for Torx	5	1	5035048013199
D17292-QZ	T20	70mm bit for Torx	5	1	5035048013205
D17293-QZ	T25	70mm bit for Torx	5	1	5035048013212
D17294-QZ	T27	70mm bit for Torx	5	1	5035048013229
D17295-QZ	T30	70mm bit for Torx	5	1	5035048013236
D17296-QZ	T40	70mm bit for Torx	5	1	5035048013243

60 MM DOUBLE ENDED BITS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
D17304-QZ	Pz1	60mm double ended bits	5	1	5035048013144
D17305-QZ	Pz2	60mm double ended bits	5	1	5035048013151
D17315-QZ	Ph2	60mm double ended bits	5	1	5035048013175

110 MM POWER BITS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
D17203-QZ	Pz2	110mm bit	5	1	5035048013250
D17204-QZ	Ph2	110mm bit	5	1	5035048013267

SCREWDRIVING ACCESSORIES

APPLICATIONS

- For all screwdriving applications.

PILOT BITS, DRIVE GUIDES & HOLDERS



Cat. No.	Length mm	Description	Pack Qty.	M.O.Q.	Barcode
D17501-QZ	57	Non-magnetic	1	1	5011402371327
D17500-QZ	60	Magnetic	1	1	5011402371310
D17511-QZ	60	Quick change bit holder	1	1	5035048078365
D17515-QZ	60	Quick connector	1	1	5035048013274
D17516-QZ	60	Rapidfix holder	1	1	5035048013281
D17615-QZ	38	Hex Shank Pilot bit 3mm	3	1	5035048013298
D17616-QZ	43	Hex Shank Pilot bit 4mm	2	1	5035048013304
D17617-QZ	48	Hex Shank Pilot bit 6mm	2	1	5035048013311
D17701-QZ	80	DeWALT Screw drive guide 9.5mm diameter	1	1	5035048031995
D17702-QZ	120	DeWALT Screw drive guide 12mm diameter	1	1	5035048032008
D17508-QZ		1/2" to 1/4" Impact Wrench Adaptor	1	1	5035048082034
D17512-QZ		1/4" hex to 1/2" square adaptor	1	1	5035048083055

SCREWDRIVING SETS



APPLICATIONS

- For all screwdriving applications.

FEATURES

- High quality professional screwdriver bits.
- Flexible Torsion Zone absorbs torque peaks and reduces breakage.
- All bits are provided in sturdy plastic re-useable storage containers.

SCREWDRIVING SETS

Cat. No.	Pieces	Description	Pack Qty.	M.O.Q.	Barcode
DT7917-QZ	11	Torx 7, 8, 9, 10, 15, 20, 25, 27, 30, 40, Magnetic bit holder.	1	1	5035048060445
DT7944-QZ	31	31 Piece Set with 1x2, Pz2x3, Pz3x1, Ph1x2, Ph2x2, Ph3x1, S14.5x1, S15.5x1, S16.5x1, T10x2, T15x2, T20x2, T25x2, T30x2, T40x2, H3x1, H4x2, H5x1 & Quick Connector	1	1	5035048078372
DT7945-QZ	11	Torx Quick Connector set (T7, 8, 9, 10, 15, 20, 25, 27, 30, 40)	1	1	5035048013328
DT7946-QZ	11	Torx/Pozzi Quick Connector set (T15, 20, 25, 30, 40Pz1, 2x2, 2x3)	1	1	5035048013335
DT7915-QZ	11	Torsion with "Extra Grip" ribs, Incl Pz 1, 2, 3 Ph 1, 2, 3 Slotted 4.5, 5.5, 6.5, 8 Magnetic bit holder	1	1	5035048060421
DT7916-QZ	11	Torsion with "Extra Grip" ribs, Incl Pz 1, 2, 3 Ph 1, 2, 3, T10, 15, 20, 25 Magnetic bit holder	1	1	5035048060438
DT7947-QZ	11	Torsion Pz/Ph Quick Connector set (Pz1, 2x2, 2x3, Ph1, 2x2, 2x3)	1	1	5035048013342
DT7948-QZ	11	Torsion Pz/Ph/Sl Quick Connector set (Pz1, 2x2, 3, Ph1, 2x2, 3 Sl 5.5, 6.5)	1	1	5035048013359

DeWALT 'FLIP & DRIVE' SYSTEM

APPLICATIONS

- For use in hard and soft wood, composite board and MDF.
- Ideal for cabinet making, furniture assembly, remodelling and shop fitting.

FEATURES

- Complete drill drive accessory system for drilling countersink & pilot holes in one action and screwdriving.
- One-handed connector release with push forward collar for easily changing between drilling and screwdriving applications.
- 5/16" (8mm) shank for added durability.

'FLIP & DRIVE' UNITS



Cat. No.	Size	Description	Pack Qty.	Barcode
DT7600-XJ	No.6	Connector, countersink, pilot drill bit & Pz2 screw driver bit.	1	5035048052365
DT7601-XJ	No.8	Connector, countersink, pilot drill bit & Pz2 screw driver bit.	1	5035048052372
DT7602-XJ	No.10	Connector, countersink, pilot drill bit & Pz2 screw driver bit.	1	5035048052389
DT7603-XJ	No.12	Connector, countersink, pilot drill bit & Pz2 screw driver bit.	1	5035048052396

PILOT BITS



Cat. No.	Size	Description	Pack Qty.	Barcode
DT7608-XJ	No.6	Pilot drill bit	3	5035048031773
DT7609-XJ	No.8	Pilot drill bit	3	5035048031780
DT7610-XJ	No.10	Pilot drill bit	3	5035048031797

COUNTERSINK & PILOT



Cat. No.	Size	Description	Pack Qty.	Barcode
DT7604-XJ	No.6	Pilot drill bit & 4 cutter countersink.	1	5035048052402
DT7605-XJ	No.8	Pilot drill bit & 4 cutter countersink.	1	5035048052419
DT7606-XJ	No.10	Pilot drill bit & 4 cutter countersink.	1	5035048031759
DT7607-XJ	No.12	Pilot drill bit & 4 cutter countersink.	1	5035048031766

DeWALT 'FLIP & DRIVE' SETS



Cat. No.	Size	Description	Pack Qty.	Barcode
DT7612-XJ	No.6, 8, 10, 12	Case containing No.6 connector, countersink, pilot bit & Pz 2, No.8, 10, 12 countersink & pilot bits, Pz2 x2, Ph2 x2.	1	5035048031810

HEXAGONAL SOCKET DRIVERS - 50 MM

SINGLE PACKS



Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
DT7415-QZ	6	Magnetic	1	1	5035048061473
DT7416-QZ	6.35	Magnetic	1	1	5035048061480
DT7401-QZ	7	Magnetic	1	1	5011402371181
DT7402-QZ	8	Magnetic	1	1	5011402371198
DT7403-QZ	10	Magnetic	1	1	5011402371204
DT7422-QZ	11	Magnetic	1	1	5035048077580
DT7423-QZ	11	12 Point Magnetic	1	1	5035048077597
DT7404-QZ	13	Magnetic	1	1	5011402371211
DT7424-QZ	17	Magnetic	1	1	5035048077603

TOUGH CASE STORAGE

SMALL TOUGH CASE SETS



Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
D17928B-QZ	Small tough case in blister with 6 piece EXTREME DeWALT® Masonry drill bits 4, 5, 5.5, 6, 7, 8, Ph2x4, Pz2x4, Ph2x50mm, Pz2x50mm, Slotted 5.5x50mm, Magnetic holder, Magnetic drive guide.	19	1	5035048072219
D17920B-QZ	Small tough case in blister with EXTREME DeWALT® 2 Metal drill bits 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7.	13	1	5035048072189
D17921B-QZ	Small tough case in blister with EXTREME DeWALT® 2 Metal drill bits 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7.	13	1	5035048072196
D17922B-QZ	Small tough in blister case with Ph1, 2x6, 3, Pz1, 2x6, 3, T10, 15, 20, 25, 30, 40, Slotted 5.5, 8, Ph2x50mm, Pz2x50mm, Slotted 5.5x50mm, Magnetic holder, Magnetic drive guide.	29	1	5035048072202
D17942-QZ	Small tough case with EXTREME DeWALT® Cobalt bits 4, 1.5, 2, 2.5, 3, 3.2, 4, 4.5, 5, 5.5, 6, 6.5, 7	13	1	5035048066003
D170500B-QZ	10 piece Impact metal drilling set 3, 3.2, 3.5, 4, 4.5, 5, 6, 8, 10, 12	10	1	5035048081921
D170501B-QZ	29pc Impact Screwdriving set	29	1	5035048082591
D170502B-QZ	26pc Impact Drill Drive set - PH/PZ	29	1	5035048082607
D170503B-QZ	26pc Impact Drill Drive set - TX	29	1	5035048082614

MEDIUM TOUGH CASE SETS



Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
D17933B-QZ	Medium tough case set in blister with 45 screwdriving bits. (Pz2x10, Ph2x10, Sl6x5, Sl4x5, T10x5, T15x3, T25x3) screwguide, bit holder and nutdrivers (x2).	45	1	5035048072233
D17934B-QZ	Medium tough case 42 piece Hex shank set in blister with Screwdriver bits - Pz2x10, Ph2x10, Sl6x5, Pz2x2(50mm), Ph2x2(50mm), Hex shank pilot drill bits - 1,5mmx2, 2mmx2, 3mmx2, 4mmx1, 5mmx1, 6mmx1, Screwguide, bit holder and nutdrivers(x2).	42	1	5035048072240
D17935B-QZ	Medium tough case in blister with SDS Plus EXTREME DeWALT® 2 drill bits 5, 6x2(110mm), 6x2, 7, 8, 9, 10, 12, 160mm	10	1	5035048072257
D17937B-QZ	Medium tough case in blister with SDS Plus EXTREME DeWALT® 2 drill bits 5, 6, 6.5, 7, 8, Extreme™ Masonry drill bits 4, 5, 2x6, 7, 2x8, Pz1x2, Pz2x2, Pz3, Ph1, Ph2x2, Ph3 25mm bits	21	1	5035048072271
D17939-QZ	Medium tough case with SDS Plus EXTREME DeWALT® 2 drill bits 5, 5.5, 6, 7, 8, Pz1x2, Pz2x2, Pz3, Ph1, Ph2x2, Ph3 25mm bits, TX10, TX15, TX20, TX25, TX30, TX40 25mm bits, Sl4.5mm, Sl5.5mm, Sl6.5mm 25mm bits, Pz1x2, Pz2x2, Pz3, Ph1x2, Ph2x2, Ph3 50mm bits, TX20, TX25, TX30 70mm bits, Magnetic bit holder, 7mm, 8mm socket drivers	39	1	5035048011386
D17936B-QZ	Medium tough case in blister with SDS EXTREME DeWALT® Plus 2 drill bits 5, 6, 6.5, 8, 10, Pz1x2, Pz2x2, Pz3, Ph1, Ph2x2, Ph3 25mm bits, TX10, TX15, TX20, TX25, TX30, TX40 25mm bits, Sl4.5mm, Sl5.5mm, Sl6.5mm 25mm bits, Pz1x2, Pz2x2, Pz3, Ph1x2, Ph2x2, Ph3 50mm bits, TX20, TX25, TX30 70mm bits, Magnetic bit holder, 7mm socket driver, 8mm socket drive	39	1	5035048072264
D17938B-QZ	Medium tough case set in blister with EXTREME DeWALT® 2 Metal drill bits 1, 1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 10, 12, Pz1, Pz2x2, Pz3, Ph1, Ph2, Ph3, TX20, TX25 25mm bits, Magnetic drive guide, Magnetic bit holder, TX20, TX25 70mm, Pz2 bits, Ph2 50mm bits	36	1	5035048072288

LARGE TOUGH CASE SETS



Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
D17926-XJ	Large tough case with EXTREME DeWALT® 2 Metal drill bits 1,1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm.	29	1	5035048052341
D15928-QZ	Cobalt 29 piece set with Plastic Tough Case 1,1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm.	29	1	5035048077412
D15929-QZ	HSS-G 29 piece set with Metal Case 1,1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm.	29	1	5035048077429
D15930-QZ	HSS-R 29 piece set with Metal Case 1,1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm.	29	1	5035048077436

MODULAR ACCESSORY CASES

MODULAR ACCESSORY CASES



Cat. No.	Description	M.O.Q.	Barcode
D19289-QZ	90 piece set	1	5035048082041
D19290-QZ	106 piece set	1	5035048082058
D19291-QZ	95 piece set including EXTREME DeWALT® Masonry, Extreme DeWALT® 2 Metal, Flatwood, SDS Plus, Torx, Pz, Ph & pilot bits	1	5035048012376
D19292-QZ	100 piece set including EXTREME DeWALT® Masonry, Extreme DeWALT® 2 Metal, Flatwood, SDS Plus, Torx, Slotted, Pz, Ph, 50mm bits & pilot bits	1	5035048012383
D19293-QZ	100 piece set including EXTREME DeWALT® Masonry, Extreme DeWALT® 2 Metal, Flatwood, Bradpoint, Torx, Slotted, Pz, Ph, 50mm bits & pilot bits	1	5035048012390
D19294-QZ	100 piece set including EXTREME DeWALT® Masonry, Extreme DeWALT® 2 Metal, Flatwood, Bradpoint, Torx, Slotted, Pz, Ph, 50mm bits & pilot bits	1	5035048012406
D19296-QZ	90 piece set	1	5035048061626
D19298-QZ	106 piece set	1	5035048245385
D19299-QZ	100 piece set	1	5035048245392

MINI MAC CASE SETS

MINI MAC CASE SETS



Cat. No.	Description	M.O.Q.	Barcode
D19281-QZ	63 piece set with EXTREME DeWALT® Masonry (4,5,6x2,8x2 mm), EXTREME DeWALT® 2 Metal (1,5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7mm), Screwdriver bits: 50mm Pz2, Ph2, Sl5.5, Sl6.5, 25mm Ph1, Ph2x3, Ph3, Pz1, Pz2x23, Pz3, T15, T20x22, T25x3, T30, T40, Magnetic bit holder and drive guide	1	5035048073308
D19282-QZ	57 piece set with Brad Point (3,4,5,6,8,10,12mm), EXTREME DeWALT® Flatwood (12,14,16,20,22,25mm). Screwdriver bits: 50mm Pz2, Ph2, Sl5.5, Sl6.5, 25mm Ph1, Ph2x2, Ph3, Pz1, Pz2x3, Pz3, T15, T20x22, T25x3, T30, T40, Magnetic bit holder and drive guide	1	5035048073315
D19283-QZ	69 piece set with EXTREME DeWALT® SDS+ (6x110,6x160x2,8x160x2,10x160), EXTREME DeWALT® 2 Metal (1,5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7mm), EXTREME DeWALT® Masonry (4,5,6x2,8x2 mm). Screwdriver bits: 50mm Pz2, Ph2, Sl5.5, Sl6.5, 25mm Ph1, Ph2x2, Ph3, Pz1, Pz2x3, Pz3, T15, T20x22, T25x3, T30, T40, Magnetic bit holder and drive guide	1	5035048073322
D19284-QZ	77 piece set with EXTREME DeWALT® Cobalt (1,5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7mm), EXTREME DeWALT® 2 Metal (1,1.5,2,2.5,3,3.2,3.3,3.5,4,4.2,4.5,4.8,5,5.5,6,6.5,7,7.5,8,10,12mm) Screwdriver bits: 50mm Pz2, Ph2, Sl5.5, Sl6.5, 25mm Ph1, Ph2x3, Ph3, Pz1, Pz2x23, Pz3, T15, T20x2, T25x3, T30, T40, Magnetic bit holder and drive guide	1	5035048073339
D19285-QZ	65 piece set with HSS-G (1,1.5,2,2.5,3,3.2,3.3,3.5,4,4.2,4.5,4.8,5,5.5,6,6.5,7,7.5,8,10,12mm). Screwdriver bits: 50mm Pz2, Ph2, Sl5.5, Sl6.5, 25mm Ph1, Ph2x3, Ph3, Pz1, Pz2x23, Pz3, T15, T20x2, T25x3, T30, T40, Magnetic bit holder and drive guide	1	5035048073346
D19286-QZ	72 piece set with Masonry Bits (4,5,6x2,8x2 mm), HSS-G (1,1.5,2,2.5,3,3.2,3.3,3.5,4,4.2,4.5,4.8,5,5.5,6,6.5,7,7.5,8,10,12mm). Screwdriver bits: 50mm Pz2, Ph2, Sl5.5, Sl6.5, 25mm Ph1, Ph2x2, Ph3, Pz1, Pz2x3, Pz3, T15, T20x22, T25x3, T30, T40, Magnetic bit holder and drive guide	1	5035048073353
D19287-QZ	85 piece set with HSS-G (1,1.5,2,2.5,3,3.2,3.3,3.5,4,4.2,4.5,4.8,5,5.5,6,6.5,7,7.5,8,10,12mm). Screwdriver bits: 50mm Pz2, Ph2, Sl5.5, Sl6.5, 25mm Ph1, Ph2x3, Ph3, Pz1, Pz2x23, Pz3, T15, T20x2, T25x3, T30, T40, Magnetic bit holder and drive guide	1	5035048073445

CIRCULAR SAW BLADES

More than 70 years of engineering expertise and innovation has been invested in the development of the latest circular saw blades from DeWALT. Manufactured from premium materials, their combination of precision, accuracy, smooth cut finish and durability delivers outstanding performance across a wide range of applications to make them the ideal choice for the professional user.

GRIND GEOMETRY



FLAT TOP GRIND (FT)

Teeth ground flat across top with 0 degree bevel. Best for ripping and general purpose, where quality of finish is less important than cut force.




ALTERNATE TOP BEVEL (ATB)

Teeth where the top bevel alternates from left to right, with bevel angle ranging 10 to 25 degrees. Ideal for cross cutting in hard and softwoods and general purpose woodcutting.



TRIPLE CHIP GRIND (TCG)

Flat top teeth alternate with slightly trapezoidal teeth that make a narrower cut, to prevent chipping brittle materials such as laminates.



HOLLOW GROUND (HG)

Very sharp edges designed to leave a chip-free finish - top and bottom. Ideal for cutting double sided composite board, eg. melamine.

APPLICATIONS



FAST RIP

- Blades designed for fast rip of soft and hard natural wood
- Ideal for pre-sizing applications
- ATB grind geometry, low tooth count and aggressive rake angles



GENERAL PURPOSE & CROSS CUT

- For all purpose rip and cross cutting in natural wood, plywood, laminates and particle board
- ATB grind geometry, medium tooth count and positive rake angles allow the blades to cut at higher feed speeds



EXTRA FINE FINISH

- Blades designed for EXTRA fine cuts in plywood, veneers, laminates and plastics
- Blades are tuned to avoid breakout on laminate materials
- TCG grind geometry gives excellent surface finish on workpiece



ALUMINIUM CUTTING

- Blades optimised for cutting in Aluminium
- TCG grind geometry gives clean and accurate finish on workpiece



FINE FINISH & CROSS CUT

- For smooth cross cuts in plywood, softwood, and all hardwoods
- ATB grind geometry, high tooth count and tuned grinding angles give excellent surface finish

EXTREME DeWALT® STATIONARY CIRCULAR SAW BLADES




- See individual blades for machine fitment, material suitability and finish.
- Teeth remain sharp for longer through use of extra-large sub micrograin carbide teeth.
- Exceptional surface finish due to unique anti-vibration slots that minimise blade vibration.
- Extended cutting life in difficult materials such as tropical hardwoods and MDF through use of corrosion resistant carbide teeth.
- Excellent blade to spindle fitting is provided by honed arbor holes.

EXTREME DeWALT® STATIONARY CIRCULAR SAW BLADES

Cat. No.	Diameter / Bore	Plate / Kerf	Teeth	Grind	Rake	Fast Rip	General Purpose	Fine Finish	Extra Fine Finish	Aluminium	Barcode
DT4211-QZ	210/30	1.8/2.6	18	ATB	25°	•					5035048057360
DT4221-QZ	210/30	1.8/2.6	24	ATB	-5°		•				5035048057421
DT4250-QZ	210/30	1.8/2.6	40	ATB	10°			•			5035048057520
DT4252-QZ	210/30	1.8/2.6	48	ATB	-5°			•			5035048057544
DT4253-QZ	210/30	1.8/2.6	56	TCG	-5°			•			5035048057551
DT4285-QZ	210/30	1.8/2.6	80	TCG	-5°				•	•	5035048057698
DT4254-QZ	215/30	1.8/2.6	60	TCG	-5°				•		5035048057568
DT4310-QZ	216/30	1.8/2.6	24	ATB	-5°	•					5035048057827
DT4320-QZ	216/30	1.8/2.6	48	ATB	-5°		•				5035048057902
DT4350-QZ	216/30	1.8/2.6	60	ATB	-5°			•			5035048058107
DT4370-QZ	216/30	1.8/2.6	60	TCG	-5°				•		5035048058220
DT4286-QZ	216/30	1.8/2.6	80	TCG	-5°				•	•	5035048057704
DT4213-QZ	250/30	2.2/3.0	24	ATB	-5°	•					5035048057384
DT4311-QZ	250/30	2.2/3.0	24	FT	10°	•					5035048057834
DT4321-QZ	250/30	2.2/3.0	30	ATB	10°		•				5035048057919
DT4226-QZ	250/30	2.2/3.0	30	ATB	20°		•				5035048057476
DT4322-QZ	250/30	2.2/3.0	40	ATB	10°		•				5035048057926
DT4323-QZ	250/30	2.2/3.0	48	ATB	20°		•				5035048057933
DT4351-QZ	250/30	2.2/3.0	60	ATB	10°			•			5035048058114
DT4352-QZ	250/30	2.2/3.0	60	TCG	-5°			•			5035048058121
DT4353-QZ	250/30	2.2/3.0	80	ATB	10°			•			5035048058138
DT4354-QZ	250/30	2.2/3.0	80	ATB	-5°			•			5035048058145
DT4287-QZ	250/30	2.2/3.0	80	TCG	-5°				•	•	5035048057711
DT4373-QZ	250/30	2.2/3.0	80	TCG	10°			•			5035048058251
DT4282-QZ	250/30	2.2/3.0	96	TCG	-5°				•	•	5035048057667
DT4214-QZ	260/30	1.8/2.6	24	ATB	15°	•					5035048057391
DT4312-QZ	260/30	1.8/2.6	24	ATB	15°	•					5035048057841
DT4324-QZ	260/30	1.8/2.6	48	ATB	10°		•				5035048057940
DT4280-QZ	260/30	1.8/2.6	80	TCG	-5°				•	•	5035048057643
DT4314-QZ	300/30	2.2/3.0	30	ATB	10°	•					5035048057865
DT4327-QZ	300/30	2.2/3.0	48	ATB	10°		•				5035048057971
DT4328-QZ	300/30	2.2/3.0	60	ATB	10°		•				5035048057988
DT4329-QZ	300/30	2.2/3.0	60	TCG	10°			•			5035048057995
DT4357-QZ	300/30	2.2/3.0	72	TCG	10°			•			5035048058176
DT4281-QZ	300/30	2.2/3.0	80	TCG	-5°				•	•	5035048057650
DT4376-QZ	300/30	2.2/3.0	96	TCG	10°				•		5035048058299
DT4378-QZ	300/30	2.2/3.0	96	TCG	-5°				•	•	5035048058305
DT4210-QZ	305/30	1.8/2.6	32	ATB	-5°	•					5035048057353
DT4330-QZ	305/30	2.2/3.0	36	ATB	-5°		•				5035048058008
DT4340-QZ	305/30	2.2/3.0	48	ATB	10°		•				5035048061909
DT4260-QZ	305/30	1.8/2.6	60	ATB	-5°			•			5035048057629
DT4331-QZ	305/30	2.2/3.0	60	ATB	-5°			•			5035048058015
DT4283-QZ	305/30	1.8/2.6	80	TCG	-5°				•	•	5035048057674
DT4288-QZ	305/30	2.2/3.0	80	TCG	-5°				•	•	5035048057728
DT4290-QZ	305/30	2.2/3.0	96	TCG	-5°				•	•	5035048057742
DT4215-QZ	315/30	2.2/3.0	24	ATB	10°	•					5035048057407
DT4332-QZ	315/30	2.2/3.0	48	ATB	10°		•				5035048058022
DT4358-QZ	315/30	2.2/3.0	72	ATB	10°			•			5035048058183
DT4289-QZ	315/30	2.2/3.0	80	TCG	-5°				•	•	5035048057735
DT4333-QZ	350/30	2.2/3.0	42	ATB	10°		•				5035048058039
DT4334-QZ	350/30	2.2/3.0	54	ATB	10°		•				5035048058046
DT4359-QZ	350/30	2.2/3.0	80	TCG	-5°			•			5035048058190
DT4360-QZ	350/30	2.2/3.0	84	ATB	10°			•			5035048058206
DT4291-QZ	350/30	2.2/3.0	96	TCG	-5°				•	•	5035048057759
DT4317-QZ	400/30	2.5/3.0	36	ATB	10°		•				5035048057896
DT4338-QZ	400/30	2.5/3.5	60	ATB	10°		•				5035048058084

EXTREME DeWALT® STATIONARY CIRCULAR SAW BLADES



- Suitable for cutting metal/steel and stainless steel. See individual blades for details.

- FEATURES**
- Range of blades for most metal cutting applications.
 - Modified ATB tooth Geometry for clean, burr free cuts.
 - Cuts 4x faster than abrasive discs.
 - Unsuitable for cast iron.
 - Check bore and diameter before selection.

FOR METAL CUTTING

Cat. No.	Diameter/Bore	Plate/ Kerf	Teeth	Grind	Rake	Thick Section	Thin Section	Stainless Steel	Clean Cut	Barcode
DT1903-QZ	305/25.4	1.8/2.2	60	MATB	0	•		•	•	5035048052860
DT1905-QZ	305/25.4	1.75/2.2	80	MATB	10			•	•	5035048052884
DT1900-QZ	355/25.4	1.8/2.2	70	MATB	0	•		•	•	5035048030479
DT1901-QZ	355/25.4	1.8/2.2	90	MATB	0		•	•	•	5035048052846
DT1902-QZ	355/25.4	1.8/2.2	90	MATB	10			•	•	5035048052853

EXTREME DeWALT® STATIONARY CIRCULAR SAW BLADES



- Suitable for cutting melamine/laminate. See individual blades for details.
- Blades designed for extra fine cuts in laminated and PVC coated panels.
- Hollow Ground Tooth for flawless finish.

FOR MELAMINE, LAMINATED PANELS AND PVC COATED PANELS

Cat. No.	Blade Diameter	Bore Size mm	Plate Thickness mm	Kerf Thickness mm	Tooth Count	Grind Geometry	Rake Angle	Barcode
DT4217-QZ	250	30	2.5	3.2	60	HG	10°	5035048080399
DT4218-QZ	305	30	2.5	3.2	72	HG	10°	5035048080405

EXTREME DeWALT® STATIONARY CIRCULAR SAW BLADES



- Suitable for cutting wood, MDF and plywood. See individual blades for details.
- All blades have depth limiting feature.
- FT grind provides fast accurate cut.

FOR RADIAL ARM SAWS

Cat. No.	Blade Diameter	Bore Size mm	Plate Thickness mm	Kerf Thickness mm	Tooth Count	Grind Geometry	Rake Angle	Barcode
DT4202-QZ	250	30	1.8	2.8	24	FT/DL	10°	5035048057322
DT4301-QZ	250	30	2.2	3.0	24	FT/DL	10°	5035048057766
DT4204-QZ	300	30	2.2	3.0	32	FT/DL	10°	5035048057803
DT4305-QZ	350	30	2.2	3.0	36	FT/DL	10°	5035048057803

STATIONARY CIRCULAR SAW BLADES



- See individual blades for machine fitment, material suitability and finish.
- Precision ground cutting angles for excellent blade sharpness and faster cutting.
- "K20" extra robust carbide and unique wedge shoulder design for greater durability.
- Thick steel plate hard body for professional quality.

STATIONARY CIRCULAR SAW BLADES

Cat. No.	Diameter/Bore	Plate/ Kerf	Teeth	Grind	Rake	Additional Insert Rings	Fast Rip	General Purpose	Barcode
DT1154-QZ	216/30	1.7/2.6	24	ATB	-5°		•		5035048011157
DT1155-QZ	216/30	1.7/2.6	40	ATB	-5°			•	5035048011164
DT1158-QZ	250/30	2.0/3.0	24	ATB	10°	16/20/25.4	•		5035048011195
DT1159-QZ	250/30	1.8/3.0	48	ATB	10°	16/20/25.4		•	5035048011201
DT1177-QZ	300/30	2.2/3.2	20	ATB	20°		•		5035048080337
DT1160-QZ	305/30	2.0/3.0	24	ATB	-5°	25.4	•		5035048011218
DT1161-QZ	305/30	2.0/3.0	40	ATB	10°	25.4		•	5035048011225
DT1162-QZ	305/30	2.0/3.0	60	ATB	-5°	25.4		•	5035048011232
DT1163-QZ	315/30	2.2/3.2	24	ATB	20°	25.4	•		5035048011249

STATIONARY CIRCULAR SAW BLADES 210mm TO 400mm



- STEP 1:** SELECT TOOL FITMENT & BLADE SIZE.
- STEP 2:** SELECT MATERIAL TO BE CUT.
- STEP 3:** SELECT FINISH REQUIRED

For geometry details refer to page 139

1.					Diameter Ø mm													
2. Material					Bore Ø mm													
3. Cut		Teeth	Geometry	Angle	210 30	215 30	216 30	250 30	260 30	300 30	305 25.4	305 30	315 30	350 30	355 25.4	400 30		
Plywood Natural Wood MDF	Fast Rip	18	ATB	25	DT4211													
		24	ATB	-5		DT4310	DT4213											
		24	ATB	10									DT4215					
		24	FT	10				DT4311										
		24	FT/DL	10														
		24	ATB	15														
		30	ATB	10						DT4314								
		32	ATB	-5									DT4210					
		36	ATB	10													DT4317	
		General Purpose	24	ATB	-5	DT4221												
	30		ATB	10					DT4321									
	30		ATB	20					DT4226									
	32		FT/DL	10						DT4204								
	40		ATB	10					DT4322									
	36		ATB	-5														
	36		FT/DL	10									DT4330		DT4305			
	42		ATB	10											DT4333			
	48		ATB	-5			DT4320											
	48		ATB	10						DT4324	DT4327			DT4332				
	48		ATB	20					DT4323				DT4340					
	54		ATB	10											DT4334			
	60		ATB	10							DT4328						DT4338	
	Fine Finish		40	ATB	10	DT4250												
		48	ATB	-5	DT4252													
56		TCG	-5	DT4253														
60		ATB	-5			DT4350												
60		TCG	-5		DT4254		DT4352											
60		ATB	10				DT4351											
60		TCG	10						DT4329									
72		TCG	10							DT4357			DT4358					
80		ATB	-5							DT4354				DT4359				
80		ATB	10							DT4353								
84	ATB	10													DT4360			
Veneers Laminates Plastics Aluminium	Extra Fine Finish	60	TCG	-5			DT4370*											
		80	TCG	-5	DT4285		DT4286	DT4287	DT4280	DT4281		DT4289						
		80	TCG	10				DT4373*										
		96	TCG	-5				DT4282				DT4290		DT4291				
		96	TCG	10						DT4376*								
Construction Materials Softwood Reclaimed wood Wood with nails	Fast Rip	24	ATB	10				DT1158										
		24	ATB	20						DT1177			DT1163	DT1178				
		24	ATB	-5				DT1154				DT1160						
	General Purpose	28	ATB	15													DT1179	
		32	ATB	15														
		36	ATB	15														
		40	ATB	-5					DT1155									
48	ATB	10						DT1159			DT1161							
60	ATB	-5									DT1162							
Ferrous metals		60	MATB	0							DT1903							
		70	MATB	0												DT1900		
		90	MATB	0												DT1901		
Stainless Steel		80	MATB	10							DT1905							
		90	MATB	10												DT1902		
Aluminium		80	TCG	-5	DT4285		DT4286	DT4287	DT4280	DT4281		DT4283	DT4289					
		96	TCG	-5				DT4282		DT4378		DT4290		DT4291				
Laminate/ PVC Coated Panels		60	HDF	10				DT4217				DT4218						

DT4370, DT4373, DT4376 are not suitable for aluminium cutting.

Refer to packaging for individual blade details.

EXTREME DeWALT® PORTABLE CIRCULAR SAW BLADES






- See individual blades for machine fitment, material suitability and finish.
- Excellent surface finish ensured by laser-cut expansion slots that reduce vibration and noise.
- Consistently precise cutting from a balanced and tensioned laser-cut plate.
- Longer intervals between re-sharpenings through use of large micrograin carbide teeth.

EXTREME DeWALT® PORTABLE CIRCULAR SAW BLADES

Cat. No.	Diameter / Bore	Plate / Kerf	Teeth	Grind	Rake	Fast Rip	General Purpose	Fine Finish	Extra Fine Finish	Aluminium	Barcode
DT4053-QZ	150/20	1.8/2.6	30	ATB	10°			•			5035048056943
DT4081-QZ	150/20	1.8/2.6	40	TCG	-5°				•	•	5035048057124
DT4004-QZ	152/20	1.8/2.6	12	ATB	25°	•					5035048056592
DT4022-QZ	152/20	1.8/2.6	18	ATB	25°		•				5035048056745
DT4055-QZ	152/20	1.8/2.6	30	ATB	10°			•			5035048056967
DT4005-QZ	160/16	1.8/2.6	24	ATB	25°		•				5035048056608
DT4056-QZ	160/16	1.8/2.6	36	ATB	10°			•			5035048056974
DT4083-QZ	160/16	1.8/2.6	48	TCG	-5°				•	•	5035048057148
DT4006-QZ	160/20	1.8/2.6	12	ATB	25°	•					5035048056615
DT4023-QZ	160/20	1.8/2.6	24	ATB	25°		•				5035048056752
DT4057-QZ	160/20	1.8/2.6	36	ATB	10°			•			5035048056981
DT4084-QZ	160/20	1.8/2.6	48	TCG	-5°				•	•	5035048057155
DT4024-QZ	160/30	1.8/2.6	24	ATB	25°		•				5035048056769
DT4085-QZ	160/30	1.8/2.6	48	TCG	-5°				•	•	5035048057162
DT4025-QZ	165/16	1.8/2.6	24	ATB	25°		•				5035048056776
DT4026-QZ	165/20	1.8/2.6	24	ATB	25°		•				5035048056783
DT4087-QZ	165/20	1.8/2.6	48	TCG	-5°				•	•	5035048057186
DT4007-QZ	165/30	1.8/2.6	12	ATB	25°	•					5035048056622
DT4027-QZ	165/30	1.8/2.6	24	ATB	25°		•				5035048056790
DT4088-QZ	165/30	1.8/2.6	48	TCG	-5°				•	•	5035048057193
DT4058-QZ	170/30	1.8/2.6	30	ATB	10°			•			5035048056998
DT4059-QZ	180/30	1.8/2.6	30	ATB	10°			•			5035048057001
DT4091-QZ	180/30	1.8/2.6	48	TCG	-5°				•	•	5035048057223
DT4012-QZ	184/16	1.8/2.6	12	ATB	25°	•					5035048056677
DT4011-QZ	184/16	1.8/2.6	16	ATB	25°	•					5035048056660
DT4031-QZ	184/16	1.8/2.6	28	ATB	25°		•				5035048056837
DT4063-QZ	184/16	1.4/2.6	40	ATB	10°			•			5035048057049
DT4092-QZ	184/16	1.8/2.6	48	TCG	-5°				•	•	5035048057230
DT4032-QZ	184/20	1.8/2.6	28	ATB	25°		•				5035048056844
DT4062-QZ	184/20	1.8/2.6	40	ATB	10°			•			5035048057032
DT4034-QZ	190/20	1.8/2.6	28	ATB	10°		•				5035048056868
DT4065-QZ	190/20	1.8/2.6	40	ATB	10°			•			5035048057063
DT4095-QZ	190/20	1.8/2.6	48	TCG	-5°				•	•	5035048057261
DT4013-QZ	190/30	1.8/2.6	16	ATB	25°	•					5035048056684
DT4033-QZ	190/30	1.8/2.6	28	ATB	10°		•				5035048056851
DT4064-QZ	190/30	1.8/2.6	40	ATB	10°			•			5035048057056
DT4094-QZ	190/30	1.8/2.6	48	TCG	-5°				•	•	5035048057254
DT4096-QZ	200/30	1.8/2.6	56	TCG	-5°				•	•	5035048057278
DT4224-QZ	230/30	2.2/3.0	28	ATB	25°		•				5035048057452
DT4225-QZ	230/30	2.2/3.0	40	ATB	10°			•			5035048057469
DT4256-QZ	230/30	2.2/3.0	56	TCG	-5°				•	•	5035048057582
DT4037-QZ	235/25.4	2.2/3.0	28	ATB	25°		•				5035048056889
DT4068-QZ	235/25.4	2.2/3.0	40	ATB	10°			•			5035048057094
DT4098-QZ	235/25.4	2.2/3.0	56	TCG	-5°				•	•	5035048057292
DT4015-QZ	235/30	2.2/3.0	18	ATB	25°	•					5035048056707
DT4036-QZ	235/30	2.2/3.0	28	ATB	25°		•				5035048056882
DT4067-QZ	235/30	2.2/3.0	40	ATB	10°			•			5035048057087
DT4097-QZ	235/30	2.2/3.0	56	TCG	-5°				•	•	5035048057285
DT4016-QZ	240/30	2.2/3.0	18	ATB	20°	•					5035048056714
DT4038-QZ	240/30	2.2/3.0	28	ATB	20°		•				5035048056905
DT4069-QZ	240/30	2.2/3.0	40	ATB	20°			•			5035048057100
DT4099-QZ	240/30	2.2/3.0	56	TCG	-5°				•	•	5035048057308

PORTABLE CIRCULAR SAW BLADES 150mm TO 240mm

- STEP 1: SELECT TOOL FITMENT & BLADE SIZE.**
- STEP 2: SELECT MATERIAL TO BE CUT.**
- STEP 3: SELECT FINISH REQUIRED**

1.					Diameter Ø mm	150	152	160	160	160	165	165		
2. Material		3. Cut	Teeth	Geometry	Bore Ø mm	20	20	16	20	30	16	20		
Plywood Natural Wood MDF 	Fast Rip	12	ATB	25			DT4004		DT4006					
		16	ATB	25										
		18	ATB	25										
	General Purpose	18	ATB	25				DT4022						
		24	ATB	25					DT4005	DT4023	DT4024	DT4025	DT4026	
		28	ATB	10										
		28	ATB	20										
		28	ATB	25										
	Fine Finish	30	ATB	10			DT4053	DT4055						
		36	ATB	10					DT4056	DT4057				
		40	ATB	10										
		40	ATB	20										
		48	ATB	5									DT1090	
	Veneers Laminates Plastics Aluminium 	Extra Fine Finish	40	TCG	-5		DT4081							
			48	TCG	-5					DT4084	DT4085		DT4087	
56			TCG	-5										
Construction Materials Softwood Reclaimed wood Wood with nails 	Fast Rip	12	ATB	20		DT1164	DT1140							
		18	ATB	20					DT1142			DT1166		
		24	ATB	20										
	General Purpose	24	ATB	20				DT1141						
		30	ATB	20						DT1143			DT1167	
		40	ATB	20										

For geometry details refer to page 139



	165 30	170 30	180 30	184 16	184 20	184 30	190 16	190 20	190 30	200 30	230 30	235 25.4	235 30	240 30
	DT4007			DT4012										
				DT4011					DT4013					
													DT4015	DT4016
	DT4027													
								DT4034	DT4033					
														DT4038
				DT4031	DT4032						DT4224	DT4037	DT4036	
		DT4058	DT4059											
				DT4063	DT4062			DT4065	DT4064		DT4225	DT4068	DT4067	DT4069
	DT4088		DT4091	DT4092				DT4095	DT4094					
										DT4096	DT4256	DT4098	DT4097	DT4099
	DT1144	DT1146		DT1149		DT1148	DT1165		DT1152					
													DT1156	
	DT1145	DT1147		DT1151		DT1150								
									DT1153				DT1157	

CORDLESS CIRCULAR SAW BLADES



- Heavy duty tungsten carbide tips maintain cutting edge for longer blade life.
- Thin kerf blade design - yields more cuts per charge by minimising battery drain.
- Triple action sharpening process which grinds the tip to a razor sharp edge for a smooth finish.
- Specifically designed for use with DeWalt Cordless Trimsaws. The range comprises of blades for cutting wood and for cutting plastic & non-ferrous metals.



CORDLESS CIRCULAR SAW BLADES

Cat. No.	Diameter / Bore	Plate / Kerf	Teeth	Grind	Rake	Fast Rip	General Purpose	Fine Finish	Extra Fine Finish	Aluminium	Stainless Steel	Barcode
DT1200-QZ	136/10	1.5	16	ATB	+20°	•						5011402378159
DT1201-QZ	136/10	1.5	24	ATB	+20°		•					5011402370160
DT1202-QZ	136/10	1.5	30	FT	+3°			•	•			5011402378173
DT1203-QZ	165/10	1.5	18	ATB	+20°	•						5035048031056
DT1204-QZ	165/10	1.5	24	ATB	+20°		•					5035048031063
DT1205-QZ	165/10	1.5	36	FT	+3°			•	•			5035048031186
DT1208-QZ	165/20	1.5	16	ATB	+20°	•						5035048060490
DT1207-QZ	165/20	1.5	24	ATB	+20°		•					5035048060483
DT1206-QZ	165/20	1.5	36	FT	+3°			•	•			5035048060476
DT1210-XJ	173/20	2.2	50	TCG	0°					•		5035048056431
DT1266-QZ	173/20	1.8	40	MTCG	0°						•	5035048080429
DT1211-QZ	184/20	1.8	24	ATB	+18°	•						5035048061992

PORTABLE CIRCULAR SAW BLADES



- See individual blades for machine fitment, material suitability and finish.
- Precision ground cutting angles for excellent blade sharpness and faster cutting.
- "K20" extra robust carbide and unique wedge shoulder design for greater durability.
- Thick steel plate hard body for professional quality.



FOR CONSTRUCTION MATERIALS

Cat. No.	Diameter / Bore	Plate / Kerf	Teeth	Grind	Rake	Additional Insert Rings	Fast Rip	General Purpose	Barcode
DT1164-QZ	150/20	1.5/2.4	12	ATB	+20°		•		5035048011263
DT1140-QZ	152/20	1.5/2.4	12	ATB	+20°		•		5035048011010
DT1141-QZ	152/20	1.5/2.4	24	ATB	+10°			•	5035048011027
DT1142-QZ	160/20	1.5/2.4	18	ATB	+20°	16	•		5035048011034
DT1143-QZ	160/20	1.5/2.4	30	ATB	+10°	16		•	5035048011041
DT1166-QZ	165/20	1.5/2.4	18	ATB	+20°		•		5035048080290
DT1167-QZ	165/20	1.5/2.4	30	ATB	+10°			•	5035048080306
DT1144-QZ	165/30	1.5/2.4	18	ATB	+20°	16, 20	•		5035048011058
DT1145-QZ	165/30	1.5/2.4	30	ATB	+10°	16, 20		•	5035048011065
DT1146-QZ	170/30	1.5/2.4	18	ATB	+20°		•		5035048011072
DT1147-QZ	170/30	1.5/2.4	30	ATB	+10°			•	5035048011089
DT1149-QZ	184/16	1.7/2.6	18	ATB	+20°		•		5035048011102
DT1151-QZ	184/16	1.7/2.6	30	ATB	+10°			•	5035048011126
DT1148-QZ	184/30	1.7/2.6	18	ATB	+20°	20	•		5035048011096
DT1150-QZ	184/30	1.7/2.6	30	ATB	+10°	20		•	5035048011119
DT1165-QZ	190/16	1.7/2.6	18	ATB	+20°		•		5035048014318
DT1152-QZ	190/30	1.7/2.6	18	ATB	+20°	20	•		5035048011133
DT1153-QZ	190/30	1.7/2.6	40	ATB	+10°	16, 20		•	5035048011140
DT1175-QZ	230/30	1.7/2.6	24	ATB	+20°		•		5035048080313
DT1176-QZ	230/30	1.7/2.6	40	ATB	+10°			•	5035048080320
DT1156-QZ	235/30	1.7/2.6	24	ATB	+20°	25.4	•		5035048011171
DT1157-QZ	235/30	1.7/2.6	40	ATB	+10°	25.4		•	5035048011188

INSERT RINGS



INSERT RINGS

Cat. No.	Outside diameter mm	Inside diameter mm	Thickness mm	Pack Qty.	M.O.Q.	Barcode
DT1094-QZ	30	16	1.8	10	10	5011402382071
DT1095-QZ	30	20	1.8	10	10	5011402382088
DT1096-QZ	30	25	1.8	10	10	5011402382095
DT1099-QZ	30	25	2.2	10	10	5011402382101

EXTREME DEWALT FRAMING BLADES

Users demand a blade that lasts longer, feels smoother and still performs

- Longer life - specially designed property carbide
- Smoother cut from DEWALT extreme plate technology reinfilled expansion slots dampen vibration and improve cutting feel and performance while reducing noise
- Reduced cutting force - Teeth are face ground/sharpened
- Impact resistant - anti-kickback design, reinforced carbide tip



EXTREME CORDLESS CIRCULAR SAW BLADES



EXTREME CORDLESS CIRCULAR SAW BLADES

Cat. No.	Diameter / Bore	Plate/ Kerf	Teeth	Grind	Rake	Fast Rip	General Purpose	Fine Finish	Extra Fine Finish	Aluminium	Stainless Steel	Barcode
DT10624-QZ	165/20	1/1.5	24	ATB	+20°		•					5035048085820
DT10640-QZ	165/20	1/1.5	40	ATB	+20°			•				5035048085837

EXTREME DEWALT® PORTABLE CIRCULAR SAW BLADES



- Blades designed specifically for use with plunge saws. See individual blades for details.



FOR PLUNGE SAWS

Cat. No.	Diameter /Bore	Plate/ Kerf	Teeth	Grind	Rake	Fast Rip	General Purpose	Fine Finish	Extra Fine Finish	Aluminium	Barcode
DT1089-QZ	165/20	1.6/2	18	ATB			•				5035048083383
DT1091-QZ	165/20	1.6/2	40	ATB			•				5035048072677
DT1090-QZ	165/20	1.6/2	48	ATB				•			5035048066416
DT1086-QZ	165/20	1.6/2	48	TCG					•		5035048083352
DT1087-QZ	165/20	1.6/2	54	MTCG					•		5035048083369
DT1088-QZ	165/20	1.6/2	54	TCG					•	•	5035048083376

EXTREME CORDED CIRCULAR SAW BLADES



FOR PLUNGE SAWS

Cat. No.	Diameter /Bore	Plate/ Kerf	Teeth	Grind	Rake	Fast Rip	General Purpose	Fine Finish	Extra Fine Finish	Aluminium	Barcode
DT10300-QZ	165 / 20	1/1.5	24	ATB	+20°		•				5035048085844
DT10301-QZ	165 / 20	1/1.5	40	ATB	+20°			•			5035048085851
DT10302-QZ	185 / 16	1/1.5	24	ATB	+20°		•				5035048085868
DT10303-QZ	185 / 16	1/1.5	40	ATB	+20°			•			5035048085875
DT10304-QZ	190 / 30	1/1.5	24	ATB	+20°		•				5035048085882

BLADE FOR CORDLESS MITRE SAW



Specially for use with DW017 24V Mitre Saw



BLADE FOR CORDLESS MITRE SAW

Cat. No.	Blade Diameter	Bore Size mm	Plate Thickness mm	Kerf Thickness mm	Tooth Count	Grind Geometry	Rake Angle	Barcode
DT1700-QZ	216	30	1.6	2.4	24	ATB	0°	5035048056448

JIGSAW BLADES

XPC - Ultimate DeWALT jigsaw blade solution for control and accuracy of cut

- Premium steel for maximum durability & thicker body for easy control and ultimate accuracy.
- Optimised tooth geometry for longer life and reduced breakout.
- Increased speed - large deep gullets for easy chip removal.
- Plunge point tip design for easy plunge cut



XPC WOOD CUTTING BLADES



FEATURES

- Unique jigsaw blade solution for ultimate control and accuracy of cut, even on the tightest of corners
- New optimised tooth angle provides long life and clean tear-free cuts at high speed in all wood materials
- Plunge Point tip design for easy plunge cutting with no 'kick-back' in all wood materials
- Extra long life bi-metal blades provide up to twice the number of cuts of standard HCS blades


T SHANK & U-SHANK

Cat. No.	Applications	Overall Length mm	Working Length mm	Tooth Pitch mm	Max. DOC mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2205-QZ	For clean and fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 30mm thick.	100	75	2.5	30	T101B	5	5035048074978 10,40
DT2206-QZ	For clean and fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 30mm thick.	100	75	2.5	30	T101B	20	5035048074985 38,60
DT2207-QZ	Downcutter blade for clean, splinter free cutting in laminates and wood up to 40mm thick.	100	75	2.5	40	T101BR	5	5035048074992 10,40
DT2209-QZ	For clean and fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick.	100	75	4.2	60	T101D	5	5035048074992 10,40
DT2210-QZ	For clean and fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick.	100	75	4.2	60	T101D	20	5035048074992 38,60
DT2211-QZ	For coarse accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick.	100	75	3.1	60	T111C	5	5035048074992 10,40
DT2212-QZ	For coarse accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick.	100	75	3.1	60	T111C	20	5035048074992 38,60
DT2213-QZ	For fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick.	100	75	4.2	60	T144D	5	5035048074992 10,40
DT2214-QZ	For fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick.	100	75	4.2	60	T144D	20	5035048074992 38,60
DT2216-QZ	Scroller blade for fast accurate curve cutting in wood, chipboard and plywood up to 15mm thick. NOT suitable for plunge cutting	82	54	2.0	15	T119B0	5	5035048074992 10,40
DT2217-QZ	Bi-metal blade for extra long life. For clean and fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 30mm thick	100	75	2.5	30	T101BF	3	5035048074992 10,40
DT2218-QZ	Bi-metal blade for extra long life. For clean and fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick	100	75	4.0	60	T1101DF	3	5035048074992 10,40
DT2219-QZ	Bi-metal blade for extra long life. Downcutter blade for clean, splinter free cutting in laminates and wood up to 40mm thick	100	75	2.5	40	T101BRF	3	5035048074992 10,40
DT2220-QZ	Bi-metal blade for extra long life. For fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick	100	75	4.0	60	T144DF	3	5035048074992 10,40
DT2221-QZ	Bi-metal blade for extra long life. For fast accurate cutting in aluminium up to 15mm and plastics up to 30mm	100	75	3.0	30	T127DF	3	5035048074992 10,40
DT2208-QZ	For clean and fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 30mm thick. U shank blade	94	75	2.5	30	U101B	5	5035048074992
DT2215-QZ	For fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick. U shank blade	94	75	4.0	60	U144D	5	5035048074992

BLADE KITS

Cat. No.	Description	Contents	Barcode
DT2296-QZ	10 piece jigsaw kit	DT2209 x2, DT2205 x2, DT2213 x2, DT2216, DT2218, DT2217, DT2220	5035048065142 34,00
DT2298-QZ	14 piece jigsaw kit	DT2209 x3, DT2205 x3, DT2213 x3, DT2216 x2, DT2218, DT2217, DT2220	5035048065159 40,56

WOOD CUTTING BLADES



FEATURES

- DeWALT HCS jigsaw blades are engineered to deliver a quality cut in a variety of materials, including wood, laminates and plastics.
- Made from high carbon steel.
- For use in soft materials such as wood, laminates, plywood, chipboard and plastics.

T SHANK

Cat. No.	Applications	Overall Length mm	Working Length mm	Tooth Pitch mm	Max DOC mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2177-QZ	For coarse, straight cuts in wood & plastic up to 60mm thick.	100	72	3	60	T111C	20	5035048033210 26,67
DT2187-QZ	For coarse, straight cuts in wood & plastic up to 60mm thick.	100	72	3	60	T111C	100	5035048033227 116,67
DT2050-QZ	Scroller blade - for softwoods, plywood & chipboard - basic cutting up to 15mm thick.	76	48	2	15	T11980	5	5035048060896 8,80
DT2052-QZ	Wood, chip & fibreboard - fast/clean cutting up to 60mm thick.	116	87	3	65	T301CD	5	5035048060919 16,00
DT2053-QZ	For wood & laminates - downcutter for 'splinter free' cuts.	100	73	2.5	40	T101BR	5	5035048060926 8,00
DT2164-QZ	For fast, straight cuts in wood, chipboard, plywood, laminated chipboard & plastic up to 60mm thick.	100	68	4	60	T101D	5	5035048033128 8,00
DT2174-QZ	For fast, straight cuts in wood, chipboard, plywood, laminated chipboard & plastic up to 60mm thick.	100	68	4	60	T101D	20	5035048033159 26,67
DT2184-QZ	For fast, straight cuts in wood and chipboard up to 60mm thick.	100	68	4	60	T101D	100	5035048033203 116,67
DT2165-QZ	For straight, fine cuts in wood, chipboard, plywood, laminated chipboard & plastic up to 30mm thick.	100	73	2.5	30	T101B	5	5035048033135 8,00
DT2185-QZ	For straight, fine cuts in wood, chipboard, plywood, laminated chipboard & plastic up to 30mm thick.	100	73	2.5	30	T101B	100	5035048033197 116,67
DT2168-QZ	For fine, curve cutting in wood, chipboard, plywood, laminated chipboard & plastic up to 30mm thick.	76	47	1.4	30	T101AO	5	5035048033234 8,80
DT2049-QZ	For clean extra straight cutting in wood and chipboard up to 60mm thick. (Extra thick blade).	100	68	4	60	T101DP	5	5035048060889 8,80
DT2051-QZ	Wood & plywood, chip & fibreboard - fast/rough cutting up to 85mm thick	132	100	4	85	T301DL	5	5035048060902 16,00
DT2077-QZ	Scroller blade - for wood & chipboard - fast curve cutting up to 60mm thick.	100	70	4	60	T244D	5	5035048060858 16,00
DT2166-QZ	For fast, straight cuts in wood and chipboard up to 60mm thick.	100	68	4	60	T144D	5	5035048033142 8,80
DT2176-QZ	For fast, straight cuts in wood and chipboard up to 60mm thick.	100	68	4	60	T144D	20	5035048033173 26,67
DT2186-QZ	For fast straight cuts in wood, chipboard, plywood, laminated chipboard & plastic up to 60mm thick.	100	68	4	60	T144D	100	5035048033180 116,67
DT2169-QZ	For fast, straight cuts in wood & chipboard up to 100mm thick.	152	116	4	100	T344D	5	5035048033241 16,00
DT2048-QZ	For clean cuts in wood, chipboard, plywood & laminates up to 65mm thick.	116	87	2.5	65	T301BCP	5	5035048060872 16,00
DT2074-QZ	For straight fine cuts in wood - cuts flush to surface 180°.	112	74	2.3	65	T142HB	1	5035048060827 15,00
DT2075-QZ	For fast extra straight cutting in wood and chipboard up to 60mm thick. (Extra thick blade).	100	68	4	60	T144DP	5	5035048060834 8,80
DT2076-QZ	For fast extra straight cutting in wood and chipboard up to 100mm thick. (Extra thick blade).	152	116	4	100	T344DP	5	5035048060841 16,00
DT2057-QZ	For wood, chipboard & fibreboards up to 65mm thick. Progressor blade for fast cutting in different material thicknesses.	116	91	2-3	65	T234X	5	5035048060964 8,80
DT2167-QZ	For fast, rough cuts in thick construction timber up to 120mm thick.	180	155	4	120	T744D	5	5035048014455 16,00

U SHANK

Cat. No.	Applications	Overall Length mm	Working Length mm	Tooth Pitch mm	Max DOC mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2062-QZ	For basic cuts in wood & chipboard up to 60mm thick.	91	70	2.5	60	U111D	5	5035048061015
DT2060-QZ	For straight fine cuts in wood, chipboard, plywood, laminates & plastic up to 30mm thick.	100	78	2.5	30	U101B	5	5035048060995
DT2061-QZ	For fast straight cuts in wood & chipboard up to 60mm thick.	100	76	4	60	U144D	5	5035048061008

EXTREME DeWALT® BI-METAL METAL CUTTING BLADES




FEATURES

- DeWALT HSS jigsaw blades are engineered to deliver a quality cut in a variety of ferrous and non-ferrous materials.
- EXTREME DeWALT® bi-metal blades are designed for long life and extra durability in ferrous and non-ferrous materials
- Fully hardened high speed steel for increased durability.
- For use in aluminium, ferrous and non-ferrous materials.

T SHANK

Cat. No.	Applications	Overall Length mm	Working Length mm	Tooth Pitch mm	Max DOC mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2150-QZ	For fast cuts in steel to 3mm thick. Also for aluminium, copper, brass and other soft metals to 3mm thick.	86	61	1	3	T118AF	3	5035048059425 7,33
DT2154-QZ	For fast cuts in steel to 6mm thick. Also for aluminium, copper, brass and other soft metals from 3-5mm thick.	76	51	1.8	6	T118BF	3	5035048059432 7,33
DT2156-QZ	For fast cuts in sheet metal to 2.5mm thick.	76	51	0.8	2.5	T118GF	3	5035048059449 7,33
DT2054-QZ	Bi-Metal - scroller blade for mainly metal - curve cutting & thin sheet metal from 1.5 - 4mm thick.	82	55	1.5	4	T118EOF	5	5035048060933 16,00

METAL CUTTING BLADES



FEATURES

- DeWALT HSS jigsaw blades are engineered to deliver a quality cut in a variety of ferrous and non-ferrous materials.
- Fully hardened high speed steel for increased durability.
- For use in aluminium, ferrous and non-ferrous materials.

T SHANK

Cat. No.	Applications	Overall Length mm	Working Length mm	Tooth Pitch mm	Max DOC mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2160-QZ	For straight cuts in thin metal, non-ferrous metal, aluminium & sheet metal from 1.5 - 4mm thick.	76	50	1.2	4	T118A	5	5035048033050 8,00
DT2170-QZ	For straight cuts in thin metal, non-ferrous metal, aluminium & sheet metal from 1.5 - 4mm thick.	76	50	1.2	4	T118A	20	5035048033098 26,67
DT2161-QZ	For straight cuts in thick metal, non-ferrous metal & aluminium from 2.5 - 6mm thick.	76	50	2	6	T118B	5	5035048033067 8,80
DT2171-QZ	For straight cuts in thick metal, non-ferrous metal & aluminium from 2.5 - 6mm thick.	76	50	2	6	T118B	20	5035048033104 26,67
DT2162-QZ	For straight cuts in very thin metal, non-ferrous metal & aluminium from 0.8 - 2mm thick.	76	50	0.7	2	T118G	5	5035048033074 8,80
DT2172-QZ	For straight cuts in very thin metal, non-ferrous metal, sheet metal & aluminium from 0.8 - 2mm thick.	76	50	0.7	2	T118G	20	5035048033111 26,67
DT2085-QZ	For straight cuts in thin metal, non-ferrous metal (1.5 - 3mm) and aluminium up to 65mm thick.	132	108	1.2	3	T318A	5	5035048070581 16,00
DT2163-QZ	For fast, straight cuts in aluminium 4 - 15mm; metal & non-ferrous metal 4 - 6mm & plastic up to 30mm thick.	100	72	3	Aluminium 15, Metal 6, Plastic 30	T127D	5	5035048033081 8,80
DT2058-QZ	For metal plate - thick & thin pipes & profiles, aluminium for thicknesses of 1.5 - 10mm. Progressor blade for fast cutting in different material thicknesses.	100	74	1.2 - 2.6 10		T123X	5	5035048060971 16,00

METAL CUTTING BLADES




FEATURES

- DeWALT HSS jigsaw blades are engineered to deliver a quality cut in a variety of ferrous and non-ferrous materials.
- Fully hardened high speed steel for increased durability.
- For use in aluminium, ferrous and non-ferrous materials.

U SHANK

Cat. No.	Applications	Overall Length mm	Working Length mm	Tooth Pitch mm	Max DOC mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2063-QZ	Metal cutting blade - medium sheet steel 2.5 - 6mm thick.	70	50	2	6	U118B	5	5035048061022

WOOD & METAL CUTTING BLADES



APPLICATIONS

- for wood up to 65mm thick & metals, pipes and profiles 3 - 10mm thick. Progressor blade for fast cutting in different material thicknesses.

T SHANK

Cat. No.	Applications	Overall Length mm	Working Length mm	Tooth Pitch mm	Max DOC mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2059-QZ	BIM - for wood up to 65mm thick & metals, pipes and profiles 3 - 10mm thick. Progressor blade for fast cutting in different material thicknesses.	132	101	2.4 - 5	Wood 65, Metal 10	T345XF	5	5035048060988 16,00

EXTREME DeWALT® SPECIAL MATERIAL BLADES



APPLICATIONS

- Specialist blades for cutting a wide variety of materials
- See individual blades for details

T SHANK

Cat. No.	Applications	Overall Length mm	Working Length mm	Tooth Pitch mm	Max DOC mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2080-QZ	For clean and straight cuts in all laminates up to 15mm thick.	82	59	1.7	15	T101BIF	5	5035048014400 16,00
DT2081-QZ	For clean and curved cuts in all laminates up to 15mm thick.	82	59	1.4	15	T101AOF	3	5035048014417 16,00
DT2055-QZ	Tungsten Carbide Tipped blade (TCT) for stainless steel sheet metal (inox) from 1.5 - 5mm thick.	82	55	1.4	5	T118EHM	1	5035048060940 16,00
DT2101-QZ	Tungsten carbide for stainless steel, sheet & mild steel 1.2 - 3mm.	76	47	1	3	T118AHM	1	5035048059340 16,00
DT2082-QZ	For thin Metal and inox cutting - new technology up to 2mm thick.	82	59	0.8	1-2	T118GFS	1	5035048014424 16,00
DT2083-QZ	For medium Metal and inox cutting - new technology up to 4mm thick.	82	59	1.4	1.5 - 4	T118EFS	1	5035048014431 16,00
DT2056-QZ	Tungsten Carbide Tipped blade (TCT) for fibreglass, plastics & corian up to 65mm thick.	132	100	4.3	65	T341HM	1	5035048060957 20,00
DT2103-QZ	Tungsten carbide tipped blade for ceramic tiles, fibreglass & reinforced plastic to 20mm thick.	100	69	4.3	20	T141HM	1	5035048059364 16,00
DT2102-QZ	Tungsten carbide grit blade for ceramic tiles, fibreglass & reinforced plastic to 10mm thick.	76	50	-	10	T130RF	1	5035048059357 16,00
DT2201-QZ	Knife blade for soft materials, rubber, foam & polystyrene up to 100mm thick.	152	125	-	100	T313AW	5	5011402370764 16,67
DT2084-QZ	For straight and curved cuts in Sandwich materials and medium thick sheet metal up to 120mm thick.	180	148	2	120	T718BF	5	5035048014448 20,00

WOOD & METAL CUTTING BLADE KITS



WOOD & METAL CUTTING BLADE KITS

Cat. No.	Description	Contents	Barcode
DT2290-QZ	10 piece jigsaw kit - wood cutting	DT2165 x 2, DT2050 x 1, DT2168 x 1, DT2177 x 2, DT2166 x 2, DT2075 x 2 (Bosch equivalent T101B, T119B0, T101AQ, T111C, T144D, T144DP)	5035048061077 19,13
DT2292-QZ	10 piece jigsaw kit - metal cutting	DT2160 x 3, DT2172 x 2, DT2054 x 1, DT2161 x 2, DT2163 x 2 (Bosch equivalent T118A, T118G, T118E0F, T118B, T127D)	5035048061084 19,13
DT2294-QZ	10 piece jigsaw kit - wood/metal cutting	DT2165 x 2, DT2050 x 2, DT2163 x 2, DT2177 x 2, DT2160 x 2 (Bosch equivalent T101B, T119B0, T127D, T111C, T118A)	5035048061091 19,13

RECIPROCATING SAW BLADES

Blades available for almost all materials and applications
The range of hard metal reciprocating blades feature:

- Longer life - Proprietary coatings, steel construction, tooth geometry and blade thickness help to reduce heat build up.
- Outstanding durability - Thick and wide blade.



METAL CUTTING BLADES

APPLICATIONS

- Blades available for almost all materials and applications

FEATURES

- Bi-metal construction combining HCS and HSS for increased flexibility and durability.
- Tough cutting edge made from M2 High Speed Steel.
- Raker tooth pitch to maximise blade durability.
- Universal 1/2" (13mm) shank suitable for DeWALT, Bosch, Hitachi, Flex, Makita, Metabo, Skil.



BI-METAL

Cat. No.	Applications	Length mm	Pitch mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2385-QZ	Fine cuts in metal, sheet material, pipes and profiles up to 1.5mm thick.	152	1.1	S922AF	5	5035048034620
DT2384-QZ	Cuts in metal, sheet metal, pipes and profiles up to 3mm thick.	152	1.4	S922EF	5	5035048034613
DT2354-QZ	Cuts in metal, sheet metal, pipes and profiles up to 3mm thick.	203	1.4	S1022EF	5	5035048033340
DT2361-QZ	Fast cuts in ferrous and non-ferrous metal, sheet metal, pipes and profiles from 3-8mm thick.	152	1.8	S922BF	5	5035048034606
DT2353-QZ	Fast cuts in ferrous and non-ferrous metal, sheet metal, pipes and profiles from 3-8mm thick.	203	1.8	S1022BF	5	5035048033333
DT2323-QZ	Fast cuts in ferrous and non-ferrous metal, sheet metal, pipes and profiles from 3-8mm thick.	203	1.8	S1022BF	100	5035048034101
DT2346-QZ	Ferrous and non-ferrous metals up to 3mm thick. Ideal for use with cordless reciprocating saws.	152	1.4	S922EF	5	5035048034682
DT2404-QZ	Progressor blade for different material thicknesses. Thin to thick sheet metal (1 - 8mm), thin to thick metal profiles (5 - 100mm).	150	1.4 - 3.35	S123XF	5	5035048072707

HARD METAL CUTTING BLADES

NEW

APPLICATIONS

- Blades for all hard metal materials.

FEATURES

- Longer life - Proprietary coatings, steel construction, tooth geometry and blade thickness help to reduce heat build up.
- Outstanding durability - Thick and wide blade.
- Efficient cutting performance - 14 / 18 TPI.



HARD METAL

Cat. No.	Applications	Length mm	Pitch mm	Pack Qty.	Barcode
DT2407-QZ	For fast cutting of metals, sheet, profiles	152	1.8-1.4	5	5035048083321
DT2408-QZ	For fast cutting of metals, sheet, profiles	228	1.8-1.4	5	5035048083338
DT2409-QZ	For fast cutting of metals, sheet, profiles	304	1.8-1.4	5	5035048083345

GENERAL PURPOSE BLADES

APPLICATIONS

- Blades available for almost all materials and applications

FEATURES

- Bi-metal construction combining HCS and HSS for increased flexibility and durability.
- Tough cutting edge made from M2 High Speed Steel.
- Raker tooth pitch to maximise blade durability.
- Universal 1/2" (13mm) shank suitable for DeWALT, Bosch, Hitachi, Flex, Makita, Metabo, Skil.



BI-METAL

Cat. No.	Applications	Length mm	Pitch mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2348-QZ	For use in tough plastics, sandwich material and pipes from 3-12mm thick.	152	1.8-2.5	S922VF	5	5035048034637
DT2387-QZ	For use in tough plastics, sandwich material and pipes from 3-12mm thick.	203	1.8-2.5	S1122VF	5	5035048034644
DT2355-QZ	For use in heavy gauge metal, rubber, fibreglass and angle iron.	305	1.8-2.5	S1222VF	5	5035048033357
DT2345-QZ	General purpose for wood, wood with nails, aluminium and fibreglass. Ideal for use with cordless reciprocating saws.	152	2.5	S922VF	5	5035048034675
DT2406-QZ	Progressor blade for different material thicknesses. Wood with nails/metal, chipboard (5 - 150mm), sheet metal, aluminium profiles (3 - 18mm), plastic, fibre glass, reinforced plastic profiles (5 - 150mm).	203	2.4 - 4.6	S3456XF	5	5035048072714

DEMOLITION BLADES



APPLICATIONS

- Ideal for extreme applications and demolition tasks.
- For cutting hard and soft wood including wood with nails.
- Range also includes metal and plastic cutting (sheet metals, profiles and tubes).


FEATURES

- Wider blade body gives greater stability during cutting.
- Thicker blade ensures greater strength.
- Bi-metal construction gives strong, flexible blade and hardened teeth.
- Deeper tooth strip ensures longer cutting life.
- New "Plunge Point" tip for fast and accurate plunge cutting into all wood materials

BI-METAL

Cat. No.	Applications	Length mm	Pitch mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2300-QZ	For fast/rough cutting of hard & soft woods. New "Plunge Point" tip for fast and accurate plunge cutting into all wood materials.	152	4.2	S610VF	5	5035048059500
DT2307-QZ	For fast/rough cutting of hard & soft woods. New "Plunge Point" tip for fast and accurate plunge cutting into all wood materials.	228	4.2	S1110DF	5	5035048059555
DT2314-QZ	For fast/rough cutting of hard & soft wood. New "Plunge Point" tip for fast and accurate plunge cutting into all wood materials.	305	4.2	S1210DF	5	5035048059609
DT2303-QZ	For fast cutting of metals - sheet, profiles & tube	152	1.8	S923BEF	5	5035048059531
DT2304-QZ	For fast cutting of metals - sheet, profiles & tubes	152	1.8	S923BEF	100	5035048059548
DT2310-QZ	For fast cutting of metals - sheet, profiles & tubes	228	1.8	S1125VF	5	5035048059586
DT2301-QZ	For fast cutting of metals, plastics & sandwich materials.	152	2.5	S920CF	5	5035048059517
DT2302-QZ	For fast cutting of metals, plastics & sandwich materials.	152	2.5	S920CF	100	5035048059524
DT2308-QZ	For fast cutting of metals, plastics & 'sandwich materials'	228	2.5	S1120CF	5	5035048059562
DT2309-QZ	For fast cutting of metals, plastics & 'sandwich materials'	228	2.5	S1120CF	100	5035048059579

WOOD CUTTING BLADES



APPLICATIONS

- Blades available for almost all materials and applications

FEATURES

- Bi-metal construction combining HCS and HSS for increased flexibility and durability.
- Tough cutting edge made from M2 High Speed Steel.
- Raker tooth pitch to maximise blade durability.
- Universal 1/2" (13mm) shank suitable for DeWALT, Bosch, Hitachi, Flex, Makita, Metabo, Skil.
- New "Plunge Point" tip for fast and accurate plunge cutting into all wood materials

BI-METAL

Cat. No.	Applications	Length mm	Pitch mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2351-QZ	Fine, fast cuts, specially for curve cutting in wood and plastic.	152	4.2	S611DF	5	5035048033319
DT2359-QZ	Fast cuts in wood with nails and tough plastics. New "Plunge Point" tip for fast and accurate plunge cutting into all wood materials.	152	4.2	S611VF	5	5035048034583
DT2349-QZ	Fast cuts in wood with nails and tough plastics. New "Plunge Point" tip for fast and accurate plunge cutting into all wood materials.	228	4.2	S1111VF	5	5035048034590
DT2320-QZ	Fast cuts in wood with nails and tough plastics. New "Plunge Point" tip for fast and accurate plunge cutting into all wood materials.	228	4.2	S111VF	100	5035048034071
DT2350-QZ	Fast cuts in wood with nails and tough plastics. New "Plunge Point" tip for fast and accurate plunge cutting into all wood materials.	305	4.2	S1411VF	5	5035048033302
DT2344-QZ	Fine, fast cuts, specially for curve cutting in wood and plastic. Ideal for use with cordless reciprocating saws.	152	3.6 - 5.1	S711VF	5	5035048034668

HCS

Cat. No.	Applications	Length mm	Pitch mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2362-QZ	Fine fast and curved cuts in wood and plastic.	152	4.2	S611D	5	5035048033272
DT2363-QZ	Fine fast cuts and curve cuts in wood and plastic.	228	4.2	S1544D	5	5035048033289
DT2364-QZ	Fine fast cuts and curve cuts in wood and plastic.	305	4.2	S1344D	5	5035048033296
DT2402-QZ	Progressor blade for different material thicknesses. Construction timber (6 - 150mm), chipboard and MDF (6-60mm), plywood, plastic (6 - 150mm), wooden panels (to 175mm).	203	2.4 - 4	S2345X	5	5035048072691
DT2410-QZ	Progressor blade for different material thicknesses. Construction timber (6 - 150mm), chipboard and MDF (6-60mm), plywood, plastic (6 - 150mm), wooden panels (to 175mm). Ideal for use with cordless recip saws.	203	2.5 - 4	SA2345X	5	5035048072721
DT2430-QZ	Coarse wood with no nails (20-100mm), living wood and pruning (to 100mm). Ideal for plunge and curve cutting.	152	8.5	S617K	5	5035048072806
DT2352-QZ	Coarse, fast cuts in wood (logs and pruning).	240	5 - 6.5	S1531L	5	5035048033326
DT2432-QZ	Coarse wood with no nails (20-250mm), living wood and pruning (to 250mm).	305	8.5	S1617K	5	5035048072813

RECIPROCATING BLADE SETS



RECIPROCATING BLADE SETS

Cat. No.	Description	Contents	Barcode
DT2440-QZ	6 piece set and storage case	DT2307 x 2, DT2349 x 2, DT2353 x 2	5035048072912
DT2441-QZ	12 piece set and storage case	DT2307 x 1, DT2349 x 3, DT2359 x 2, DT2353 x 3, DT2361 x 3	5035048072929

SPECIALIST MATERIAL BLADES



APPLICATIONS

- Specialist blades for cutting a wide variety of materials
- See individual blades for details

SPECIALIST MATERIAL BLADES

Cat. No.	Applications	Length mm	Pitch mm	Equivalent Bosch Reference	Pack Qty.	Barcode
DT2356-QZ	Bi-metal construction blade for splinter free cuts in plaster.	152	1.8	S628DF	5	5035048033364
DT2332-QZ	Wear resistant carbide grit edged blade for cutting light masonry blocks, bricks, abrasive materials, ceramics, fibreglass, mild steel and wood with nails.	152	2	-	1	5035048011287
DT2333-QZ	Wear resistant carbide grit edged blade for cutting light masonry blocks, bricks, abrasive materials, ceramics, fibreglass, mild steel and wood with nails.	228	2	S1130Riff	1	5035048011294
DT2335-QZ	Tungsten carbide toothed blade for cutting light masonry blocks, bricks, abrasive materials.	235	1	-	1	5035048014264
DT2400-QZ	Bi-metal construction blade for pallet repair, wood with nails (5 - 175mm), sheet metal pipes, aluminium profiles (3 - 12mm). Ideal for flexible flush cutting.	225	2.5	S1122HF	100	5035048072684
DT2401-QZ	Bi-metal construction blade for pallet repair, wood with nails (5 - 175mm), sheet metal pipes, aluminium profiles (3 - 12mm). Ideal for flexible flush cutting.	200	1.8-2.5	S1122HF	100	5035048082577
DT2420-QZ	Tungsten carbide tipped blade for cutting aerated Concrete, red brick and fibre cement to 150mm.	240	12.7	S1543HM	1	5035048072752
DT2421-QZ	Tungsten carbide tipped blade for cutting aerated Concrete, red brick and fibre cement to 250mm.	305	12.7	S1243HM	1	5035048072769
DT2422-QZ	Tungsten carbide tipped blade for cutting aerated Concrete, red brick and fibre cement to 400mm.	457	12.7	S2243HM	1	5035048072776
DT2423-QZ	Tungsten carbide tipped blade for aerated Concrete, red brick and fibre cement, reinforced plastics (6 - 100mm). Ideal for abrasive materials.	152	4.3	S641HM	1	5035048072783
DT2426-QZ	Tungsten carbide tipped blade for stainless steel plates (2 - 4mm), stainless steel profiles (2 - 80mm), fibre glass, reinforced plastics (2 - 15mm).	150	1.4	S922EHM	2	5035048072790

ALLIGATOR® SAW BLADES DW397/DW398/DW399

NEW



ALLIGATOR® SAW BLADES (DW397/DW398/DW399)

APPLICATIONS

- Ideal for fast and easy cutting in building blocks, wood, plywood, chipboard and drywall. See individual blades for details.

FEATURES

- Blades designed with HSS or TCT teeth to optimise the performance of the DeWALT Alligator® Saw.

Cat. No.	Description	Overall Length mm	Working Length mm	Tip Material	Pack Qty.	M.O.Q.	Barcode
DT2970-QZ	11" Fine Wood Alligator Hss	410	295	HSS	1	1	5035048083635
DT2971-QZ	11" Rough Wood Alligator Hss	410	295	HSS	1	1	5035048083642
DT2972-QZ	11" Fine Wd Alligator 32 Tct	410	295	TCT	1	1	5035048083659
DT2973-QZ	11" Cls 12 Poroton Alligator 32 Tct	410	295	TCT	1	1	5035048083666
DT2977-QZ	11" Cls 20 Poroton Alligator Tct	410	295	TCT	1	1	5035048083703
DT2974-QZ	17" Class 12 Poroton Alligator Tct	555	430	TCT	1	1	5035048083673
DT2975-QZ	17" Gas Beton White Alligator Tct	555	430	TCT	1	1	5035048083680
DT2976-QZ	17" Class 20 Poroton Alligator Tct	555	430	TCT	1	1	5035048083697
DT2978-QZ	17" Rough Wood Alligator Hss	555	430	HSS	1	1	5035048083710
DT2979-QZ	17" Insulation Alligator Hss 1 Tpi	555	430	HSS	1	1	5035048089226

ALLIGATOR® SAW BLADES DW390/DW391

NEW



ALLIGATOR® SAW BLADES (DW390 & DW391)

APPLICATIONS

- Ideal for fast and easy cutting in building blocks, wood, plywood, chipboard and drywall. See individual blades for details.

FEATURES

- Blades designed with HSS or TCT teeth to optimise the performance of the DeWALT Alligator® Saw.

Cat. No.	Applications	Overall Length mm	Working Length mm	Tip Material	Pack Qty.	M.O.Q.	Barcode
DT2960-QZ	Drywall, Board.	360	275	HSS	1	1	5035048025390
DT2961-QZ	Hardwood, Softwood, Plywood.	360	275	HSS	1	1	5035048025406
DT2962-QZ	Plywood, Chipboard and MDF.	360	275	TCT	1	1	5035048025413
DT2963-QZ	Building Block, Class 12 Poroton.	360	275	TCT	1	1	5035048025420
DT2964-QZ	Building Block, Class 12 Poroton.	528	425	TCT	1	1	5035048032528
DT2965-QZ	Building block, gas beton.	528	425	TCT	1	1	5035048032665
DT2966-QZ	Building Block, Class 20 Poroton.	528	425	TCT	1	1	5035048058855

PLANER BLADES



FOR USE WITH DW676K

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT3901-QZ	80mm TCT reversible planer blades.	1 pair	1	5035048059456

FOR USE WITH DW677, DW678K, DW678EK AND DW680K

Cat. No.	Description	Pack Qty.	M.O.Q.	Barcode
DT3905-QZ	82mm HSS reversible planer blades.	1 pair	1	5011402381852
DT3906-QZ	82mm TCT reversible planer blades.	1 pair	1	5011402381869

BANDSAW BLADES



FOR USE WITH DW738 AND DW739

Cat. No.	Primary Application	Overall Length mm	Width mm	Thickness mm	Pitch mm	Pack Qty.	Barcode
DT8480-QZ	Wood-Fretsaw Blade.	2095	3	0.6	4.2	1	5035048025543
DT8481-QZ	General Purpose Blade.	2095	12	0.6	4.2	1	5035048025550
DT8482-QZ	Wood - thick cuts.	2095	16	0.6	6.4	1	5035048025567
DT8483-QZ	Wood - contour.	2095	6	0.6	3.2	1	5035048025574
DT8484-QZ	Non-ferrous Metal - Thin cuts.	2095	6	0.6	1.8	1	5035048025581
DT8485-QZ	Non-ferrous Metal - Thick cuts.	2095	12	0.6	3.2	1	5035048025598
DT8486-QZ	Wood, Formica and Laminates.	2095	10	0.6	3.2	1	5035048025604

FEATURES

- High Grade Steel.
- Sharp ground teeth slice through the workpiece, producing a fine finish. (Wood cutting blades only).

FEATURES

- High Grade Steel.
- Sharp ground teeth slice through the workpiece, producing a fine finish. (Wood cutting blades only).

APPLICATIONS

- Range for most wood and some steel applications.

FEATURES

- Premium Grade Steel.
- Ultra sharp diamond ground teeth slice cleanly through the work piece producing a sandpaper fine finish (woodcutting blades only).
- Edge hardened teeth maintain ultra sharp edge.

FOR USE WITH DW876

Cat. No.	Primary Application	Overall Length mm	Width mm	Thickness mm	Pitch mm	Pack Qty.	Barcode
DT8470-QZ	Wood - Fretsaw Blade.	2215	4	0.6	1.8	1	5011402380978
DT8471-QZ	Wood - contour / scroll.	2215	6	0.4	4.2	1	5011402380985
DT8472-QZ	Wood - Rip & Cross cut.	2215	10	0.4	4.2	1	5011402380992
DT8473-QZ	Wood - Fast rip cut, medium composites.	2215	16	0.6	6.4	1	5011402381005
DT8474-QZ	Wood - Fast rip cut, thick wood.	2215	20	0.6	6.4	1	5011402381012
DT8475-QZ	Metal - Non-ferrous - thin steel.	2215	6	0.6	1.4	1	5011402381029
DT8476-QZ	Metal - Non-ferrous - thick steel.	2215	12	0.6	1.8	1	5011402381036

OSCILLATING ACCESSORIES

NEW



Cat. No.	Description	Barcode
DT20700-QZ	Sanding Plate 93mm x 93mm	5035048099230
DT20701-QZ	Wood with Nails Blade 30mm x 43mm	5035048099247
DT20702-QZ	Titanium Wood/Metal Blade 44mm x 55mm	5035048099254
DT20703-QZ	Hardwood Blade 30mm x 67mm	5035048099261
DT20704-QZ	Fastcut Wood Blade 30mm x 43mm	5035048099278
DT20705-QZ	Wide Fastcut Wood Blade 66mm x 43mm	5035048099285
DT20706-QZ	Wood Detail Blade 10mm x 43mm	5035048099292
DT20707-QZ	Titanium Metal Blade 30mm x 43mm	5035048099308
DT20708-QZ	Semicircle Blade 100mm	5035048099315
DT20709-QZ	Titanium Semicircle Blade 100mm	5035048099322
DT20710-QZ	Flush Cut Blade 100mm	5035048099339
DT20711-QZ	Titanium Flush Cut Blade 100mm	5035048099346
DT20712-QZ	Multi Material Blade 100mm	5035048099353
DT20713-QZ	3 pc set DT20701-QZ, DT20706-QZ, DT20704-QZ	5035048099360
DT20714-QZ	Rigid Scraper Blade 52mm	5035048099384
DT20715-QZ	5 pc set DT20701-QZ, DT20701-QZ, DT20704-QZ, DT20714-QZ, DT20711-QZ	5035048099377
DT20716-QZ	Flexible Scraper Blade 35mm	5035048099391
DT20717-QZ	Carbide Grout Removal Blade 3mm	5035048099407
DT20718-QZ	Fastcut Carbide Grout Removal Blade 5mm	5035048099414
DT20719-QZ	Carbide Rasp 93mm	5035048099421
DT20720-QZ	Adapter plus 2 blades (DT20702-QZ Titanium Wood/Metal Blade 44mm x 55mm & DT20704-QZ Fastcut Wood Blade 30mm x 43mm)	5035048050347
DT20721-QZ	Depth Setter Gauge	5035048050354
DT20722-QZ	Dust Extractor	5035048050361
DT20723-QZ	5 pk Wood with Nails Blade - 30mm x 43mm	5035048050378
DT20724-QZ	5 pk Hardwood Blade - 30mm x 67mm	5035048050385
DT20725-QZ	5 pk Fastcut Wood Blade - 30mm x 43mm	5035048050392
DT20726-QZ	5 pk Wood Detail Blade - 10mm x 43mm	5035048050408
DT20727-QZ	5 pk Titanium Metal Blade - 30mm x 43mm	5035048050415
DT20728-QZ	5 pk Semicircle Blade - 100mm	5035048050422
DT20729-QZ	5 pk Flush Cut Blade - 100mm	5035048050439

	DT20700	✓		✓	✓								
	DT20701	✓	✓	✓	✓								
	DT20702	✓	✓	✓	✓								
	DT20703	✓		✓	✓								
	DT20704	✓		✓	✓								
	DT20705	✓		✓	✓								
	DT20706	✓		✓	✓								
	DT20707					✓							
	DT20708	✓	✓	✓	✓								
	DT20709	✓	✓	✓	✓								
	DT20710	✓	✓	✓	✓								
	DT20711	✓	✓	✓	✓								
	DT20712						✓	✓	✓	✓	✓		
	DT20713	✓	✓	✓	✓								
	DT20714												✓
	DT20715	✓	✓	✓	✓								
	DT20716												✓
	DT20717											✓	
	DT20718											✓	
	DT20719												✓

JOINTER ACCESSORIES



BISCUIT JOINTER BLADES

Cat. No.	Blade Diameter	Blade Thickness mm	Bore Size mm	Tooth Count	M.O.Q.	Barcode
DT1306-QZ	102	3.9	22	12	1	5011432382118
DT1307-QZ	105	2.4	22	30	1	5011402382125

BISCUITS

Cat. No.	Size	Description	Pack Qty.	M.O.Q.	Barcode
DT3930-QZ	0	6 - 12 mm board	1000	1	5035048025369
DT3931-QZ	10	13-18 mm board	1000	1	5035048025376
DT3932-QZ	20	>19 mm board	1000	1	5035048025383

STRAIGHT CUTTERS



APPLICATIONS

- For general cutting of straight edges, slots, grooves and straight rebates in hard woods, MDF, HDF, plywood and chipboard
- Can be used for straight trimming of laminates

FEATURES

- Single flute cutters available for fast cutting.
- Two flute cutters available for superior finish
- Long reach bits for deep grooving and mortising. Include carbide bottom plate for easier plunge cutting and long life in abrasive materials
- Straight cutter with bearing for following a template
- Available with 8mm and 12mm shanks

Straight Cutters

Cat. No.	Description	Shank mm (A)	Cut Diameter mm (B)	Working Length mm (C)	Total Length mm	Barcode
DR1002-XC	Straight Cutter - 1 Flute	8	4	10	48	7392585010011
DR1003-XC	Straight Cutter - 2 Flutes	8	5	12	50	7392585010028
DR1004-XC	Straight Cutter - 2 Flutes	8	6	19	55	7392585010035
DR1005-XC	Straight Cutter - 2 Flutes	8	8	20	55	7392585010042
DR1006-XC	Straight Cutter - 2 Flutes	8	10	20	52	7392585010059
DR1007-XC	Straight Cutter - 2 Flutes	8	12	20	52	7392585010066
DR1008-XC	Straight Cutter - 2 Flutes	8	14	20	52	7392585010073
DR1009-XC	Straight Cutter - 2 Flutes	8	15	20	52	7392585010080
DR1010-XC	Straight Cutter - 2 Flutes	8	16	20	52	7392585010097
DR1011-XC	Straight Cutter - 2 Flutes	8	18	20	52	7392585010103
DR1012-XC	Straight Cutter - 2 Flutes	8	20	20	52	7392585010110
DR1013-XC	Straight Cutter - 2 Flutes	8	22	20	52	7392585010127
DR1015-XC	Straight Cutter - 2 Flutes	8	25	20	52	7392585010141
DR1101-XC	Straight Cutter with bearing	8	12	25	-	7392585010264

EDGE TRIMMERS / CUTTERS

APPLICATIONS

- For cutting, trimming and bevelling soft woods, hard woods, MDF and laminates

Edge Trimmers / Cutters

Cat. No.	Description	Shank mm (A)	Cut Diameter mm (B)	Working Length mm (C)	Radius mm (D)	Barcode
DR2201-XC	Trimming Cutter Triple Flute	8	12.7	25.4	68	7392585010523
DR2701-XC	Arbor with Bearing	8	8	-	-	7392585010646

ROUTER BIT SETS



Router Bit Sets

Cat. No.	Description	Barcode
DR9992-XC	12 Piece Router bit set - Straight bit x3, Trimming cutter with BB, Rounding over bit with BB x2, Core box, Dovetail cutter, V-groove bit, Cove bit with BB, Roman ogee with BB, Chamfer bit with BB	5035048940211
DR9994-QZ	22 Piece Router bit set - Straight bit x6, Trimming cutter with BB, Rounding over bit with BB x2, Core box x2, Dovetail cutter, V-groove bit x2, Cove bit with BB x2, Roman ogee with BB, Chamfer bit with BB, Beading nit, New traditional beading bit of Freud, Bevel trim cutter with BB, Rebate cutter with BB	5035048905630

EDGE PROFILING AND MOULDING

APPLICATIONS

- For creating decorative edges on worktops, furniture, cabiner doors, window sills and picture frames
- For soft wood, hardwood, MDF and plywood

FEATURES

- Two cutting flutes for superior finish
- Available with 8mm and 12mm shank (also available with 1/4" and 1/2" shanks for UK and Eire only)
- Available with replacement ball bearing where applicable

Edge Profiling and Moulding


Cat. No.	Description	Shank mm (A)	Cut Diameter mm (B)	Working Length mm (C)	Radius mm (D)	Barcode
DR2402-XC	Bevel Trimmer with Bearing	8	28	11.2	45	7392585010578
DR2803-XC	Rounding Over Cutter	8	22.7	9.5	5	7392585010667
DR2804-XC	Rounding Over Cutter	8	25.4	12.7	6.35	7392585010684
DR2805-XC	Rounding Over Cutter	8	28.6	12.7	8	7392585010691
DR2806-XC	Rounding Over Cutter	8	31.8	15.9	9.5	7392585010707

BALL BEARINGS


Replacement Ball Bearings

Cat. No.	Description	External Diameter mm (B1)	Internal Diameter mm (B2)	Range	Barcode
DR9907-XC	Replacement Bearing	15.9	6.35	4.76	7392585011421


HOW ABRASIVES WORK




BONDED ABRASIVES & DIAMONDS



Abrasive wheels are actually thousands of abrasive grains bonded together to form a single cutting tool. As the wheel contacts the material, the exposed grains begin to cut and grind material away.



As the wheel grinds, the material fractures the surface of the grains, exposing new cutting points. It also wears away the bond between the grains exposing fresh grain.




Eventually the surface grains are consumed. The old grains are released as the bond wears away, and new grains are exposed. This process continues until the wheel is completely consumed.


COATED ABRASIVES



Coated abrasives are a single layer of abrasive grain bonded to a backing. As the grain contacts the material, it starts to cut and grind the material away.




As the grains grind, they fracture to form new cutting points extending the life of the abrasive.



When the grains fracture to a point where they are no longer exposed above the bond, the abrasives will no longer effectively remove material and should be replaced.

NON WOVEN ABRASIVES



Very flexible and open non woven base structure is coated with abrasive grains. This open structure prevents loading and reduces heat build up.

As pressure is applied, some of the pressure makes the abrasives contact the work piece and some is absorbed by the flexibility of the non-woven structure. This allows for the abrasive to conform to the shape of the surface, giving a more uniform finish and a finer finish in fewer steps than with coated abrasives

As the grain breaks down, the base structure also wears away to expose the next layers of grain until the abrasive is consumed.

TYPES OF ABRASIVE GRAINS

Aluminum Oxide

Tough durable grain used for cutting, grinding and finishing of metal in bonded abrasives, and metal, wood and coatings in coated abrasives

Treated Aluminum Oxide

Aluminum oxide grain with a coating that increases bond strength for harder longer lasting bonded abrasives

Zirconia

Tough durable grain with fine crystal structure used for rugged stock removal of metal in bonded abrasives, and metal and wood in coated abrasives

Ceramic

Tough durable grain with very fine crystal structure to create many more cutting edges in each grain. Used for the highest stock removal of metal in bonded and coated abrasives

Silicon Carbide



Very hard and brittle grain used on concrete and very soft or very hard metals in bonded abrasives, and for very fine finishing of metal and coatings in coated abrasives

Diamond


Very hard and durable grain for use in cutting and grinding concrete and metal

DEWALT® ABRASIVE PRODUCT IDENTIFICATION

DEWALT® utilises an industry recognised colour coding and identification system to help users identify the right bonded abrasive wheel for their application. There are also several other key identifiers to look for on a wheel; RPM's, wheel size, thickness and arbor size to ensure the correct product is used.



METAL GRINDING DISCS




NEW

APPLICATIONS

- For general metal grinding applications on ferrous and non-ferrous metals, including weld and surface preparation.

FEATURES

- Professional grade aluminium oxide.
- Reinforced fibre glass.
- Premium resin bond.



DEPRESSED CENTRE

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT42120-XJ	100	A24RBF	6	16	25	1	5035048096536
DT42220-XJ	115	A24RBF	6	22.23	25	1	5035048096390
DT42320-XJ	125	A24RBF	6	22.23	25	1	5035048096291
DT42420-XJ	150	A24RBF	6	22.23	25	1	5035048096277
DT42520-XJ	180	A24RBF	6	22.23	10	1	5035048096574
DT42620-XJ	230	A24RBF	6	22.23	10	1	5035048096581

EXTREME METAL GRINDING DISCS



NEW




APPLICATIONS

- For general metal grinding applications on ferrous and non-ferrous metals, including weld and surface preparation.

FEATURES


- Industrial grade aluminium oxide.
- Reinforced fibre glass.
- Superior resin bond.



DEPRESSED CENTRE

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT43221-XJ	115	A24RBF	4	22.23	25	1	5035048084953
DT43220-XJ	115	A24RBF	6	22.23	25	1	5035048084168
DT43321-XJ	125	A24RBF	4	22.23	25	1	5035048084085
DT43320-XJ	125	A24RBF	6	22.23	25	1	5035048084267
DT43521-XJ	180	A24RBF	4	22.23	10	1	5035048084762
DT43520-XJ	180	A24RBF	6	22.23	10	1	5035048084380
DT43621-XJ	230	A24RBF	4	22.23	10	1	5035048084717
DT43620-XJ	230	A24RBF	6	22.23	10	1	5035048084489

METAL CUTTING DISCS




NEW

APPLICATIONS

- Cutting ferrous metals such as steel, iron, rebar and welds.


FEATURES

- Professional grade aluminium oxide.
- Premium resin bond.
- Reinforced fibre glass.



FLAT

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT42200-XJ	115	A24RBF	1,6	22.23	25	1	5035048096482
DT42300-XJ	125	A24RBF	1,6	22.23	25	1	5035048096505
DT42101-XJ	100	A24RBF	3	22.23	25	1	5035048096413
DT42201-XJ	115	A24RBF	3	22.23	25	1	5035048096307
DT42301-XJ	125	A24RBF	3	22.23	25	1	5035048096284
DT42400-XJ	150	A24RBF	3	22.23	25	1	5035048096260
DT42501-XJ	180	A24RBF	3	22.23	10	1	5035048096246
DT42601-XJ	230	A24RBF	3	22.23	10	1	5035048096062



DEPRESSED CENTRE

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT42100-XJ	100	A60TBF	3	16	25	1	5035048096314
DT42210-XJ	115	A60TBF	3	22.23	25	1	5035048096543
DT42310-XJ	125	A60TBF	3	22.23	25	1	5035048096550
DT42510-XJ	180	A60TBF	3	22.23	25	1	5035048096253
DT42610-XJ	230	A60TBF	3	22.23	25	1	5035048096079

EXTREME METAL CUTTING DISCS



NEW


EXTREME

APPLICATIONS

- Cutting ferrous metals such as steel, iron, rebar and welds.


FEATURES

- Industrial grade aluminium oxide.
- Reinforced fibre glass.
- Superior resin bond.



FLAT

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT43201-XJ	115	A60TBF	1,6	22.23	25	1	5035048084977
DT43301-XJ	125	A60TBF	1,6	22.23	25	1	5035048084908
DT43501-XJ	180	A60TBF	1,6	22.23	25	1	5035048084786
DT43600-XJ	230	A60TBF	1,6	22.23	25	1	5035048084458
DT43202-XJ	115	A24RBF	3	22.23	25	1	5035048084960
DT43302-XJ	125	A24RBF	3	22.23	25	1	5035048084892
DT43502-XJ	180	A24RBF	3	22.23	10	1	5035048084779
DT43601-XJ	230	A24RBF	3	22.23	10	1	5035048084465



DEPRESSED CENTRE

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT43200-XJ	115	A24RBF	3	22.23	25	1	5035048084144
DT43310-XJ	125	A24RBF	3	22.23	25	1	5035048084250
DT43510-XJ	180	A24RBF	3	22.23	10	1	5035048084373
DT43610-XJ	230	A24RBF	3	22.23	10	1	5035048084472

STAINLESS STEEL GRINDING DISCS




NEW

APPLICATIONS

- For cutting all types of steel.

FEATURES


- Industrial grade aluminium oxide formulation for high durability, aggressive cutting action and long life.
- Reinforced fibre glass.
- Premium resin bond.



DEPRESSED CENTRE

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT42150-XJ	100	A24SFB	6	16	10	1	5035048096147
DT42250-XJ	115	A24SFB	6	22.23	10	1	5035048096338
DT42350-XJ	125	A24SFB	6	22.23	10	1	5035048096611
DT42550-XJ	180	A24SFB	6	22.23	10	1	5035048096628
DT42650-XJ	230	A24SFB	6	22.23	10	1	5035048096635

EXTREME STAINLESS STEEL GRINDING DISCS




NEW

APPLICATIONS

- For cutting all types of steel.

FEATURES


- Industrial grade aluminium oxide formulation for high durability, aggressive cutting action and long life.
- Reinforced fibre glass.
- Superior resin bond.



DEPRESSED CENTRE

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT43250-XJ	115	A24SFB	6	22.23	10	1	5035048084205
DT43350-XJ	125	A24SFB	6	22.23	10	1	5035048084311
DT43550-XJ	180	A24SFB	6	22.23	10	1	5035048084427
DT43650-XJ	230	A24SFB	6	22.23	10	1	5035048084526

STAINLESS STEEL CUTTING DISCS




NEW

FEATURES

- Professional grade aluminium oxide formulation for high durability, aggressive cutting action and long life.
- Reinforced fibre glass.
- Premium resin bond.

APPLICATIONS

- For cutting all types of steel.




FLAT

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT42140-XJ	100	A60TBF	1	16	25	1	5035048096000
DT42240-XJ	115	A60TBF	1	22.23	25	1	5035048096420
DT42340-XJ	125	A60TBF	1	22.23	25	1	5035048096499
DT42141-XJ	100	A60TBF	1,6	16	25	1	5035048096086
DT42241-XJ	115	A60TBF	1,6	22.23	25	1	5035048096093
DT42341-XJ	125	A60TBF	1,6	22.23	25	1	5035048096109
DT42540-XJ	180	A60TBF	1,6	22.23	25	1	5035048096437
DT42640-XJ	230	A60TBF	1,6	22.23	25	1	5035048096444
DT42143-XJ	100	A24SFB	3	16	25	1	5035048096406
DT42242-XJ	115	A24SFB	3	22.23	25	1	5035048096017
DT42342-XJ	125	A24SFB	3	22.23	25	1	5035048096024
DT42541-XJ	180	A24SFB	3	22.23	25	1	5035048096123
DT42641-XJ	230	A24SFB	3	22.23	25	1	5035048096130




DEPRESSED CENTRE

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT42142-XJ	100	A24SFB	3	16	25	1	5035048096451
DT42242-XJ	115	A24SFB	3	22.23	25	1	5035048096529
DT42342-XJ	125	A24SFB	3	22.23	25	1	5035048096345
DT42542-XJ	180	A24SFB	3	22.23	25	1	5035048096352
DT42642-XJ	230	A24SFB	3	22.23	25	1	5035048096468



EXTREME STAINLESS STEEL CUTTING DISCS




EXTREME

APPLICATIONS

- For cutting all types of steel.

FEATURES

- Industrial grade aluminium oxide formulation for high durability, aggressive cutting action and long life.
- Reinforced fibre glass.
- Superior resin bond.



FLAT


Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT43240-XJ	115	A60TBF	1	22.23	25	1	5035048084175
DT43241-XJ	115	A60TBF	1,6	22.23	25	1	5035048084182
DT43340-XJ	125	A60TBF	1	22.23	25	1	5035048084274
DT43341-XJ	125	A60TBF	1,6	22.23	25	1	5035048084281
DT43540-XJ	180	A60TBF	1,6	22.23	25	1	5035048084397
DT43640-XJ	230	A60TBF	2	22.23	25	1	5035048084496
DT43242-XJ	115	A24SBF	3	22.23	25	1	5035048084946
DT43343-XJ	125	A24SBF	3	22.23	25	1	5035048084878
DT43542-XJ	180	A24SBF	3	22.23	10	1	5035048084755
DT43641-XJ	230	A24SBF	3	22.23	10	1	5035048084502



DEPRESSED CENTRE

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT43246-XJ	115	A60TBF	1,6	22.23	25	1	5035048084939
DT43346-XJ	125	A60TBF	1,6	22.23	25	1	5035048084861
DT43546-XJ	180	A60TBF	1,6	22.23	10	1	5035048084748
DT43646-XJ	230	A60TBF	1,6	22.23	10	1	5035048084694
DT43245-XJ	115	A60TBF	3	22.23	25	1	5035048084199
DT43345-XJ	125	A60TBF	3	22.23	25	1	5035048084304
DT43545-XJ	180	A60TBF	3	22.23	10	1	5035048084410
DT43645-XJ	230	A60TBF	3	22.23	10	1	5035048084519

ALUMINIUM CUTTING DISCS




APPLICATIONS

- Fast cutting and long life in aluminium.

FEATURES


- Professional grade aluminium oxide and silicone carbide.
- Premium resin bond.
- Reinforced fibre glass.



FLAT

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT42260-XJ	115	AC46TBF	1,6	22.23	25	1	5035048096031
DT42360-XJ	125	AC46TBF	1,6	22.23	25	1	5035048096048

EXTREME ALUMINIUM CUTTING DISCS




EXTREME

APPLICATIONS

- Fast cutting and long life in aluminium.

FEATURES

- Industrial grade aluminium oxide and silicone carbide.
- Reinforced fibre glass.
- Superior resin bond.



FLAT

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT43260-XJ	115	AC46TBF	1,6	22.23	25	1	5035048084212
DT43360-XJ	125	AC46TBF	1,6	22.23	25	1	5035048084328

STONE GRINDING DISCS



NEW




APPLICATIONS

- For cutting general masonry products including concrete, stone and aggregate.

FEATURES

- Professional grade silicon carbide.
- Premium resin bond.
- Fibre glass reinforcements.



DEPRESSED CENTRE

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT42175-XJ	100	C24TBF	6	16	25	1	5035048096369
DT42275-XJ	115	C24TBF	6	22.23	25	1	5035048096161
DT42375-XJ	125	C24TBF	6	22.23	25	1	5035048096185

STONE CUTTING DISCS



NEW



APPLICATIONS

- For cutting general masonry products including concrete, stone and aggregate.


FEATURES

- Professional grade silicon carbide.
- Premium resin bond.
- Fibre glass reinforcements.



FLAT

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT42170-XJ	100	C30TBF	3	16	25	1	5035048096154
DT42273-XJ	115	C30TBF	3	22.23	25	1	5035048096192
DT42373-XJ	125	C30TBF	3	22.23	25	1	5035048096215
DT42573-XJ	180	C30TBF	3	22.23	25	1	5035048096321
DT42673-XJ	230	C30TBF	3	22.23	25	1	5035048096604



DEPRESSED CENTRE

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT42270-XJ	115	C30TBF	3	22.23	25	1	5035048096178
DT42370-XJ	125	C30TBF	3	22.23	25	1	5035048096208
DT42570-XJ	180	C30TBF	3	22.23	25	1	5035048096239
DT42670-XJ	230	C30TBF	3	22.23	25	1	5035048096598

EXTREME HIGH SPEED STONE CUTTING DISCS



NEW

EXTREME

APPLICATIONS

- For cutting natural stone, concrete, brick.

FEATURES

- Industrial grade silicon carbide for aggressive cutting action and long life
- Reinforced fibre glass.
- Superior resin bond.



HIGH SPEED STONE CUTTING DISCS

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT43770-XJ	300	C30TBF	4	20	10	1	5035048084625
DT43771-XJ	300	C30TBF	4	25.4	10	1	5035048084618
DT43870-XJ	350	C30TBF	4	20	10	1	5035048084588
DT43871-XJ	350	C30TBF	4	25.4	10	1	5035048084571

GRINDING AND HONING WHEELS




GRINDING AND HONING WHEELS

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT3384-QZ	60	Blue Aluminium Oxide	125	25	20	1	5035048054093
DT3385-QZ	80	White Aluminium Oxide	125	25	20	1	5035048054116
DT3386-QZ	80	Silicon Carbide	125	25	20	1	5035048054130
DT3389-QZ	60	White Aluminium Oxide	150	20	20	1	5035048054161
DT3380-QZ	400	Silicon Carbide	125	25	20	1	5035048054048
DT3381-QZ	800	Silicon Carbide	125	12	20	1	5035048054055

CUP GRINDING WHEELS

- Type 11 shape for maximum surface grinding coverage
- Metal backing for greater durability
- Proprietary material mix for aggressive grinding action



A16R

- Aluminum oxide grain for long life and high material removal

FERROUS METAL

- Aggressive surface grinding for all types of ferrous metals




C16R


- Silicon carbide grain for long life and high material removal

CONCRETE/MASONRY

- Concrete and other masonry material surface grinding



EXTREME CUP GRINDING WHEELS



NEW

EXTREME

APPLICATIONS

- For manual grinding large surface areas of natural and synthetic stones.

FEATURES

- Industrial grade silicon carbide for high removal rate.
- Available in coarse and medium.




GRINDING CUPS STEEL

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT43180-XJ	100	A24RBF	55	22.23	1	1	5035048084076
DT43480-XJ	150	A24RBF	55	22.23	1	1	5035048084342

GRINDING CUPS CONCRETE

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT43185-XJ	100	C30TBF	55	22.23	1	1	5035048084045
DT43385-XJ	150	C30TBF	55	22.23	1	1	5035048084359

CHOP SAW WHEEL – FOR METAL



NEW



APPLICATIONS

- Cutting ferrous metals such as steel, iron, rebar and welds.

FEATURES

- Industrial grade aluminium oxide.
- Reinforced fibre glass.
- Superior resin bond.

CHOP SAW WHEEL – FOR METAL

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT42800-XJ	355	A24RBF	3	25.4	10	1	5035048096055

EXTREME CHOP SAW WHEEL – FOR METAL



NEW

EXTREME

APPLICATIONS

- Cutting ferrous metals such as steel, iron, rebar and welds.

FEATURES

- Industrial grade aluminium oxide.
- Reinforced fibre glass.
- Superior resin bond.



CHOP SAW WHEEL – FOR METAL

Cat. No.	Diameter mm	Material	Thickness mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT43703-XJ	300	A24RBF	3	25.4	10	1	5035048084632
DT43701-XJ	300	A24RBF	4	20	10	1	5035048084656
DT43702-XJ	300	A24RBF	4	25.4	10	1	5035048084649
DT43700-XJ	355	A24RBF	3	25.4	10	1	5035048084663
DT43801-XJ	355	A24RBF	4	25.4	10	1	5035048084601
DT43802-XJ	355	A24RBF	4	20	10	1	5035048084595
DT43800-XJ	400	A24RBF	3	25.4	10	1	5035048084557



EXTREME DIAMOND EDGE CHOP SAW BLADE – FOR METAL



NEW

EXTREME

APPLICATIONS

- Cutting rebar, steel, sheet metal, angle iron, pipe.

FEATURES

- 100x the life vs standard DEWALT chop saw wheel.
- Cuts metal with the speed of a conventional abrasive blade.
- Constant cutting depth, capacity and stability of a solid core
- Also cuts concrete, plastic, fiberglass, rubber, non-ferrous metals and other soft materials without loading.



DIAMOND EDGE
100X LONG LIFE

EXTREME DIAMOND EDGE CHOP SAW BLADE – FOR METAL

Cat. No.	Diameter mm	Bore Size mm	Pack Qty.	M.O.Q.	Barcode
DT3752-QZ	355	25.4	1	1	5035048083772



FLAP DISCS

- Weld blending, removing weldslag
- Deburring
- Surface finishing and preparation
- Edge blending and chamfering

FERROUS METAL

- Type 27 backing provides grinding angle fo 0-15 degrees
- Type 29 backing provides grinding angle fo 15-25 degrees
- Zirconia grit enables 3x faster material removal than fiber resin discs
- Free of iron, sulfur and chlorine for contaminant free grinding



0°-15°



15°-25°



APPLICATIONS


- For rust removal, grinding and cleaning metal.

FEATURES

- Tough durable zirconia grain.
- Very strong with very high removal rate.
- Low noise.
- Cool grinding.

FLAP DISCS

Cat. No.	Description	Diameter mm	Grit Size	Pack Qty.	M. O. Q.	Barcode
DT3269-QZ	Type 29 Angled	100mm	60	10	1	5035048077344
DT3274-QZ	Type 29 Angled	100mm	80	10	1	5035048077351
DT3255-QZ	Type 29 Angled	115mm	36	10	1	5035048075166
DT3256-QZ	Type 29 Angled	115mm	60	10	1	5035048075173
DT3257-QZ	Type 29 Angled	115mm	80	10	1	5035048075180
DT3258-QZ	Type 29 Angled	115mm	120	10	1	5035048075197
DT3265-QZ	Type 29 Angled	125mm	36	10	1	5035048075203
DT3266-QZ	Type 29 Angled	125mm	60	10	1	5035048075210
DT3267-QZ	Type 29 Angled	125mm	80	10	1	5035048075227
DT3268-QZ	Type 29 Angled	125mm	120	10	1	5035048075234
DT3208-QZ	Type 27 Flat	100mm	36	10	1	5035048077375
DT3209-QZ	Type 27 Flat	100mm	60	10	1	5035048077382
DT3218-QZ	Type 27 Flat	100mm	80	10	1	5035048077399
DT3219-QZ	Type 27 Flat	100mm	120	10	1	5035048077405
DT3292-QZ	Type 27 Flat	115mm	36	10	1	5035048075241
DT3293-QZ	Type 27 Flat	115mm	60	10	1	5035048075258
DT3294-QZ	Type 27 Flat	115mm	80	10	1	5035048075265
DT3295-QZ	Type 27 Flat	115mm	120	10	1	5035048075272
DT3308-QZ	Type 27 Flat	125mm	36	10	1	5035048075289
DT3309-QZ	Type 27 Flat	125mm	60	10	1	5035048075296
DT3310-QZ	Type 27 Flat	125mm	80	10	1	5035048075302



EXTREME FLAP DISCS

EXTREME

APPLICATIONS

- For rust removal, grinding and cleaning metal.

FEATURES

- Tough durable zirconia grain.
- Very strong with very high removal rate.
- Low noise.
- Cool grinding.



NEW



EXTREME FLAP DISCS

Cat. No.	Description	Diameter mm	Grit Size	Pack Qty.	M. O. Q.	Barcode
DT30601-QZ	Type 27 Flat	115	40	10	1	5035048085622
DT30611-QZ	Type 27 Flat	115	60	10	1	5035048085639
DT30621-QZ	Type 27 Flat	115	80	10	1	5035048085646
DT30602-QZ	Type 27 Flat	125	40	10	1	5035048085653
DT30612-QZ	Type 27 Flat	125	60	10	1	5035048085660
DT30622-QZ	Type 27 Flat	125	80	10	1	5035048085677
DT30603-QZ	Type 27 Flat	180	40	10	1	5035048085684
DT30613-QZ	Type 27 Flat	180	60	10	1	5035048085691
DT30623-QZ	Type 27 Flat	180	80	10	1	5035048085707



SELECT THE BLADE FOR THE MATERIAL



	Professional High Performance						Professional Sintered		
	Building materials/ Concrete	Abrasive Materials/ Concrete	Hard Concrete/ Granite	Tile	Mortar Raking	Asphalt	Building materials/ Concrete	Turbo-Building Materials/ Concrete	Tile
	1	2	3	4	5	6			
VERY ABRASIVE AND NOT COMPACT									
ASPHALT						●			
GREEN CONCRETE						●			
LIGHT EXPANDED CLAY BLOCK (Argex, Syporex, Poroton)	○	●				●			
SILICA BASED ABRASIVE REFRACTORY (Brick)	○	●				●			
BREEZE BLOCK	●	●				●			
MEDIUM-ABRASIVE AND COMPACT									
MARBLE CEMENT BLOCK (Granito, Terrazo)	●	●		○		○	○	○	○
FIBROUS CONCRETE (Eternit roof tile)				○			○	○	○
CELLULAR CONCRETE	●	●		○		○	○	○	○
FIRED CLAY (Brick, roof tile)				○			○	○	○
GYPSUM PLASTER	●	●		○		○	●	○	○
NATURAL SOFT STONES (Limestone, Sandstone)	●	●		○		○	●	○	○
SOFT REFRACTORY (Hand made bricks, abrasive concrete)	●	●	○	○		○	●	○	○
CONCRETE ROOF TILE	●	●	○	○			●	○	
KALKSANDSTEIN (KSS)	●	●	○				●	●	
ABRASIVE AND VERY COMPACT									
SOFT AGGREGATES CONCRETE (Industrial floors)	●	●	○				●	●	
MEDIUM-HARD SANDSTONE	●	●	○				●	●	
ABRASIVE MARBLE (Crystalline)	●	●	○				●	●	
MEDIUM-HARD REFRACTORY (Facing bricks, Limestone concrete)	●	●	○				●	●	
FIRED CLAY, EARTHENWARE PIPE	●	●	○				●	●	
MEDIUM-HARD AND COMPACT									
NATURAL SLATE, SCHIST	●	○	○				○	○	
CONCRETE (Kerb, Paving block, Driveway blocks)	●		○				○		
LIGHT REINFORCED CONCRETE	●		●				○		
MEDIUM-HARD AGGREGATES CONCRETE (Industrial floors)	●		●				○		
CURED CONCRETE, MEDIUM-HARD AGGREGATES	●		●				○	○	
HARD NATURAL SANDSTONE	●		●				○	○	
HARD AND COMPACT									
HARD MARBLE	○		●				○		
REINFORCED CONCRETE (Lintels)	○		●				○		
CURED CONCRETE, HARD AGGREGATES, FLINT	○		●						
FACING BRICK	○		●						
QUARTZITE			●						
HARD REFRACTORY (Hard bricks, Medium concrete)			●						
SOFT GRANITE (Black)			●						
VERY HARD									
LIGHT REINFORCED CONCRETE, FLINT AGGREGATES			●						
COLOURED GRANITE			●						
SILICON CARBIDE REFRACTORIES (Bricks)			●						
OTHERS									
SOFT TILE (Terracotta, Ceramic)				○				○	●
HARD TILE (Grès)				●					
STONEWARE (Porcelain tiles)				●					
MORTAR (Joints)					●				

● Recommended Material ○ Suitable Material

HIGH PERFORMANCE DIAMOND DISCS



APPLICATIONS

- For use in standard construction materials including concrete, brick, tiles and paving slabs.

FEATURES

- The best choice of diamond blade for fast, aggressive cuts in most standard construction materials.
- Segments laser welded to the core for use in tougher applications.

BUILDING MATERIALS/ CONCRETE

Cat. No.	Diameter mm	Bore Size mm	Segment height mm	Segment Width mm	Pack Qty	M.O.Q.	Barcode
DT3740-XJ	115	22.2	7.5	2	1	1	5035048058374
DT3741-XJ	125	22.2	7.5	2	1	1	5035048058381
DT3742-XJ	180	22.2	8.5	2.4	1	1	5035048058398
DT3743-XJ	230	22.2	8.5	2.4	1	1	5035048058404



APPLICATIONS

- For use in abrasive materials including sandstone, concrete, concrete roof tiles, brick and breeze blocks.

FEATURES

- High performance diamond blade providing a balanced combination of cut speed and durability in abrasive materials.
- Segments laser welded to the core for use in tougher applications.

ABRASIVE MATERIALS/ CONCRETE

Cat. No.	Diameter mm	Bore Size mm	Segment height mm	Segment Width mm	Pack Qty	M.O.Q.	Barcode
DT3770-XJ	115	22.2	7.5	2	1	1	5035048058572
DT3771-XJ	125	22.2	7.5	2	1	1	5035048058589
DT3772-XJ	180	22.2	7.5	2.4	1	1	5035048058596
DT3773-XJ	230	22.2	7.5	2.4	1	1	5035048058602
DT3774-XJ	300	20	7.5	2.8	1	1	5035048058619
DT3777-XJ	350	20	7.5	2.8	1	1	5035048058640
DT3779-XJ	350	25.4	7.5	2.8	1	1	5035048058664



APPLICATIONS

- These blades achieve optimum speed of cut in granite, reinforced concrete and most construction materials.

FEATURES

- Manufactured using 'Advanced Bond Technology' which increases blade productivity and operating life.
- A layer of pre-alloyed metal encloses the diamond creating a pellet that is held more securely and distributed better within the segment.

HARD MATERIALS/ GRANITE

Cat. No.	Diameter mm	Bore Size mm	Segment height mm	Segment Width mm	Pack Qty	M.O.Q.	Barcode
DT3760-XJ	115	22.2	7.5	2	1	1	5035048058473
DT3761-XJ	125	22.2	7.5	2	1	1	5035048058480
DT3762-XJ	180	22.2	8.5	2.4	1	1	5035048058497
DT3766-XJ	230	22.2	10	2.8	1	1	5035048058534

APPLICATIONS

- For porcelain tiles, floor and wall tiles, slate, concrete tiles, bricks, terracotta etc.
- Not recommended for use on wet tile saws.

FEATURES

- Diamond blade containing a high concentration of top quality diamonds with excellent cutting performance in extremely hard materials.
- Continuous rim sintered blade for fine finish and minimal chipping in tiles and ceramics.

SINTERED: TILES

Cat. No.	Diameter mm	Bore Size mm	Segment height mm	Segment Width mm	Pack Qty	M.O.Q.	Barcode
DT3735-XJ	115	22.2	7	1.6	1	1	5035048058732
DT3736-XJ	125	22.2	7	1.6	1	1	5035048058749
DT3737-XJ	180	22.2	7	2.1	1	1	5035048058756
DT3738-XJ	230	22.2	7	2.1	1	1	5035048058763



APPLICATIONS

- For removal of abrasive and hard cement joints.

FEATURES

- Featuring an excellent 'bond to diamond' combination for optimum performance in most mortar raking applications.
- Segments laser welded to the core for use in tougher applications.

MORTAR RAKING

Cat. No.	Diameter mm	Bore Size mm	Segment height mm	Segment Width mm	Pack Qty	M.O.Q.	Barcode
DT3757-QZ	125	22.2	10	6.3	1	1	5035048085462
DT3758-QZ	125	22.2	10	6.3 Dual wheel design	1	1	5035048085479



DRY DIAMOND DISCS



APPLICATIONS

- Fast, dry cutting of general masonry construction materials eg. building bricks/blocks, tiles, paving blocks, medium concrete.

FEATURES

- Segmented rim design allows fast cutting.
- Sintered diamond wheel for dry cutting general masonry materials.
- All wheels up to 230 mm diameter have 22.2 mm bore.
- 300 mm wheel has a 20 mm bore for petrol saws.



DRY DIAMOND SEGMENTED RIM WHEELS

Cat. No.	Diameter mm	Bore Size mm	Segment height mm	Segment Width mm	Pack Qty	M.O.Q.	Barcode
DT3701-QZ	115	22.2	7	1.75	1	1	5035048025895
DT3711-QZ	125	22.2	7	1.8	1	1	5035048025901
DT3721-QZ	180	22.2	7	2.1	1	1	5035048025918
DT3731-QZ	230	22.2	7	2.3	1	1	5035048025925

APPLICATIONS

- Cool clean cutting of masonry construction materials particularly suitable for marble, granite and natural stone.

FEATURES

- Sintered diamond wheel for dry cutting general masonry materials.
- Turbo rim design provides cooler, cleaner cutting of harder materials.
- All wheels have 22.2 mm bore.



TURBO DRY DIAMOND CUTTING WHEELS

Cat. No.	Diameter mm	Bore Size mm	Segment height mm	Segment Width mm	Pack Qty	M.O.Q.	Barcode
DT3702-QZ	115	22.2	7	2.1	1	1	5035048025970
DT3712-QZ	125	22.2	7	2.2	1	1	5035048025987
DT3722-QZ	180	22.2	7	2.4	1	1	5035048025994
DT3732-QZ	230	22.2	7	2.6	1	1	5035048026007

APPLICATIONS

- Fine finish cutting tiles, ceramics etc.

FEATURES

- Continuous rim design for fine finish in hard materials.
- Sintered dry cutting wheel with 22.2mm bore.



DRY DIAMOND CONTINUOUS RIM WHEELS

Cat. No.	Diameter mm	Bore Size mm	Segment height mm	Segment Width mm	Pack Qty	M.O.Q.	Barcode
DT3703-QZ	115	22.2	5	1.6	1	1	5035048025956
DT3713-QZ	125	22.2	5	1.6	1	1	5035048025963

WET DIAMOND TILE SAW



APPLICATIONS

- Fine finish cutting tiles, ceramics etc.

FEATURES

- Continuous rim design for fine finish in hard materials.
- Sintered dry cutting wheel with 25.4mm bore.
- Music slots for hard materials eg. stone and granite (DT3734XJ).



WET DIAMOND TILE SAW

Cat. No.	Diameter mm	Bore Size mm	Segment height mm	Segment Width mm	Pack Qty	M.O.Q.	Barcode
DT3733-XJ	250	25.4	5	1.6	1	1	5035048012413
DT3734-XJ	250	25.4	8	1.6	1	1	5035048012420

WET & DRY TILE SAW



APPLICATIONS

- For manual wet and dry cutting of tiles.

FEATURES

- Continuous rim design for fine finish in all tile materials
- DT3715-QZ designed for extra fine finish in porcelain, marble and granite tiles.



WET & DRY TILE SAW

Cat. No.	Diameter mm	Bore Size mm	Segment height mm	Segment Width mm	Pack Qty	M.O.Q.	Barcode
DT3714-QZ	110	20	5	1.6	1	1	5035048083109
DT3715-QZ	110	20	8	1.6	1	1	5035048083116

EXTREME DIAMOND CUPS

EXTREME

NEW

APPLICATIONS

- Concrete forming.
- Finishing.
- Floor preparation.

FEATURES


- Single, double and turbo diamond for fast, finishing or combination applications
- Sintered dry cutting wheel with M14 thread.



125mm CUP WHEELS

Cat. No.	Diameter mm	Bore Size mm	Segment height mm	Segment Width mm	Pack Qty	M.O.Q.	Barcode
DT3795-QZ	125	M14	8	Single	1	1	5035048085486
DT3796-QZ	125	M14	8	Double	1	1	5035048085493
DT3797-QZ	125	M14	8	Turbo	1	1	5035048085509

DRY DIAMOND CORE DRILLS



APPLICATIONS

- Standard 1/2" BSP female fitment to allow usage with DEWALT and other diamond drill brands (use in conjunction with adaptor for machines with different threads).
- For dry drilling clean large diameter holes in masonry and stone.

FEATURES


- Optimised diamond segment design for high speed drilling and long life in a wide range of building materials.
- Laser welding to prevent segment loss when dry drilling
- Solid core body for optimum dust extraction performance.



FITMENT 1/2" BSP (FEMALE) UNIVERSAL

Cat. No.	Diameter mm	Length mm	Number of Segments	Pack Qty	M.O.Q.	Barcode
DT3876-QZ	28	300	1	1	1	5035048070918
DT3885-QZ	38	150	3	1	1	5035048070932
DT3886-QZ	48	150	4	1	1	5035048070949
DT3887-QZ	52	150	3	1	1	5035048070956
DT3888-QZ	60	150	3	1	1	5035048070963
DT3889-QZ	65	150	3	1	1	5035048070970
DT3890-QZ	72	150	4	1	1	5035048070987
DT3891-QZ	78	150	4	1	1	5035048070994
DT3892-QZ	82	150	4	1	1	5035048071007
DT3893-QZ	91	150	4	1	1	5035048071014
DT3894-QZ	107	150	4	1	1	5035048071021
DT3895-QZ	117	150	5	1	1	5035048071038
DT3896-QZ	127	150	5	1	1	5035048071045
DT3897-QZ	132	150	5	1	1	5035048071052
DT3898-QZ	152	150	6	1	1	5035048071069

DOSENSENER



APPLICATIONS

- User length of 62mm, M16 fitment.
- Used for electrical installations e.g wall sockets or boxes etc.



DOSENSENER

Cat. No.	Diameter mm	Length mm	Thread	Number of Segments	Pack Qty	M.O.Q.	Barcode
DT3866-QZ	82	62	M16F	4	1	1	5035048071083

ACCESSORIES FOR DOSENSENER

Cat. No.	Thread Conversion from	Thread Conversion to	Range	Pack Qty	M.O.Q.	Barcode
DT3864-QZ	1/2" BSP F	M16M	Dry	1	1	5035048072349
DT3868-QZ	3 Jaw Chuck	M16M	Dry	1	1	5035048072356
DT3869-QZ	SDS Plus	M16M	Dry	1	1	5035048072363
DT3873-QZ	120mm A Taper pilot drill		Dry	1	1	5035048066607

ADAPTERS DRY

3 JAWED CHUCK



SDS PLUS



1/2" BSP MALE



1/2" BSP FEMALE



DT3813 3 JAWED CHUCK ADAPTOR



DT3815 SDS PLUS CHUCK ADAPTOR



DT3857 1/2" BSP FEMALE ADAPTOR (FOR D21583K)

DT3823 1/2" BSP MALE ADAPTOR (FOR D21580K)

DT3809 5/8" X 16UNF ADAPTOR (DW580/90)

DT3812 M18 ADAPTOR (DW581)

D215804



**DT3844
150MM EXTENSION**



**DT3875 - DT3898
1/2" BSP FEMALE FITMENT
DRY CORE**



**DT3848 225MM A-TAPER
PILOT BIT**




**DT3849 300MM A-TAPER
PILOT BIT***



* 300mm Pilot bit required when dust extraction system is used.

WET DIAMOND CORE BITS



APPLICATIONS

- Standard 1/2 BSP male fitment to allow usage with DEWALT and other diamond drill brands (use in conjunction with adaptor for machines with different threads).

FEATURES

- Optimised diamond segment design for high speed drilling and long life in a wide range of building materials.
- Laser welding to prevent segment loss when wet drilling.
- Available in 2 performance grades for fast cutting and long life in both standard and hard materials.



FITMENT 1/2" BSP (MALE) UNIVERSAL

Cat. No.	Diameter mm	Length mm	Number of Segments	Pack Qty	M.O.Q.	Barcode
DT9712-QZ	30	350	1	1	1	5035048071298
DT9714-QZ	37	350	4	1	1	5035048071311
DT9716-QZ	45	350	5	1	1	5035048071335
DT9717-QZ	52	350	5	1	1	5035048071342
DT9719-QZ	65	350	7	1	1	5035048071366
DT9721-QZ	78	350	8	1	1	5035048071380
DT9724-QZ	102	350	9	1	1	5035048071410
DT9729-QZ	132	350	12	1	1	5035048071465

APPLICATIONS

- Standard 1/2 BSP male fitment to allow usage with DEWALT and other diamond drill brands (use in conjunction with adaptor for machines with different threads).

FEATURES

- Optimised diamond segment design for use with hard materials.
- Laser welding to prevent segment loss when wet drilling.



FITMENT 1/2" BSP (MALE) HARD MATERIALS

Cat. No.	Diameter mm	Length mm	Number of Segments	Pack Qty	M.O.Q.	Barcode
DT9735-QZ	25	350	1	1	1	5035048071489
DT9737-QZ	30	350	1	1	1	5035048071502
DT9738-QZ	32	350	1	1	1	5035048071519
DT9742-QZ	52	350	5	1	1	5035048074557
DT9749-QZ	102	350	9	1	1	5035048071625
DT9751-QZ	112	350	10	1	1	5035048071649
DT9753-QZ	127	350	11	1	1	5035048071663

APPLICATIONS

- Standard 1 1/4" UNC female fitment to allow usage with DEWALT and other diamond drill brands (use in conjunction with adaptor for machines with different threads).

FEATURES


- Optimised diamond segment design for high speed drilling and long life in a wide range of building materials.
- Available in 2 performance grades for fast cutting and long life in both standard and hard materials.



FITMENT 1 1/4" UNC (FEMALE) UNIVERSAL

Cat. No.	Diameter mm	Length mm	Number of Segments	Pack Qty	M.O.Q.	Barcode
DT9760-QZ	52	400	5	1	1	5035048071694
DT9761-QZ	60	400	6	1	1	5035048071700
DT9762-QZ	65	400	7	1	1	5035048071717
DT9763-QZ	72	400	7	1	1	5035048071724
DT9764-QZ	78	400	8	1	1	5035048071731
DT9765-QZ	82	400	8	1	1	5035048071748
DT9766-QZ	91	400	9	1	1	5035048071755
DT9767-QZ	102	400	9	1	1	5035048071762
DT9768-QZ	107	400	10	1	1	5035048071779
DT9769-QZ	112	400	10	1	1	5035048071786
DT9770-QZ	122	400	11	1	1	5035048071793
DT9771-QZ	127	400	11	1	1	5035048071809
DT9772-QZ	132	400	12	1	1	5035048071816
DT9773-QZ	152	400	13	1	1	5035048071823
DT9774-QZ	162	400	13	1	1	5035048071830
DT9775-QZ	178	400	14	1	1	5035048071847
DT9777-QZ	200	400	16	1	1	5035048071861

ACCESSORIES



ADAPTERS

Cat. No.	Thread Conversion from	Thread Conversion to	Applications	Pack Qty	M.O.Q.	Barcode
DT3800-QZ	1/2" BSP M	1 1/4" UNC M	Wet	1	1	5035048071106
DT3801-QZ	Hilti DCM1/DD80	1/2" BSP F	Wet	1	1	5035048071113
DT3803-QZ	Hilti DCM1.5, DD1160, DCM2, DD250	1 1/4" UNC M	Wet	1	1	5035048071120
DT3809-QZ	5/8" x 16UNF	1/2" BSP M	Dry	1	1	5035048071137
DT3812-QZ	M18	1/2" BSP M	Dry	1	1	5035048071144
DT3813-QZ	3 jaw chuck	1/2" BSP M	Dry	1	1	5035048071151
DT3815-QZ	SDS Plus	1/2" BSP M	Dry	1	1	5035048071168
DT3823-QZ	1/2" BSP F	1/2" BSP M	Dry	1	1	5035048071182
DT3857-QZ	1/2" BSP M	1/2" BSP M	Wet to Dry	1	1	5035048071946

EXTENSION RODS



Cat. No.	Thread Conversion from	Thread Conversion to	Length mm	Applications	Pack Qty	M.O.Q.	Barcode
DT3829-QZ	1 1/4" UNC F	1 1/4" UNC M	150	Wet	1	1	5035048071199
DT3839-QZ	1 1/4" UNC F	1 1/4" UNC M	300	Wet	1	1	5035048071205
DT3846-QZ	1/2" BSP M	1/2" BSP F	150	Wet	1	1	5035048071236
DT3844-QZ	1/2" BSP F	1/2" BSP M	150	Dry	1	1	5035048071212
DT3847-QZ	1/2" BSP M	1/2" BSP F	300	Wet	1	1	5035048071243

PILOT BITS

Cat. No.	Length mm	Applications	Pack Qty	M.O.Q.	Barcode
DT3848-QZ	225	Dry	1	1	5035048071250
DT3849-QZ	300	Dry	1	1	5035048071267



ADAPTERS WET

1 1/4" UNC MALE



DT3800 1/2" BSP FEMALE TO 1 1/4" UNC MALE



DT3803 HILTI TO 1 1/4" UNC



1/2" BSP FEMALE



DT3801 HILTI TO 1/2" BSP FEMALE



DT3829 150mm 1 1/4" UNC



DT3839 300mm 1 1/4" UNC



DT3846 150mm 1/2" BSP



DT3847 300mm 1/2" BSP



1 1/4" UNC WET CORES



1/2" BSP MALE GENERAL MATERIAL WET CORE



1/2" BSP MALE HARD MATERIAL WET CORE

DIAMOND TILE DRILL BITS

APPLICATIONS

- Diamond grit edged head - tough & hard wearing - enables 'easy start' drilling at 45° into material and copes with almost any hardness of tile.
- Open head design helps more effective cooling with water.
- Ejection slot enables easy removal of material 'core' after drilling in deeper tiles.

FEATURES

- Clean concentric holes in all wall and floor tiles (up to and including Class 5 hardness), porcelain, marble, granite and slate. Ideal for installing fixtures and fittings in bathrooms and kitchens.



Cat. No.	Diameter mm	Description	Pack Qty	M.O.Q.	Barcode
DT6037-QZ	5	Diamond Tile Drill	1	1	5035048066300
DT6038-QZ	6	Diamond Tile Drill	1	1	5035048066317
DT6039-QZ	7	Diamond Tile Drill	1	1	5035048066324
DT6040-QZ	8	Diamond Tile Drill	1	1	5035048066331
DT6041-QZ	10	Diamond Tile Drill	1	1	5035048066348
DT6042-QZ	12	Diamond Tile Drill	1	1	5035048066355
DT6043-QZ	15	Diamond Tile Drill	1	1	5035048066362
DT6044-QZ	20	Diamond Tile Drill	1	1	5035048066379
DT6045-QZ	25	Diamond Tile Drill	1	1	5035048066386
DT6046-QZ	-	Mixed Pack Diamond Tile Drill	1	1	5035048066393

WIRE BRUSHES



APPLICATIONS

- Aggressive twist knot wire wheel and cup brushes for heavy duty cleaning work, derusting and deburring
- Crimped wire wheel and cup brushes for medium duty cleaning
- Wire wheel and cup brushes for multi purpose cleaning applications in hard to reach areas

FEATURES

- Highly specified wire grades for optimum material removal
- High wire content for extra brush durability



WIRE WHEEL BRUSHES FOR DRILLS For: Cleaning Work eg Paint, Rust, Scale, Burr and Rust Removal

Cat. No.	Diameter mm	Wire Length mm	Bore Size mm	Pack Qty	M.O.Q.	Barcode
DT3494-QZ	50	8	6	1	1	5035048079430
DT3408-QZ	60	10	6	1	1	5035048079447
DT3418-QZ	75	10	6	1	1	5035048078454
DT3419-QZ	100	10	6	1	1	5035048079461
DT3426-QZ	75	10	6	1	1	5035048079485



WIRE CUP BRUSHES FOR DRILLS For: Medium duty work on surfaces eg paint removal, de-rusting, cleaning, deburring, descaling

Cat. No.	Diameter mm	Wire Length mm	Bore Size mm	Pack Qty	M.O.Q.	Barcode
DT3428-QZ	25	25	6	1	1	5035048079508
DT3429-QZ	30	30	6	1	1	5035048079515
DT3436-QZ	50	16	6	1	1	5035048079539
DT3437-QZ	60	18	6	1	1	5035048079546
DT3439-QZ	75	19	6	1	1	5035048079560




TWIST KNOT WIRE WHEEL BRUSHES FOR ANGLE GRINDERS For: Heavy duty cleaning work eg deburring, paint stripping, rust removal

Cat. No.	Diameter mm	Wire Length mm	Bore Size mm	Pack Qty	M.O.Q.	Barcode
DT3466-QZ	115	22	22.2	1	1	5035048079676
DT3502-QZ	115	22	22.2	1	1	5011402375790
DT3470-QZ	180	40	22.2	1	1	5035048079683



CRIMPED WIRE CUP BRUSHES FOR ANGLE GRINDERS For: Medium duty work on surfaces eg paint removal, de-rusting, cleaning, deburring

Cat. No.	Diameter mm	Wire Length mm	Bore Size mm	Pack Qty	M.O.Q.	Barcode
DT3475-QZ	65	19	M10	1	1	5035048079690
DT3480-QZ	65	19	M14	1	1	5035048079706
DT3488-QZ	75	23	M14	1	1	5035048079713
DT3489-QZ	100	26	M14	1	1	5035048079720
DT3465-QZ	125	26	M14	1	1	5035048079669




TWIST KNOT WIRE CUP BRUSHES FOR ANGLE GRINDERS For: Heavy duty cleaning work

Cat. No.	Diameter mm	Wire Length mm	Bore Size mm	Pack Qty	M.O.Q.	Barcode
DT3491-QZ	60	18	M10	1	1	5035048079744
DT3500-QZ	65	18	M14	1	1	5011402375776
DT3492-QZ	75	22	M14	1	1	5035048079751
DT3501-QZ	100	24	M14	1	1	5011402375783



HALF SHEET 115mm x 280mm



APPLICATIONS

- For all sanding and finishing tasks on wood, painted surfaces and fillers.

FEATURES

- Industrial grade abrasive paper for all stripping, sanding and finishing tasks on wood, paint and fillers.
- High quality aluminium oxide grain gives superior finish.
- Resin bonding provides excellent grain adhesion and heat resistance for powered sanding.
- Tough, durable "E" weight backing ensures longer life and performance.



PRE-PUNCHED Fits: DEWALT, Bosch, Festool, Makita, Metabo, Hitachi, Peugeot, Ryobi

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT8510-QZ	Multi Purpose Wood/paint-dry	60	10	1	5035048069202
DT8511-QZ	Multi Purpose Wood/paint-dry	80	10	1	5035048069219
DT8512-QZ	Multi Purpose Wood/paint-dry	120	10	1	5035048069226

HALF SHEET 'QUICK FIT' 115mm x 228mm



APPLICATIONS

- For all sanding and finishing tasks on wood, painted surfaces and fillers.

FEATURES


- Industrial grade abrasive paper for all stripping, sanding and finishing tasks on wood, paint and fillers.
- High quality aluminium oxide grain gives superior finish.
- Resin bonding provides excellent grain adhesion and heat resistance for powered sanding.
- Tough, durable "E" weight backing ensures longer life and performance.



PRE-PUNCHED Fits: DEWALT, Bosch, Festool, Makita, Metabo, Hitachi, Peugeot, Ryobi

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT8574-QZ	Multi Purpose Wood/paint-dry	40	10	1	5035048070635
DT8550-QZ	Multi Purpose Wood/paint-dry	60	10	1	5035048069608
DT8551-QZ	Multi Purpose Wood/paint-dry	80	10	1	5035048069615
DT8552-QZ	Multi Purpose Wood/paint-dry	120	10	1	5035048069622
DT8553-QZ	Multi Purpose Wood/paint-dry	180	10	1	5035048069639

THIRD SHEET 93mm x 230mm



APPLICATIONS

- For all sanding and finishing tasks on wood, painted surfaces and fillers.

FEATURES

- Industrial grade abrasive paper for all stripping, sanding and finishing tasks on wood, paint and fillers.
- High quality aluminium oxide grain gives superior finish.
- Resin bonding provides excellent grain adhesion and heat resistance for powered sanding.
- Tough, durable "E" weight backing ensures longer life and performance.




PRE-PUNCHED Fits: DEWALT, Bosch, Festool, Makita, Metabo, Ryobi, Skil, AEG

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT8590-QZ	Multi Purpose Wood/paint-dry	60	10	1	5035048069905
DT8591-QZ	Multi Purpose Wood/paint-dry	80	10	1	5035048069912
DT8592-QZ	Multi Purpose Wood/paint-dry	120	10	1	5035048069929
DT8488-QZ	Multi Purpose Wood/paint-dry	40	25	1	5035048070727
DT8595-QZ	Multi Purpose Wood/paint-dry	60	25	1	5035048069950
DT8596-QZ	Multi Purpose Wood/paint-dry	80	25	1	5035048069967
DT8597-QZ	Multi Purpose Wood/paint-dry	120	25	1	5035048069974
DT8598-QZ	Multi Purpose Wood/paint-dry	180	25	1	5035048069981



THIRD SHEET 'QUICK FIT' 93mm x 190mm



APPLICATIONS

- For all sanding and finishing tasks on wood, painted surfaces and fillers.

FEATURES

- Industrial grade abrasive paper for all stripping, sanding and finishing tasks on wood, paint and fillers.



PRE-PUNCHED Fits: DEWALT, AEG, Bosch, Casals, Einhell, Festool, Hitachi, Makita, Metabo, Peugeot, Skil

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT8620-QZ	Multi Purpose Wood/paint-dry	60	10	1	5035048070208
DT8621-QZ	Multi Purpose Wood/paint-dry	80	10	1	5035048070215
DT8622-QZ	Multi Purpose Wood/paint-dry	120	10	1	5035048070222
DT8623-QZ	Multi Purpose Wood/paint-dry	180	10	1	5035048070239
DT8624-QZ	Multi Purpose Wood/paint-dry	240	10	1	5035048070246

QUARTER SHEET




APPLICATIONS

- For all sanding and finishing tasks on wood, painted surfaces and fillers.

FEATURES

- Industrial grade abrasive paper for all stripping, sanding and finishing tasks on wood, paint and fillers.
- High quality aluminium oxide grain gives superior finish.
- Resin bonding provides excellent grain adhesion and heat resistance for powered sanding.
- Tough, durable "E" weight backing ensures longer life and performance.



QUARTER SHEET 115mm x 140mm Fits: DEWALT, Bosch, Makita, Ryobi, Skil

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3001-QZ	Multi Purpose Wood/paint-dry	40	10	1	5035048066546
DT3002-QZ	Multi Purpose Wood/paint-dry	60	10	1	5035048066553
DT3004-QZ	Multi Purpose Wood/paint-dry	100	10	1	5035048066560
DT3005-QZ	Multi Purpose Wood/paint-dry	150	10	1	5035048066577
DT3007-QZ	Multi Purpose Wood/paint-dry	220	10	1	5035048066584
DT3011-QZ	Multi Purpose Wood/paint-dry	40	25	1	5035048058947
DT3012-QZ	Multi Purpose Wood/paint-dry	60	25	1	5035048058954
DT3014-QZ	Multi Purpose Wood/paint-dry	100	25	1	5035048058961
DT3015-QZ	Multi Purpose Wood/paint-dry	150	25	1	5035048058978
DT3017-QZ	Multi Purpose Wood/paint-dry	220	25	1	5035048058985



QUARTER SHEET 'QUICK FIT' 115mm x 115mm Fits: DEWALT, Bosch, Makita, Hitachi, Metabo

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3020-QZ	Multi Purpose Wood/paint-dry	40	10	1	5035048014462
DT3021-QZ	Multi Purpose Wood/paint-dry	60	10	1	5035048014486
DT3022-QZ	Multi Purpose Wood/paint-dry	80	10	1	5035048014509
DT3023-QZ	Multi Purpose Wood/paint-dry	120	10	1	5035048014523
DT3024-QZ	Multi Purpose Wood/paint-dry	180	10	1	5035048014547
DT3025-QZ	Multi Purpose Wood/paint-dry	240	10	1	5035048014561
DT3026-QZ	Multi Purpose Wood/paint-dry	320	10	1	5035048071953
DT3030-QZ	Multi Purpose Wood/paint-dry	40	25	1	5035048014479
DT3031-QZ	Multi Purpose Wood/paint-dry	60	25	1	5035048014493
DT3032-QZ	Multi Purpose Wood/paint-dry	80	25	1	5035048014516
DT3033-QZ	Multi Purpose Wood/paint-dry	120	25	1	5035048014530
DT3034-QZ	Multi Purpose Wood/paint-dry	180	25	1	5035048014554
DT3035-QZ	Multi Purpose Wood/paint-dry	240	25	1	5035048014578



DETAIL SANDING SHEETS



APPLICATIONS

- For all sanding and finishing tasks on wood, painted surfaces and fillers.

FEATURES

- Industrial grade abrasive paper for all stripping, sanding and finishing tasks on wood, paint and fillers.
- High quality aluminium oxide grain gives superior finish.
- Resin bonding provides excellent grain adhesion and heat resistance for powered sanding.
- Tough, durable "E" weight backing ensures longer life and performance.

PRE-PUNCHED 93mm x 93mm Fits: DEWALT, Bosch, AEG, Makita, Metabo, Skil, Kress

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3090-QZ	Detail Sanding Sheet	40	10	1	5035048061770
DT3091-QZ	Detail Sanding Sheet	60	10	1	5035048061787
DT3092-QZ	Detail Sanding Sheet	80	10	1	5035048061794
DT3093-QZ	Detail Sanding Sheet	120	10	1	5035048061800
DT3094-QZ	Detail Sanding Sheet	180	10	1	5035048061817
DT3095-QZ	Detail Sanding Sheet	240	10	1	5035048061824

ROLLS

APPLICATIONS

- For all sanding and finishing tasks on wood, painted surfaces and fillers.

FEATURES

- Industrial grade abrasive paper for all stripping, sanding and finishing tasks on wood, paint and fillers.
- High quality aluminium oxide grain gives superior finish.
- Resin bonding provides excellent grain adhesion and heat resistance for powered sanding.
- Tough, durable "E" weight backing ensures longer life and performance.



ROLLS - HALF SHEET & QUARTER SHEET

Cat. No.	Description	Grit Size	Size (Length x Width)	Pack Qty	M.O.Q.	Barcode
DT3580-QZ	Multi Purpose Wood/paint-dry	60	5m x 115mm	1	1	5035048067079
DT3581-QZ	Multi Purpose Wood/paint-dry	80	5m x 115mm	1	1	5035048067086
DT3582-QZ	Multi Purpose Wood/paint-dry	120	5m x 115mm	1	1	5035048067093
DT3583-QZ	Multi Purpose Wood/paint-dry	180	5m x 115mm	1	1	5035048067109
DT3584-QZ	Multi Purpose Wood/paint-dry	220	5m x 115mm	1	1	5035048067116



ROLLS - THIRD SHEET

Cat. No.	Description	Grit Size	Size (Length x Width)	Pack Qty	M.O.Q.	Barcode
DT3154-QZ	Multi Purpose Wood/paint-dry	40	5m x 93mm	1	1	5035048082942
DT3590-QZ	Multi Purpose Wood/paint-dry	60	5m x 93mm	1	1	5035048067178
DT3591-QZ	Multi Purpose Wood/paint-dry	80	5m x 93mm	1	1	5035048067185
DT3592-QZ	Multi Purpose Wood/paint-dry	120	5m x 93mm	1	1	5035048067192
DT3593-QZ	Multi Purpose Wood/paint-dry	180	5m x 93mm	1	1	5035048067208
DT3594-QZ	Multi Purpose Wood/paint-dry	220	5m x 93mm	1	1	5035048067215
DT3579-QZ	Multi Purpose Wood/paint-dry	40	25m x 93mm	1	1	5035048070871
DT3595-QZ	Multi Purpose Wood/paint-dry	60	25m x 93mm	1	1	5035048067222
DT3596-QZ	Multi Purpose Wood/paint-dry	80	25m x 93mm	1	1	5035048067239
DT3597-QZ	Multi Purpose Wood/paint-dry	120	25m x 93mm	1	1	5035048067246

BELTS



APPLICATIONS

- For all stripping sanding and finishing tasks on wood, metal and painted surfaces.

FEATURES

- Heavy duty 'X' weight backing cloth.
- Heat resistant resin bonding.
- High quality Aluminium Oxide grain for fast, aggressive stock removal and fine finishing on wood, metal or painted surfaces.
- EXTREME belts (grits up to 120) have an 'Anti Static' resin bonding - reduces clogging and ensures more efficient dust extraction - Longer belt sanding life.



100mm x 610mm Fits: Hitachi, Makita, Ryobi

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3320-QZ	Multi Purpose Wood/paint-belt	40	3	1	5035048068151
DT3321-QZ	Multi Purpose Wood/paint-belt	60	3	1	5035048068168
DT3322-QZ	Multi Purpose Wood/paint-belt	80	3	1	5035048068175
DT3323-QZ	Multi Purpose Wood/paint-belt	100	3	1	5035048068182
DT3324-QZ	Multi Purpose Wood/paint-belt	150	3	1	5035048068199
DT3670-QZ	Multi Purpose Wood/paint-belt	40	10	1	5035048068205
DT3671-QZ	Multi Purpose Wood/paint-belt	60	10	1	5035048068212
DT3672-QZ	Multi Purpose Wood/paint-belt	80	10	1	5035048068229
DT3673-QZ	Multi Purpose Wood/paint-belt	100	10	1	5035048068236
DT3674-QZ	Multi Purpose Wood/paint-belt	150	10	1	5035048068243



100mm x 560mm Fits: DEWALT, AEG, Ryobi

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3312-QZ	Multi Purpose Wood/paint-belt	40	3	1	5035048025642
DT3314-QZ	Multi Purpose Wood/paint-belt	60	3	1	5035048025659
DT3315-QZ	Multi Purpose Wood/paint-belt	80	3	1	5035048025666
DT3316-QZ	Multi Purpose Wood/paint-belt	100	3	1	5035048025673
DT3362-QZ	Multi Purpose Wood/paint-belt	120	3	1	5035048023484
DT3318-QZ	Multi Purpose Wood/paint-belt	150	3	1	5035048025680
DT3685-QZ	Multi Purpose Wood/paint-belt	40	10	1	5035048068458
DT3686-QZ	Multi Purpose Wood/paint-belt	60	10	1	5035048068465
DT3687-QZ	Multi Purpose Wood/paint-belt	80	10	1	5035048068472
DT3626-QZ	Multi Purpose Wood/paint-belt	100	10	1	5035048070826
DT3688-QZ	Multi Purpose Wood/paint-belt	120	10	1	5035048068489



75mm x 533mm Fits: DEWALT, Bosch, Hitachi, Atlas Copco, Holz-Her, Makita, Metabo, Peugeot, Ryobi, Skil

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3376-QZ	Multi Purpose Wood/paint-belt	60	3	1	5035048068717
DT3377-QZ	Multi Purpose Wood/paint-belt	80	3	1	5035048068724
DT3628-QZ	Multi Purpose Wood/paint-belt	100	3	1	5035048070840
DT3301-QZ	Multi Purpose Wood/paint-belt	40	10	1	5011402375172
DT3302-QZ	Multi Purpose Wood/paint-belt	60	10	1	5011402375189
DT3303-QZ	Multi Purpose Wood/paint-belt	80	10	1	5011402375196
DT3304-QZ	Multi Purpose Wood/paint-belt	100	10	1	5011402375202
DT3629-QZ	Multi Purpose Wood/paint-belt	120	10	1	5035048070857
DT3305-QZ	Multi Purpose Wood/paint-belt	150	10	1	5011402375219
DT3307-QZ	Multi Purpose Wood/paint-belt	220	10	1	5011402375226



75mm x 480mm Fits: Elu


Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3364-QZ	Multi Purpose Wood/paint-belt	40	3	1	5035048053942
DT3365-QZ	Multi Purpose Wood/paint-belt	60	3	1	5035048053959
DT3366-QZ	Multi Purpose Wood/paint-belt	80	3	1	5035048053966
DT3367-QZ	Multi Purpose Wood/paint-belt	100	3	1	4024048053973
DT3368-QZ	Multi Purpose Wood/paint-belt	120	3	1	5035048053980
DT3369-QZ	Multi Purpose Wood/paint-belt	150	3	1	5035048053997



75mm x 457mm Fits: Makita, Metabo, Peugeot, Skil

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3640-QZ	Multi Purpose Wood/paint-belt	40	3	1	5035048068809
DT3641-QZ	Multi Purpose Wood/paint-belt	60	3	1	5035048068816
DT3642-QZ	Multi Purpose Wood/paint-belt	80	3	1	5035048068823
DT3643-QZ	Multi Purpose Wood/paint-belt	100	3	1	5035048068830
DT3644-QZ	Multi Purpose Wood/paint-belt	150	3	1	5035048068847

BELTS




APPLICATIONS

- For all stripping, sanding and finishing tasks on wood, metal and painted surfaces.

FEATURES

- Flexible J weight backing cloth.
- Heat resistant resin bonding.
- High quality Aluminium Oxide grain for fast, accurate stock removal and fine finishing on wood, metal or painted surfaces.



64mm x 356mm (MINI BELT SANDER)

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3661-QZ	Multi Purpose Wood/paint-belt	60	3	1	5035048069011
DT3662-QZ	Multi Purpose Wood/paint-belt	80	3	1	5035048069028
DT3663-QZ	Multi Purpose Wood/paint-belt	100	3	1	5035048069035
DT3664-QZ	Multi Purpose Wood/paint-belt	150	3	1	5035048069042
DT3299-QZ	Multi Purpose Wood/paint-belt	220	3	1	5035048071960
DT3666-QZ	Multi Purpose Wood/paint-belt	60	10	1	5035048069066
DT3667-QZ	Multi Purpose Wood/paint-belt	80	10	1	5035048069073
DT3668-QZ	Multi Purpose Wood/paint-belt	100	10	1	5035048069080
DT3669-QZ	Multi Purpose Wood/paint-belt	150	10	1	5035048069097

GRINDING BELTS



APPLICATIONS

- For use with bench grinder.
- Coarse grits for shaping metal, wood and ceramics.

FEATURES

- High performance 'X' weight backing cloth.
- Heat resistant resin bonding.
- High quality aluminium oxide grain.



40mm x 577mm

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
JT3340-QZ	Grinding belt	40	3	1	5035048034262
JT3341-QZ	Grinding belt	60	3	1	5035048034279
JT3342-QZ	Grinding belt	80	3	1	5035048034286
JT3343-QZ	Grinding belt	100	3	1	5035048034293
JT3344-QZ	Grinding belt	120	3	1	5035048034309
JT3345-QZ	Grinding belt	150	3	1	5035048034316
JT3346-QZ	Grinding belt	240	3	1	5035048034323
JT3347-QZ	Grinding belt	320	3	1	5035048034330




45mm x 715mm

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3349-QZ	Grinding belt	40	3	1	5035048034354
DT3350-QZ	Grinding belt	60	3	1	5035048034361
DT3351-QZ	Grinding belt	80	3	1	5035048034378
DT3352-QZ	Grinding belt	100	3	1	5035048034385
DT3353-QZ	Grinding belt	120	3	1	5035048034392
DT3354-QZ	Grinding belt	150	3	1	5035048034408
DT3355-QZ	Grinding belt	240	3	1	5035048034415
DT3356-QZ	Grinding belt	320	3	1	5035048034422

SDS MESH SANDING

NEW



APPLICATIONS


- For use with all types of orbital and random orbit sanders
- 80G, 120G and 240G for sanding and surface preparation of wood, metal and plastic surfaces

FEATURES

- Long life silicon carbide grains provide effective sanding up to four times longer than standard sand paper sheets
- Triple layer of silicon carbide grains to maximise abrasive applications.
- Nylon quick fit material retains integrity up to 250 degree Celsius.
- Universal open mesh design to suit all dust extraction hole configurations

Cat. No.	Description	Pack Qty	M.O.Q.	Barcode
DTM8621-QZ	1/3 SHEET 80 GRIT PACK 5	5	1	5035048024065
DTM8622-QZ	1/3 SHEET 120 GRIT PACK 5	5	1	5035048024072
DTM8624-QZ	1/3 SHEET 240 GRIT PACK 5	5	1	5035048024089
DTM3022-QZ	1/4 SHEET 80 GRIT PACK 5	5	1	5035048024096
DTM3023-QZ	1/4 SHEET 80 GRIT PACK 5	5	1	5035048024102
DTM3025-QZ	1/4 SHEET 80 GRIT PACK 5	5	1	5035048024119
DTM3093-QZ	DETAIL/MULTI 120 GRIT 5 PACK	5	1	5035048024126
DTM3095-QZ	DETAIL/MULTI 240 GRIT 5 PACK	5	1	5035048024133
DTM3092-QZ	DETAIL/MULTI 80 GRIT 5 PACK	5	1	5035048024140
DTM3107-QZ	ROS 125MM 240 GRIT 5 PACK	5	1	5035048024157
DTM3125-QZ	ROS 150MM 120 GRIT 5 PACK	5	1	5035048024164
DTM3105-QZ	ROS 125MM 120 GRIT 5 PACK	5	1	5035048024171
DTM3127-QZ	ROS 150MM 240 GRIT 5 PACK	5	1	5035048024188
DTM3123-QZ	ROS 150MM 80 GRIT 5 PACK	5	1	5035048024195
DTM3103-QZ	ROS 125MM 80 GRIT 5 PACK	5	1	5035048024201
DTM3117-QZ	ROS 125MM 240 GRIT 10 PACK	10	1	5035048024218
DTM3135-QZ	ROS 150MM 120 GRIT 10 PACK	10	1	5035048024225
DTM3115-QZ	ROS 125MM 120 GRIT 10 PACK	10	1	5035048024232
DTM3137-QZ	ROS 150MM 240 GRIT 10 PACK	10	1	5035048024249
DTM3133-QZ	ROS 150MM 80 GRIT 10 PACK	10	1	5035048024256
DTM3113-QZ	ROS 125MM 80 GRIT 10 PACK	10	1	5035048024263
DTM8552-QZ	1/2 SHEET 120 Grit 115mmx228mm 5PACK	5	1	5035048024270
DTM8551-QZ	1/2 SHEET 80 Grit 115mmx228mm 5PACK	5	1	5035048024287

'QUICK FIT NYLON' LOOP DISCS



APPLICATIONS

- For all stripping sanding and finishing tasks on wood, metal and painted surfaces.

FEATURES

- Heat resistant resin adhesive bond, ideal for power sanding.
- Tough, durable paper backing ensures longer disc life and performance.
- Stearate coating reduces clogging, excellent for softwoods & painted surfaces (grits 80 or greater).
- Quick Fit nylon loop backing allows fast and easy disc changeover.

8 HOLES PUNCHED Ø125mm Fits: DEWALT, AEG, Bosch, Atlas Copco, Festool, Elu, Fein, Hitachi, Kress, Makita, Metabo, Skil




Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3101-QZ	Multi Purpose Wood/paint-dry	40	10	1	5035048058992
DT3102-QZ	Multi Purpose Wood/paint-dry	60	10	1	5035048059005
DT3103-QZ	Multi Purpose Wood/paint-dry	80	10	1	5035048059012
DT3105-QZ	Multi Purpose Wood/paint-dry	120	10	1	5035048059029
DT3106-QZ	Multi Purpose Wood/paint-dry	180	10	1	5035048059036
DT3107-QZ	Multi Purpose Wood/paint-dry	240	10	1	5035048059043
DT3108-QZ	Multi Purpose Wood/paint-dry	320	10	1	5035048059050
DT3111-QZ	Multi Purpose Wood/paint-dry	40	25	1	5035048059067
DT3112-QZ	Multi Purpose Wood/paint-dry	60	25	1	5035048059074
DT3113-QZ	Multi Purpose Wood/paint-dry	80	25	1	5035048059081
DT3115-QZ	Multi Purpose Wood/paint-dry	120	25	1	5035048059098
DT3116-QZ	Multi Purpose Wood/paint-dry	180	25	1	5035048059104
DT3117-QZ	Multi Purpose Wood/paint-dry	240	25	1	5035048059111
DT3118-QZ	Multi Purpose Wood/paint-dry	320	25	1	5035048059128

6 HOLES PUNCHED Ø150mm Fits: DEWALT, Bosch, Hitachi, Metabo, Peugeot



Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3121-QZ	Multi Purpose Wood/paint-dry	40	10	1	5035048059135
DT3122-QZ	Multi Purpose Wood/paint-dry	60	10	1	5035048059142
DT3123-QZ	Multi Purpose Wood/paint-dry	80	10	1	5035048059159
DT3125-QZ	Multi Purpose Wood/paint-dry	120	10	1	5035048059166
DT3126-QZ	Multi Purpose Wood/paint-dry	180	10	1	5035048059173
DT3127-QZ	Multi Purpose Wood/paint-dry	240	10	1	5035048059180
DT3128-QZ	Multi Purpose Wood/paint-dry	320	10	1	5035048059197
DT3131-QZ	Multi Purpose Wood/paint-dry	40	25	1	5035048059203
DT3132-QZ	Multi Purpose Wood/paint-dry	60	25	1	5035048059210
DT3133-QZ	Multi Purpose Wood/paint-dry	80	25	1	5035048059227
DT3135-QZ	Multi Purpose Wood/paint-dry	120	25	1	5035048059234
DT3136-QZ	Multi Purpose Wood/paint-dry	180	25	1	5035048059241
DT3137-QZ	Multi Purpose Wood/paint-dry	240	25	1	5035048059248
DT3138-QZ	Multi Purpose Wood/paint-dry	320	25	1	5035048059258

9 HOLES PUNCHED Ø150mm Fits: Festool



Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3151-QZ	Multi Purpose Wood/paint-dry	40	25	1	5035048068083
DT3152-QZ	Multi Purpose Wood/paint-dry	60	25	1	5035048068090
DT3153-QZ	Multi Purpose Wood/paint-dry	80	25	1	5035048068106
DT3155-QZ	Multi Purpose Wood/paint-dry	120	25	1	5035048068113
DT3156-QZ	Multi Purpose Wood/paint-dry	180	25	1	5035048068120

9 HOLES PUNCHED Ø225mm Fits: Festool, Flex




Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3164-QZ	Multi Purpose Wood/paint-dry	60	10	1	5035048082782
DT3169-QZ	Multi Purpose Wood/paint-dry	80	10	1	5035048082799
DT3179-QZ	Multi Purpose Wood/paint-dry	100	10	1	5035048082928
DT3170-QZ	Multi Purpose Wood/paint-dry	120	10	1	5035048082805

APPLICATIONS

- Wood and paint preparation and finish.

FEATURES

- High quality aluminium oxide grain gives superior finish.
- Strong & flexible D/C weight backing.
- Stearate coating helps reduce clogging (80g and above).



ALUMINIUM OXIDE PAPER

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3230-QZ	Multi Purpose Wood/paint-dry	40	1	10	5035048073612
DT3231-QZ	Multi Purpose Wood/paint-dry	60	1	10	5035048073629
DT3232-QZ	Multi Purpose Wood/paint-dry	80	1	10	5035048073636
DT3233-QZ	Multi Purpose Wood/paint-dry	120	1	10	5035048073643
DT3234-QZ	Multi Purpose Wood/paint-dry	180	1	10	5035048073650
DT3235-QZ	Multi Purpose Wood/paint-dry	240	1	10	5035048073667
DT3236-QZ	Multi Purpose Wood/paint-dry	320	1	10	5035048073674
DT3238-QZ	Multi Purpose Wood/paint-dry	60	1	50	5035048073698
DT3239-QZ	Multi Purpose Wood/paint-dry	80	1	50	5035048073704
DT3240-QZ	Multi Purpose Wood/paint-dry	120	1	50	5035048073711
DT3241-QZ	Multi Purpose Wood/paint-dry	180	1	50	5035048073728
DT3242-QZ	Multi Purpose Wood/paint-dry	240	1	50	5035048073735

APPLICATIONS

- Rust removal, surface grinding deburring and final finish.

FEATURES

- Heavyweight 'J' Cloth backing - tough durable sanding on metals.
- *Industrial grade Aluminium oxide grain - fast aggressive stripping/sanding.



METALWORKING CLOTH

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3281-QZ	Steel, Stainless Steel, Non-Ferrous Metal	80	1	10	5035048073872
DT3282-QZ	Steel, Stainless Steel, Non-Ferrous Metal	120	1	10	5035048073889
DT3283-QZ	Steel, Stainless Steel, Non-Ferrous Metal	180	1	10	5035048073896
DT3284-QZ	Steel, Stainless Steel, Non-Ferrous Metal	240	1	10	5035048073902
DT3285-QZ	Steel, Stainless Steel, Non-Ferrous Metal	320	1	10	5035048073919



HAND SANDING BLOCK

Cat. No.	Description	Grit Size	Pack Qty	M.O.Q.	Barcode
DT3199-QZ	Hand Sanding Block		1	1	5035048082829

NAILS



NAILS FOR CORDLESS FRAMING NAILERS

Cat. No.	Description	Type	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT99528RB-QZ	Bright Fin Ring Shank 2.8x50mm (2200)	Angled 34°	2.8 mm	50	2200	1	5035048098240
DT99628RB-QZ	Bright Fin Ring Shank 2.8x63mm (2200)	Angled 34°	2.8 mm	63	2200	1	5035048098257
DT99728RB-QZ	Bright Fin Ring Shank 2.8x75mm (2200)	Angled 34°	2.8 mm	75	2200	1	5035048098264
DT99931RB-QZ	Bright Fin Ring Shank 3.1x90mm (2200)	Angled 34°	3.1mm	90	2200	1	5035048098271
DT99528RG-QZ	Galv Ring Shank 2.8x50mm (2200)	Angled 34°	2.8 mm	50	2200	1	5035048098288
DT99628RG-QZ	GalvRing Shank 2.8x63mm (2200)	Angled 34°	2.8 mm	63	2200	1	5035048098295
DT99728RG-QZ	Galv Ring Shank 2.8x75mm (2200)	Angled 34°	2.8 mm	75	2200	1	5035048098301
DT99931RG-QZ	Galv Ring Shank 3.1x90mm (2200)	Angled 34°	3.1mm	90	2200	1	5035048098318
DT99528RH-QZ	HotDip Galv Ring Shank 2.8x50mm (1100)	Angled 34°	2.8 mm	50	1100	1	5035048098325
DT99628RH-QZ	HotDip Galv Ring Shank 2.8x63mm (1100)	Angled 34°	2.8 mm	63	1100	1	5035048098332
DT99731RH-QZ	HotDip Galv Ring Shank 3.1x75mm (1100)	Angled 34°	3.1mm	75	1100	1	5035048098349
DT99931RH-QZ	HotDip Galv Ring Shank 3.1x90mm (1100)	Angled 34°	3.1mm	90	1100	1	5035048098356
DT99628RS-QZ	Stainless Steel Ring Shank 2.8x63mm (1100)	Angled 34°	2.8 mm	63	1100	1	5035048098363
DT99628PB-QZ	Bright Fin Smith Shank 2.8x63mm(2200)	Angled 34°	2.8 mm	90	2200	1	5035048098370
DT99931PB-QZ	Bright Fin Smith Shank 3.1x90mm(2200)	Angled 34°	3.1mm	90	2200	1	5035048098387
DT99628PG-QZ	Galv Smooth Shank 2.8x63mm (2200)	Angled 34°	2.8 mm	63	2200	1	5035048098394
DT99931PG-QZ	Galv Smooth Shank 3.1x90mm (2200)	Angled 34°	3.1mm	90	2200	1	5035048098400
DT99708RG-QZ	Galv Ring Shank 2.8 x 70mm Nails (2200)	Angled 34°	2.8 mm	70	2200	1	5035048098418
DT99708RH-QZ	Hot Dip Galv Ring 2.8 x 70mm Nails (1100)	Angled 34°	2.8 mm	70	1100	1	5035048098455



NAILS FOR CORDLESS FINISHING NAILERS (16 GAUGE 20°)

Cat. No.	Description	Type	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT9900-QZ	Galvanised	Angled 20°	1.39 x 1.61	32	2500	1	5035048061640
DT9901-QZ	Galvanised	Angled 20°	1.39 x 1.61	38	2500	1	5035048061657
DT9902-QZ	Galvanised	Angled 20°	1.39 x 1.61	44	2500	1	5035048061664
DT9903-QZ	Galvanised	Angled 20°	1.39 x 1.61	50	2500	1	5035048061671
DT9904-QZ	Galvanised	Angled 20°	1.39 x 1.61	63	2500	1	5035048061688
DT9910-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	32	2500	1	5035048011461
DT9911-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	38	2500	1	5035048011478
DT9912-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	44	2500	1	5035048011485
DT9913-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	50	2500	1	5035048011492
DT9914-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	63	2500	1	5035048011508



DC618

NAILS FOR ANGLED FINISHING NAILERS (15 GAUGE 34°)

Cat. No.	Description	Type	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT9920-QZ	Galvanised	Angled 34°	1.75 x 1.75	32	4000	1	5035048011515
DT9921-QZ	Galvanised	Angled 34°	1.75 x 1.75	38	4000	1	5035048011522
DT9922-QZ	Galvanised	Angled 34°	1.75 x 1.75	44	4000	1	5035048011539
DT9923-QZ	Galvanised	Angled 34°	1.75 x 1.75	50	4000	1	5035048011546
DT9924-QZ	Galvanised	Angled 34°	1.75 x 1.75	63	4000	1	5035048011553
DT9986-QZ	Inox	Angled 34°	1.75 x 1.75	32	4000	1	5035048079287
DT9987-QZ	Inox	Angled 34°	1.75 x 1.75	38	4000	1	5035048079294
DT9988-QZ	Inox	Angled 34°	1.75 x 1.75	44	4000	1	5035048079300
DT9989-QZ	Inox	Angled 34°	1.75 x 1.75	50	4000	1	5035048079317
DT9995-QZ	Inox	Angled 34°	1.75 x 1.75	63	4000	1	5035048079324



DC628

NAILS FOR STRAIGHT FINISHING NAILERS (16 GAUGE)

Cat. No.	Description	Type	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT9930-QZ	Galvanised	Straight	1.38 x 1.64	35	5000	1	5035048011560
DT9931-QZ	Galvanised	Straight	1.38 x 1.64	38	5000	1	5035048011577
DT9932-QZ	Galvanised	Straight	1.38 x 1.64	44	5000	1	5035048011584
DT9934-QZ	Galvanised	Straight	1.38 x 1.64	50	5000	1	5035048011591
DT9935-QZ	Galvanised	Straight	1.38 x 1.64	63	5000	1	5035048011607



DC616

NAILS FOR STRAIGHT FINISHING NAILERS (18 GAUGE)

Cat. No.	Description	Type	Diameter mm	Length mm	Pack Qty.	M.O.Q.	Barcode
DT9940-QZ	Galvanised	Straight	1.00 x 1.25	16	5000	1	5035048011614
DT9941-QZ	Galvanised	Straight	1.00 x 1.25	20	5000	1	5035048011621
DT9942-QZ	Galvanised	Straight	1.00 x 1.25	25	5000	1	5035048011638
DT9943-QZ	Galvanised	Straight	1.00 x 1.25	30	5000	1	5035048011645
DT9944-QZ	Galvanised	Straight	1.00 x 1.25	35	5000	1	5035048011652
DT9945-QZ	Galvanised	Straight	1.00 x 1.25	40	5000	1	5035048011669
DT9946-QZ	Galvanised	Straight	1.00 x 1.25	44	5000	1	5035048011676
DT9947-QZ	Galvanised	Straight	1.00 x 1.25	50	5000	1	5035048011683
DT9927-QZ	Inox	Straight	1.00 x 1.25	20	5000	1	5035048079355
DT9928-QZ	Inox	Straight	1.00 x 1.25	25	5000	1	5035048079362
DT9929-QZ	Inox	Straight	1.00 x 1.25	30	5000	1	5035048079379
DT9936-QZ	Inox	Straight	1.00 x 1.25	35	5000	1	5035048079386
DT9937-QZ	Inox	Straight	1.00 x 1.25	40	5000	1	5035048079393
DT9938-QZ	Inox	Straight	1.00 x 1.25	44	5000	1	5035048079409
DT9939-QZ	Inox	Straight	1.00 x 1.25	50	5000	1	5035048079416





DC602

DEWALT[®]


SERVICE

BATTERY MAINTENANCE


In order to get the best out of your DEWALT battery we recommend you follow these sample steps




Charge for a minimum 10hrs before use and refresh every week



Store battery pack at room temperature



Only use battery pack in temperatures between 4°C and 40°C



Do not overload your tool



Do not charge damaged batteries



Do not expose to water

1. How do battery packs fail?

Battery packs fail because of old age. Other failures include overheating, short circuit and damage due to sudden impact.

2. What can I do to get maximum use from my battery?

* Most DEWALT NiCd/NiMH chargers offer a 10 hour "refresh" program which should be used weekly.

* Do not overload your tool.

* Store your battery packs in dry conditions between 4 and 20°C

3. What is 'memory effect' and does it affect power tool batteries?

Memory can cause a loss of runtime. Memory is created from repetitive shallow discharges. Power Tools rarely see shallow discharges under the exact same load. Whilst NiCd and NiMH can suffer from this condition, Li-Ion does not.

4. Should a battery be discharged completely before being charged?

No power tool battery should be discharged completely before charging, this is more likely to permanently damage the battery pack than prolong the battery pack's life.

5. Can I use a DEWALT battery pack with the same voltage but different chemistry in my product?

A tool bought with a Li-Ion, NiCd or NiMH battery pack can be used with the other chemistries. It is best to check compatibility with your local dealer or DEWALT Service team.

6. Can I use a DEWALT battery pack with the same voltage but different capacity (Amp hours) rating in my product?

The capacity a battery has is relevant to the amount of run time you will receive from it, assuming that the voltage and battery style is the same and you have checked the chemistry, it will be compatible.

7. Can any DEWALT charger be used to charge any DEWALT battery?

No. Different chargers are suitable for use with different batteries check with your local dealer or DEWALT Service team if you are unsure.



5 STAR



SERVICE



CONVENIENCE

At the heart of the DeWALT 5 star service promise are 5 star service agents which are conveniently located throughout the country, with specialists always available to answer any questions whether you are on or off the jobsite.



SPEED

Having your tools back in action in the fastest time possible is our prime objective. Subject to parts availability, most repairs should not take more than 48 hours in the workshop and for those smaller urgent repairs we provide a "while-u-wait" service.



QUALITY

Highest Quality is assured with DeWALT factory trained technicians carrying out all repairs with all work being backed by our 90 day warranty. Each DeWALT repair comes with our personal "satisfaction tag" listing all the work done and a DeWALT contact telephone number should you be less than 100% happy with the repair.



GENUINE PARTS

All parts used in repairs are original, ensuring both the highest quality and a perfect fit every time.



ONLINE SERVICE

www.2helpU.com provides information on the DeWALT After Sales Services, including DeWALT authorised repair agent locations, some frequently asked questions, technical information, spare part details, warranty policy and recycling of used tools. You can also contact us directly via the website


TO LOCATE YOUR NEAREST 5 STAR AGENT PLEASE GO TO PAGE 185 OF THIS CATALOGUE OR VISIT:

www.2helpU.com

Not all DeWALT service agents are 5 star rated. Those that are not may not be able to provide all services available above but will display in-store a detailed list of their selected services.

When returning your tool for repairs please remember to bring a proof of purchase with you.

When returning your cordless tools for repairs, please ensure you bring back the battery and charger with the tool



SERVICE NOTES:



SERVICE NOTES:

www.2helpu.com

It takes only 3 clicks to access the latest DEWALT service information and technical data, available 24/7 with daily updates on new and existing products



On www.2helpU.com, we publish:

- The DEWALT authorized repair agents
- The latest information about our spare parts
- The drawings, exploded views and instructions manual of all DEWALT tools
- Our warranty policy

You can also email us directly via the 'contact us' section. www.2helpU.com is also available from www.DEWALT.com click on the 'service' tab

GENUINE PARTS

All our spare parts are genuine and therefore they:

- Are guaranteed to fit and work correctly
- Have the correct specification
 - Carbon brushes quality for optimum performance
 - Safety guards which meet safety standards
 - Grease and lubrication (longer life time)
- Meet standards and regulations
 - Machinery directives, CE, WEEE, REACH, RoHS, TUV, Kema etc standards

DEWALT SERVICE	
<small>DEWALT, 65510, Idstein, Germany</small>	
Part Number: 1003859-00	
Descrip: BRUSH PAIR 230V CUT	
Qty: 1	
Made In: PRC	
Date of packaging: 201049	
www.2helpu.com	GENUINE PARTS





IN STORE MERCHANDISING AND DISPLAY SYSTEM

- **FLEXIBLE, MODULAR SYSTEM**
- **CLEAR PRODUCT DIFFERENTIATION AND COMMUNICATION**
- **STRONG DeWALT BRANDING**

Products sold as per dealer's valid price list. Please refer to price list for stock availability.

DeWALT is a member of EPTA

Dual voltage - all DeWALT power tools are supplied in both 230 Volts and 115 Volts options unless otherwise stated. Please contact your local dealer for availability.

DeWALT reserves the right to revise product specifications at any time without notice.

All measurements are in millimetres (mm) unless otherwise stated.

WARNING: all warranties are country/region specific. Tools purchased e.g. in the USA and imported into Europe, which are not CE approved, will not be supported/serviced in Europe by DeWALT as a result.

Only CE approved European tools are covered by a European warranty.

GUARANTEED TOUGH, ROBUSTESSE GARANTIE, DeWALT EXTREME, DeWALT, EXTREME DeWALT, DeWALT EXTREME IMPACT, DeWALT GUARANTEED TOUGH, SERIES 20, SERIES 30, SERIES 40, SERIES 60, AVC, XRP, XPC, XLR, TOUGHSYSTEM, XR, XPS, ALLIGATOR and the yellow and black colour scheme for portable electric power tools are registered trademarks of The Black and Decker Corporation and Stanley Black & Decker Inc. The yellow and black colour scheme is used on DeWALT power tools and accessories as a trademark.

GORE Wet/Dry Filter is a trademark of W.L Gore & Associates Inc.



Registered Trade Marks of Robert Bosch GmbH. Torx® is a Registered Trade Mark of Acument Intellectual Properties, LLC.

www.DEWALT.com

A

MP1672868